



2021

Formulario Completo

(Lista de Medicamentos Cubiertos)

Pima

Pinal

Maricopa



POR FAVOR LEA: ESTE DOCUMENTO CONTIENE INFORMACIÓN SOBRE LOS MEDICAMENTOS QUE CUBRIMOS EN ESTE PLAN 21025 Versión 01. Este formulario fue actualizado el 02/01/2021. Para la información más reciente u otras preguntas, favor de comunicarse con Banner Prime al (844) 549-1857 o, para usuarios de TTY 711, de 8 a.m. to 8 p.m., 7 días de la semana, o visite www.BannerMA.com

Banner Medicare Advantage Prime HMO

Banner Medicare Advantage Prime

formulario Completo para 2021

(Lista de Medicamentos Cubiertos)

**LEA LO SIGUIENTE: ESTE DOCUMENTO CONTIENE INFORMACIÓN
ACERCA DE LOS MEDICAMENTOS QUE CUBRIMOS EN ESTE PLAN**

21025, Version Number 01

Este formulario se actualizó el 02/01/2021. Para obtener información más reciente o si tiene otras preguntas, comuníquese con Banner Medicare Advantage Prime al (844) 549-1857, o los usuarios de TTY deben llamar al 711, 8 a. m. a 8 p. m. , 7 días de la semana, o visite [www. BannerMA.com](http://www.BannerMA.com).

Nota para los miembros actuales: Este formulario ha cambiado con respecto al año pasado. Revise este documento para asegurarse de que aún contiene los medicamentos que toma.

Cuando esta lista de medicamentos (formulario) menciona “nosotros”, “nos” o “nuestro”, hace referencia a Banner Medicare Advantage Prime. Cuando dice “plan” o “nuestro plan”, hace referencia a Banner Medicare Advantage Prime HMO.

Este documento incluye una lista de los medicamentos (formulario) de nuestro plan, la cual está en vigencia desde el 1 de febrero de 2021. Para obtener un formulario actualizado, comuníquese con nosotros. Nuestra información de contacto, junto con la fecha de la última actualización del formulario, aparece en las páginas de la portada y la portada posterior.

Generalmente, debe concurrir a las farmacias de la red para usar el beneficio de medicamentos recetados. Los beneficios, el formulario, la red de farmacias y/o los copagos/el coseguro pueden cambiar el 1 de enero de, 2021, y periódicamente durante el año.

Banner Medicare Advantage Prime HMO cumple con las leyes federales de derechos civiles aplicables y no discrimina por motivos de raza, color, nacionalidad, edad, discapacidad o sexo.
ATTENTION: If you speak English, language assistance services, free of charge, are available to you.
Call (844) 549-1857 (TTY: 711).

¿Qué es el formulario de Banner Medicare Advantage Prime?

Un formulario es una lista de medicamentos cubiertos seleccionados por Banner Medicare Advantage Prime con la colaboración de un equipo de proveedores de atención médica, que representa los tratamientos con receta que se considera que son parte necesaria de un programa de tratamiento de calidad. Normalmente, Banner Medicare Advantage Prime cubrirá los medicamentos incluidos en el formulario, siempre que el medicamento sea médicamente necesario, el medicamento con receta se obtenga en una farmacia de la red de Banner Medicare Advantage Prime y se cumpla con otras normas del plan. Para obtener más información sobre cómo obtener sus medicamentos con receta, consulte la Evidencia de Cobertura.

¿Puede cambiar el formulario (lista de medicamentos)?

La mayoría de los cambios en la cobertura de Medicamentos ocurre el 1º de enero, pero es posible que agreguemos o eliminemos medicamentos de la Lista de medicamentos durante el año, los cambiemos de un nivel de costo compartido a otro, o añadamos nuevas restricciones. Debemos seguir las normas de Medicare al hacer estos cambios.

Cambios que entran en vigencia este año: Usted se verá afectado por cambios de cobertura durante el año en los siguientes casos:

- **Nuevos medicamentos genéricos.** Podemos eliminar inmediatamente un medicamento de marca de nuestra Lista de Medicamentos si lo reemplazamos con un nuevo medicamento genérico que aparecerá en el mismo nivel de costo compartido o en un nivel de costo compartido más bajo y con las mismas restricciones o menos. Además, cuando agreguemos el nuevo medicamento genérico, podemos decidir mantener el medicamento de marca en nuestra Lista de Medicamentos pero inmediatamente moverlo a un nivel de costo compartido diferente o agregar nuevas restricciones. Si actualmente está tomando ese medicamento de marca, quizás no le informemos con anticipación antes de que realicemos el cambio, pero más adelante le proporcionaremos información sobre los cambios específicos que hemos realizado.
 - › Si realizamos un cambio de este tipo, usted o la persona autorizada a dar recetas pueden solicitarnos que hagamos una excepción y sigamos cubriendo el medicamento de marca para usted. El aviso que le proporcionaremos también incluirá información sobre cómo solicitar una excepción, y usted también puede encontrar información en la sección a continuación titulada “¿Cómo puedo solicitar que se haga una excepción al formulario de Banner Medicare Advantage Prime?”.
- **Medicamentos retirados del mercado.** Si la Administración de Medicamentos y Alimentos considera que un medicamento de nuestro formulario es inseguro o el fabricante del medicamento lo retira del mercado, eliminaremos de inmediato dicho medicamento de nuestro formulario y les notificaremos a los miembros que toman el medicamento en cuestión.
- **Otros cambios.** Podemos hacer otros cambios que afectan a los miembros que actualmente toman un medicamento. Por ejemplo, podemos agregar un medicamento genérico que no es nuevo en el mercado para reemplazar un medicamento de marca que actualmente se encuentre en el formulario o agregar nuevas restricciones al medicamento de marca o moverlo a un nivel de costo compartido diferente. O bien, podemos hacer cambios en función de las nuevas pautas clínicas. Si retiramos medicamentos de nuestro formulario, o agregamos autorizaciones previas, restricciones de límite de cantidad o de tratamiento escalonado en un medicamento, debemos notificarles a los miembros afectados por el cambio al menos 30 días antes de que entre en vigencia dicho cambio, o cuando el miembro solicite volver a surtir el medicamento, momento en el cual el miembro recibirá un suministro del medicamento para 31 días.

› Si realizamos estos otros cambios, usted o la persona autorizada a dar recetas pueden solicitarnos

que hagamos una excepción y sigamos cubriendo el medicamento de marca para usted. El aviso que le proporcionaremos también incluirá información sobre cómo solicitar una excepción, y usted también puede encontrar información en la sección a continuación titulada “¿Cómo puedo solicitar que se haga una excepción al formulario de Banner Medicare Advantage Prime.

Cambios que no le afectarán si actualmente toma el medicamento. Por lo general si usted toma algún medicamento de nuestro formulario de 2021 que estaba cubierto al principio del año, no eliminaremos ni reduciremos la cobertura del medicamento durante el año de cobertura 2021, excepto según lo descrito anteriormente. Esto significa que estos medicamentos se mantendrán disponibles por el resto del año de cobertura por el mismo costo compartido y sin restricciones para aquellos miembros que los toman.

El formulario adjunto está vigente a partir del 1 de febrero de 2021. Para recibir información actualizada sobre los medicamentos cubiertos por Banner Medicare Advantage Prime, comuníquese con nosotros. Nuestra información de contacto aparece en las páginas de la portada y la portada posterior. En caso de cambios al formulario durante el año que no son relacionados al mantenimiento, les notificaremos a nuestros miembros a través de un Aviso de Cambio al Formulario enviado por correo.

¿Cómo utilizo el formulario?

Hay dos formas para encontrar su medicamento dentro del formulario:

Enfermedad

El formulario comienza en la página 3. Los medicamentos de este formulario están agrupados en categorías según el tipo de enfermedad para cuyo tratamiento se los emplea. Por ejemplo, los medicamentos utilizados para tratar una enfermedad cardíaca se enumeran dentro de la categoría “Medicamentos Cardiovasculares”. Si sabe para qué se utiliza su medicamento, busque el nombre de la categoría en la lista que empieza en la página 1. Luego, busque su medicamento debajo del nombre de la categoría.

Lista en Orden Alfabético

Si no está seguro de qué categoría consultar, debe buscar su medicamento en el índice que comienza en la página Índice-1. El índice proporciona una lista alfabética de todos los medicamentos incluidos en este documento. En el Índice, están tanto los medicamentos de marca como los genéricos. Busque en el índice y encuentre su medicamento. Junto a su medicamento, verá el número de página donde puede encontrar información acerca de la cobertura. Vaya a la página que figura en el índice y encuentre el nombre de su medicamento en la primera columna de la lista.

¿Qué son los medicamentos genéricos?

Banner Medicare Advantage Prime cubre tanto los medicamentos de marca como los genéricos. Un medicamento genérico está aprobado por la Administración de Medicamentos y Alimentos (FDA) dado que se considera que tiene el mismo ingrediente activo que el medicamento de marca. Normalmente, los medicamentos genéricos cuestan menos que los de marca.

¿Hay alguna restricción en mi cobertura?

Algunos medicamentos cubiertos pueden tener requisitos o límites adicionales de cobertura. Estos requisitos y límites pueden incluir:

- **Autorización Previa:** Banner Medicare Advantage Prime exige que usted [o su médico] obtenga una autorización previa para determinados medicamentos. Esto significa que necesitará contar con la aprobación de Banner Medicare Advantage Prime antes de surtir sus medicamentos recetados. Si no consigue la autorización, es posible que Banner Medicare Advantage Prime no cubra el medicamento.

- **Límites de cantidad:** para ciertos medicamentos, Banner Medicare Advantage Prime limita la cantidad del medicamento que cubriremos. Por ejemplo, Banner Medicare Advantage Prime proporciona 90 cápsulas en 30 días para Lyrica. Esto puede ser complementario a un suministro estándar para un mes o tres meses.
- **Tratamiento escalonado:** en algunos casos, Banner Medicare Advantage Prime requiere que usted primero pruebe ciertos medicamentos para tratar su afección médica antes de que cubramos otro medicamento para esa enfermedad. Por ejemplo, si el medicamento A y el medicamento B tratan su afección médica, es posible que Banner Medicare Advantage Prime no cubra el medicamento B a menos que usted pruebe primero el medicamento A. Si el medicamento A no funciona para usted, entonces Banner Medicare Advantage Prime cubrirá el medicamento B.

Para averiguar si su medicamento tiene requisitos o límites adicionales, consulte el formulario que empieza en la página FDL Introducción-7. También puede obtener más información sobre las restricciones que se aplican a medicamentos cubiertos específicos en nuestro sitio Web. Hemos publicado documentos en línea que explican nuestras restricciones de autorización previa y tratamiento escalonado. También puede pedirnos que le enviemos una copia. Nuestra información de contacto, junto con la fecha de la última actualización del formulario, aparece en las páginas de la portada y la portada posterior.

Puede pedirle a Banner Medicare Advantage Prime que haga una excepción a estas restricciones o límites, o puede solicitarle una lista de otros medicamentos similares que puedan tratar su afección médica. Consulte la sección “¿Cómo solicito una excepción al formulario de Banner Medicare Advantage Prime?” en la página FDL Introducción-4 y 5 para obtener información acerca de cómo solicitar una excepción.

¿Qué pasa si mi medicamento no está en el formulario?

Si el medicamento que toma no está incluido en este formulario (lista de medicamentos cubiertos), primero debe comunicarse con nuestro Centro de Atención al Cliente y preguntar si su medicamento está cubierto.

Si resulta que Banner Medicare Advantage Prime no cubre el medicamento que toma, tiene dos alternativas:

- Puede pedir a nuestro Centro de Atención al Cliente una lista de medicamentos similares que estén cubiertos por Banner Medicare Advantage Prime. Cuando reciba la lista, muéstresela a su médico y pídale que le recete un medicamento similar que esté cubierto por Banner Medicare Advantage Prime.
- Puede solicitar que Banner Medicare Advantage Prime haga una excepción y cubra su medicamento. Consulte a continuación para obtener información sobre cómo solicitar una excepción.
-

¿Cómo puedo solicitar que se haga una excepción al formulario de Banner Medicare Advantage Prime?

Puede solicitar que Banner Medicare Advantage Prime haga una excepción a nuestras normas de cobertura. Hay varios tipos de excepciones que puede solicitarnos.

- Puede pedirnos que cubramos un medicamento, incluso si no está en nuestro formulario. Si se aprueba, este medicamento estará cubierto a un nivel de costo compartido predeterminado, y usted no podrá pedirnos que le brindemos el medicamento a un nivel de costo compartido menor.
- You can ask us to cover a formulary drug at a lower cost-sharing level [if this drug is not on the specialty tier]. If approved this would lower the amount you must pay for your drug.
- Puede pedirnos que no apliquemos restricciones o límites de cobertura para su medicamento. Por ejemplo, para ciertos medicamentos, Banner Medicare Advantage Prime limita la cantidad del

medicamento que cubriremos. Si su medicamento tiene un límite de cantidad, puede pedirnos que hagamos una excepción al límite y cubramos una cantidad mayor.

Por lo general, Banner Medicare Advantage Prime solo aprobará su pedido de excepción si los medicamentos alternativos incluidos en el formulario del plan, o las restricciones de uso adicionales no fueran tan efectivos para tratar su afección o pudieran causarle efectos médicos adversos.

Debe comunicarse con nosotros para solicitarnos una decisión inicial de cobertura para una excepción al formulario o a la restricción de uso. **Cuando solicita una excepción al formulario o a la restricción de uso, debe presentar una declaración de su médico o de la persona autorizada a dar recetas que respalde su solicitud.** Por lo general, debemos tomar una decisión dentro de las 72 horas a partir de la fecha de haber recibido la declaración que respalda su solicitud por parte de la persona autorizada a dar recetas. Puede solicitar una excepción acelerada (rápida) si usted o su médico consideran que esperar 72 horas para la toma de la decisión podría perjudicar gravemente su salud. Si se le concede el trámite rápido de la excepción, debemos comunicarle nuestra decisión a más tardar dentro de las 24 horas después de haber recibido la declaración de respaldo de su médico o de otra persona autorizada a dar recetas.

¿Qué debo hacer antes de hablar con mi médico sobre el cambio de los medicamentos que tomo o la solicitud de una excepción?

Como miembro nuevo o permanente de nuestro plan, es posible que esté tomando medicamentos que no están incluidos en el formulario. También es posible que esté tomando un medicamento incluido en el formulario pero su capacidad de conseguirlo sea limitada. Por ejemplo, puede necesitar nuestra autorización previa antes de poder obtener su medicamento con receta. Debe consultar con su médico para decidir si debe cambiar su medicamento por uno apropiado que nosotros cubramos o solicitar una excepción al formulario para que le cubramos el medicamento que toma. Mientras evalúa con su médico el procedimiento adecuado para seguir en su caso, podemos cubrir su medicamento, en ciertos casos, durante los primeros 90 días en que usted sea miembro de nuestro plan.

Para cada uno de los medicamentos que no están incluidos en el formulario o si su capacidad para conseguir los medicamentos es limitada, cubriremos un suministro temporal para 31 días. Si su receta está indicada para menos días, permitiremos que realice resurtidos por un máximo de hasta 31 días de medicamentos. Después del primer suministro para 31 días, no seguiremos pagando estos medicamentos, incluso si ha sido miembro del plan durante menos de 90 días.

Si es residente de un centro de atención a largo plazo y necesita un medicamento que no está en el formulario o si su capacidad para conseguir los medicamentos es limitada, pero ya pasaron los primeros 90 días de membresía en nuestro plan, cubriremos un suministro de emergencia del medicamento para 31 días mientras solicita la excepción al formulario.

Es posible que usted tenga que surtir nuevas recetas para medicamentos que estaba tomando si tiene un cambio de nivel de cuidados, por ejemplo:

- Miembros dados de alta de un hospital o asilo
- Miembros que terminan su estancia de Medicare Parte A en un centro de enfermería especializada (en las que los pagos incluyen todas las tarifas de farmacia) y quienes necesitan volver a su formulario de plan de Parte D
- Miembros que pierden su estatus de hospicio para volver a los beneficios estándares de Medicare Parte A y B
- Miembros que terminan una estancia en un centro de cuidado a largo plazo y vuelven a la comunidad

- Miembros que son dados de alta de hospitales psiquiátricos con régimen de medicamentos altamente individualizados

Proporcionaremos un suministro de transición para un máximo de 31 días para evitar una interrupción en la terapia.

Para obtener más información

Para obtener información más detallada sobre la cobertura para medicamentos con receta de Banner – University Care Advantage, consulte la Evidencia de cobertura y otra documentación del plan.

Si tiene alguna pregunta sobre Banner Medicare Advantage Prime, comuníquese con nosotros. Nuestra información de contacto, junto con la fecha de la última actualización del formulario, aparece en las páginas de la portada y la portada posterior.

Si tiene preguntas generales sobre su cobertura para medicamentos con receta de Medicare, llame a Medicare al 1-800-MEDICARE (1-800-633-4227), las 24 horas, los 7 días de la semana. Los usuarios de TTY deben llamar al 1-877-486-2048. O visite <http://www.medicare.gov>.

formulario de Banner Medicare Advantage Prime

El formulario a continuación proporciona información acerca de la cobertura de los medicamentos cubiertos por Banner Medicare Advantage Prime. Si tiene alguna dificultad para encontrar el medicamento que toma en la lista, consulte el Índice que comienza en la página Índice-1.

La primera columna de la tabla menciona el nombre del medicamento. Los medicamentos de marca están en letra mayúscula (por ejemplo, JANUVIA), y los medicamentos genéricos están en letra minúscula y cursiva (por ejemplo, *metformin*).

La información incluida en la columna de Requisitos/límites indica si Banner Medicare Advantage Prime tiene algún requisito especial para la cobertura del medicamento.

Es posible que las siguientes abreviaturas se encuentren en este documento..

Abreviatura/ Descripción	Explicación
LA (Disponibilidad limitada)	Indica que el medicamento está restringido a determinadas farmacias por la Administración de Alimentos y Medicamentos. Estos medicamentos pueden obtenerse solamente en farmacias especialmente designadas para administrar los medicamentos de manera apropiada.
PA (Autorización previa)	Usted o su proveedor debe obtener autorización previa antes de que nuestro plan acepte cubrir la receta.
PA-HRM (Autorización previa/ Medicamento de riesgo elevado))	Indica que este medicamento se considera una medicación de riesgo elevado para personas de 65 años y mayores y que el uso de este medicamento debe evitarse en esta población. Si usted tiene 65 años de edad o más y este medicamento le es recetado, se exige que usted o su proveedor obtenga autorización previa de Banner Medicare Advantage Prime antes de surtir su receta para este medicamento. Sin autorización previa, es posible que Banner — University Care Advantage no cubra este medicamento.
PA BvD (Autorización previa/ Parte B vs Parte D)	Este medicamento podría ser elegible para pago a través de Medicare Parte B o Parte D. Se exige que usted o su médico obtenga autorización previa de Banner Medicare Advantage Prime para determinar que este medicamento esté cubierto a través de Medicare Parte D antes de surtir su receta para este medicamento. Sin autorización previa, es posible que Banner — University Care Advantage no cubra este medicamento.
PA for ESRD Only (Autorización previa/ Enfermedad renal en etapa final)	Indica que si Medicare ha identificado que usted padece de enfermedad renal en etapa final, se exige que usted o su médico obtenga autorización previa de Banner Medicare Advantage Prime antes de surtir su receta para este medicamento. Sin autorización previa, es posible que Banner — University Care Advantage no cubra este medicamento.
PA NSO (Autorización previa/ Solo para quienes estén empezando)	Si usted es un miembro nuevo, se exige que usted o su médico obtenga autorización previa de Banner Medicare Advantage Prime antes de surtir su receta para este medicamento. Sin autorización previa, es posible que Banner — University Care Advantage no cubra este medicamento.
QL (Límite de cantidad)	Es posible que las cantidades dispensadas sean limitadas.
ST (Tratamiento escalonado)	Este medicamento recetado exige que usted pruebe primero otro medicamento, el cual no le sirvió.

- Todos los medicamentos están disponibles en un suministro extendido para 90 días.
- Todos los medicamentos están disponibles a través del servicio de pedido por correo.

Etapas de la parte D de Beneficios de las Prescripciones de Medicamentos

Dentro de la cobertura de prescripciones de medicamento Banner Medicare Advantage Prime, existen cuatro diferentes “etapas”. Los costos de sus medicamentos dependerán de en cuál “etapa” se encuentra, así como también en cuál Plan de Banner Medicare Advantage Prime está usted inscrito. A continuación, se muestra la descripción de cada etapa de medicamentos.

ETAPA 1: Etapa de Deducible Anual

Dependiendo de en cuál Plan de Banner Medicare Advantage Prime se haya integrado, existe un deducible de \$200 dólares o un deducible de \$150 dólares aplicado a los medicamentos de los niveles 3, 4, y 5.

ETAPA 2: Estado de Cobertura Inicial

Cada vez que obtenga una receta prescrita, el costo del medicamento (esta es la cantidad que ambos, usted y Banner Medicare Advantage Prime pagan) y es supervisado por su plan. Lo que usted comparte del costo de sus medicamentos se llama copago o coaseguro. Como sus copagos y/o coaseguros se suman, junto con lo que se tenga que pagar por sus medicamentos por medio del Plan, usted continuará permaneciendo en la Etapa de Cobertura Inicial (ICL) - hasta que el total de sus costos por medicamentos en lo que va del año, alcance el límite en dólares de \$4,130 por su plan. Una vez que usted haya alcanzado este límite de \$4,130 dólares, usted se colocará automáticamente en la etapa 3.

ETAPA 3: Etapa de Diferencia de Cobertura

Después de que haya alcanzado el (ICL) de \$4,130 dólares en la etapa de Cobertura Inicial, usted cambia a la Etapa de Diferencia de Cobertura en la que usted pagará el 25% del precio (más la tarifa de dispensado) por los medicamentos de patente y el 25% del precio por medicamentos genéricos. Para medicamentos en Nivel 1 y el Nivel 6, usted tiene Cobertura de Diferencia: Para medicamentos Nivel 1, usted seguirá pagando \$2.00 dólares por el suministro de un mes; para medicamentos Nivel 6, usted seguirá pagando \$0 por copago. Usted permanece en esta etapa hasta que lo que “haya desembolsado” en lo que va del año, alcance un total de \$6,550 dólares (en sus pagos Plus en cualquier medicamento hecho a su nombre), hacia sus medicamentos cubiertos por la Parte D. Una vez que haya alcanzado este límite, usted quedará fuera de la Etapa de Diferencia de Cobertura y cambiará a la Etapa 4.

ETAPA 4: Etapa de Cobertura Catastrófica

Una vez que usted ha desembolsado para pagar un total de \$6,550 dólares (Real desembolsado [TrOOP]), usted se mueve a la etapa de cobertura catastrófica. Durante esta etapa, empezará a pagar la mayoría del costo de sus medicamentos por el resto del año calendario (hasta el 31 de Diciembre del 2021) y lo que usted comparte del costo será el mayor de ellos:

\$3.70 dólares por medicamentos genéricos O el 5% del costo del medicamento

\$9.20 dólares por todos los otros medicamentos O el 5% del costo del medicamento

Tabla de Beneficios de Prescripciones Banner Medicare Advantage Prime

Cada medicamento está cubierto por su Plan, el cual está agrupado en seis (6) niveles. En general, entre más bajo sea el número de nivel, el costo de su medicamento será menor. A continuación, la tabla muestra cómo están agrupados los medicamentos.

Nivel 1	Genérico Preferido
Nivel 2	Genérico

Nivel 3	De Patente Preferido
Tier 4	No Preferido de Patente
Tier 5	Especializado
Tier 6	Cuidado Selecto

Abajo, se muestran tablas diseñadas para que le ayuden a entender, lo que usted seguirá pagando por sus medicamentos. Busque su país y verá que su copago (la cantidad de 1 dólar) o el coaseguro (una cantidad en porcentaje) será para los diferentes niveles en su plan. Cada página con tabla del plan, incluye una tabla más pequeña, la cual indica que su costo será por 90 días de suministro de medicamentos, cuando se ordene por Pedido de Farmacia por Correo. La tabla que a continuación se muestra, indica cuáles serán sus costos por cada plan de Banner Medicare Advantage Prime y en qué etapa está usted.

Banner Medicare Advantage Prime HMO

(\$40 dólares Prima Mensual)

Maricopa County, Pinal County y Pima County

Banner Medicare Advantage Prime HMO				
Etapa 1 Etapa de Deducible Anual	Etapa 2 Etapa de Cobertura Inicial (hasta \$4,130 dólares gastados en medicamentos cubiertos, basado en el costo total compartido entre usted y el Plan)		Etapa 3 Etapa de Diferencia de Cobertura (Esta etapa inicia cuando el total compartido de los costos del medicamento alcanzan \$4,130 dólares)	Etapa 4, Etapa Catastrófica a (Esta etapa inicia cuando sus costos de medicament o hayan alcanzado un desembolso de \$6,550 dólares)
30-Días		90-Días		
Maricopa y Pinal \$150 dólares	Nivel 1 \$2 dólares		Nivel 1 – Genéricos Preferidos \$2 dólares por 1-mes de suministro	Genérico 5% o \$3.70 dólares Patente 5% o \$9.20 dólares
	Nivel 2 \$12 dólares	Nivel 2 \$36 dólares		
	Nivel 3 \$47 dólares	Nivel 3 \$141 dólares		
	Nivel 4 \$100 dólares	Nivel 4 \$300 dólares	Genéricos y Patente 25% (más tarifa de dispensado) Nivel 6 – Cuidado Selecto \$0 por 1-mes de suministro	
	Nivel 5 30% -Maricopa y Pinal 29% -Pima	Nivel 5 30% - Maricopa y Pinal 29% - Pima		
Pima \$200 dólares				

	Nivel 6 \$0	Nivel 6 \$0		
--	----------------	----------------	--	--

La siguiente es una tabla que indica lo que usted pagará por un suministro de 90 días de medicamentos a través de nuestros Pedidos de Farmacia por Correo

Pedido de Farmacia por Correo por 90-días de suministro					
Nivel 1	Nivel 2	Nivel 3	Nivel 4	Nivel 5	Nivel 6
\$4 dólares	\$24 dólares	\$141 dólares	\$300 dólares	N/A	\$0

Tabla de Contenido

Agentes Anti Cáncer	3
Agentes Anti-Adicción/De Tratamiento De Abuso De Sustancias	19
Agentes Antiansiedad	20
Agentes Antidemencia	21
Agentes Antidiabetico	22
Agentes Antigota	27
Agentes Antimigraña	27
Agentes Antinausea	29
Agentes Antiparasitarios	31
Agentes Antiparkinson	32
Agentes Antipsicóticos	34
Agentes Calóricos	39
Agentes Cardiovasculares	43
Agentes De Enfermedad Intestinal Inflamatoria	56
Agentes De Enfermedad Ósea Metabólica	57
Agentes De Trastorno De Sueño	59
Agentes Del Sistema Nervioso Central	59
Agentes Del Tracto Respiratorio	64
Agentes Dentales Y Orales	69
Agentes Dermatológicos	70
Agentes Gastrointestinales	75
Agentes Genitourinarios	79
Agentes Hormonales, Estimulante/Reemplazo/Modificador	80
Agentes Inmunológicos	88
Agentes Oftálmicos	99
Agentes Para Los Ojos, Oídos, Nariz, Garganta	101
Agentes Terapeuticos Misceláneos	105
Agentes Vasodilatadores	108
Analgésicos	109
Anestésicos	115
Antagonistas De Metales Pesados	116
Anti Infecciosos (Membrana Cutánea Y Mucosa)	117
Antibacterianos	117
Anticonceptivos	125
Anticonvulsivos	133
Antidepresivos	138

Antifúngicos.....	141
Antihistamínicos.....	143
Antimicobacteriales.....	144
Antivirales (Sitémico).....	144
Dispositivos.....	151
Preparaciones De Reemplazo.....	152
Productos Sanguíneos/Modificadores/Expansores De Volumen.....	154
Reemplazo/Modificadores De Enzima.....	158
Relajantes Musculares Esqueléticos.....	160
Soluciones Irrigantes.....	160
Vitaminas Y Minerales.....	160

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
Agentes Anti Cáncer		
Agentes Anti Cáncer		
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	NDS
ADCETRIS INTRAVENOUS RECON SOLN 50 MG	5	PA NSO; NDS
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD
<i>adrucil intravenous solution 2.5 gram/50 ml, 500 mg/10 ml</i>	2	PA BvD
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG	5	PA NSO; NDS; QL (112 per 28 days)
AFINITOR ORAL TABLET 10 MG	5	PA NSO; NDS; QL (56 per 28 days)
AFINITOR ORAL TABLET 2.5 MG, 5 MG, 7.5 MG	5	PA NSO; NDS; QL (28 per 28 days)
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	NDS
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	5	PA NSO; NDS; QL (3 per 28 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	5	PA NSO; NDS
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	5	NDS
<i>arsenic trioxide intravenous solution</i> (Trisenox) <i>2 mg/ml</i>	5	NDS
ASPARLAS INTRAVENOUS SOLUTION 750 UNIT/ML	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (28 per 28 days)
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	5	PA NSO; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
BESPONSA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	5	PA NSO; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NDS; QL (420 per 30 days)
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	
BLENREP INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NDS
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	
BLINCYTO INTRAVENOUS KIT 35 MCG	5	PA NSO; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	5	PA NSO; NDS
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>carboplatin intravenous solution 10 mg/ml</i> (Paraplatin)	2	
<i>cladribine intravenous solution 10 mg/10 ml</i>	2	PA BvD
<i>clofarabine intravenous solution 20 mg/20 ml</i> (Clolar)	5	NDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NDS
<i>cyclophosphamide intravenous solution 200 mg/ml</i>	5	PA BvD; NDS
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	2	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NDS; QL (120 per 28 days)
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	5	PA NSO; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; LA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i> (Dacogen)	5	NDS
<i>docetaxel intravenous solution 20 mg/2 ml (10 mg/ml), 20 mg/ml, 80 mg/8 ml (10 mg/ml)</i>	5	NDS
<i>docetaxel intravenous solution 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml)</i> (Taxotere)	5	NDS
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i> (Adriamycin)	2	PA BvD
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Doxil)	5	PA BvD; NDS
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	
EMCYT ORAL CAPSULE 140 MG	5	NDS
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	5	PA NSO; NDS
ENHERTU INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	5	PA NSO; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	5	PA NSO; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i> (Toposar)	2	
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NDS
<i>floxuridine injection recon soln 0.5 gram</i>	2	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD
<i>flutamide oral capsule 125 mg</i>	2	
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	5	NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	5	PA NSO; NDS
<i>gemcitabine intravenous recon soln 1 gram, 200 mg</i>	2	
<i>gemcitabine intravenous recon soln 2 gram</i>	5	NDS
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	5	NDS
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NDS; QL (30 per 30 days)
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NDS; QL (5 per 21 days)
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG	5	PA NSO; NDS
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 15 MG	5	PA NSO; NDS; QL (60 per 30 days)
ICLUSIG ORAL TABLET 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	2	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	
<i>imatinib oral tablet 100 mg</i> (Gleevec)	2	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	2	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NDS; QL (28 per 28 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NDS; QL (28 per 28 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	5	PA NSO; NDS; QL (4 per 365 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	5	PA NSO; NDS; QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
INFUGEM INTRAVENOUS PIGGYBACK 1,200 MG/120 ML (10 MG/ML), 1,300 MG/130 ML (10 MG/ML), 1,400 MG/140 ML (10 MG/ML), 1,500 MG/150 ML (10 MG/ML), 1,600 MG/160 ML (10 MG/ML), 1,700 MG/170 ML (10 MG/ML), 1,800 MG/180 ML (10 MG/ML), 1,900 MG/190 ML (10 MG/ML), 2,000 MG/200 ML (10 MG/ML), 2,200 MG/220 ML (10 MG/ML)	5	NDS
INLYTA ORAL TABLET 1 MG	5	PA NSO; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml</i> (Camptosar)	2	
<i>irinotecan intravenous solution 500 mg/25 ml</i>	2	
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	5	NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NDS; QL (60 per 30 days)
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS; QL (8 per 21 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NDS; QL (70 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (120 per 30 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	5	PA NSO; NDS
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NDS
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	
LEUKERAN ORAL TABLET 2 MG	4	
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	5	NDS
LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS; QL (7 per 21 days)
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	5	NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NDS
MARQIBO INTRAVENOUS KIT 5 MG/31 ML(0.16 MG/ML) FINAL	5	PA NSO; NDS
MATULANE ORAL CAPSULE 50 MG	5	NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	PA NSO-HRM; AGE (Max 64 Years)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>melphalan hcl intravenous recon soln (Alkeran (as HCl)) 50 mg</i>	5	NDS
<i>mercaptopurine oral tablet 50 mg</i>	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	PA BvD
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	PA BvD
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	
MONJUVI INTRAVENOUS RECON SOLN 200 MG	5	PA NSO; NDS
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	5	PA NSO; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	5	PA NSO; NDS
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	5	NDS
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NDS
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	2	
<i>oxaliplatin intravenous solution 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	2	PA BvD
PADCEV INTRAVENOUS RECON SOLN 20 MG, 30 MG	5	PA NSO; NDS
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NDS; QL (14 per 21 days)
PERJETA INTRAVENOUS SOLUTION 420 MG/14 ML (30 MG/ML)	5	PA NSO; NDS
PHEGO SUBCUTANEOUS SOLUTION 1,200 MG-600MG- 30000 UNIT/15ML	5	PA NSO; NDS; QL (15 per 21 days)
PHEGO SUBCUTANEOUS SOLUTION 600 MG-600 MG- 20000 UNIT/10ML	5	PA NSO; NDS; QL (10 per 21 days)
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NDS; QL (56 per 28 days)
POLIVY INTRAVENOUS RECON SOLN 140 MG, 30 MG	5	PA NSO; NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	5	PA NSO; NDS; QL (100 per 21 days)
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	5	NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NDS; QL (120 per 30 days)
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; LA; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NDS
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	5	PA NSO; NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NDS; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (224 per 28 days)
SARCLISA INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NDS
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NDS
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (84 per 28 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG	5	PA NSO; NDS
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	5	PA NSO; NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NDS
TABLOID ORAL TABLET 40 MG	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; LA; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	5	PA NSO; NDS; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 1 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	
TARGRETIN TOPICAL GEL 1 %	5	PA NSO; NDS
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NDS; QL (240 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	PA NSO; NDS
TEMODAR INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NDS
<i>temsirolimus intravenous recon soln 30 mg/3 ml (10 mg/ml) (first)</i> (Torisel)	5	PA BvD; NDS; QL (4 per 28 days)
<i>thiotepa injection recon soln 100 mg, 15 mg</i> (Tepadina)	5	NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
<i>toposar intravenous solution 20 mg/ml</i>	2	
<i>topotecan intravenous recon soln 4 mg</i> (Hycamtin)	5	NDS
<i>topotecan intravenous solution 4 mg/4 ml (1 mg/ml)</i>	5	NDS
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NDS
TRAZIMERA INTRAVENOUS RECON SOLN 420 MG	5	PA NSO; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	5	PA NSO; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	5	NDS; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NDS; QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	5	NDS; QL (1 per 28 days)
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NDS
TRODELVY INTRAVENOUS RECON SOLN 180 MG	5	PA NSO; NDS
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
TYKERB ORAL TABLET 250 MG	5	PA NSO; NDS
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	5	PA NSO; NDS
<i>valrubicin intravesical solution 40 mg/ml</i> (Valstar)	5	NDS
VECTIBIX INTRAVENOUS SOLUTION 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML)	5	PA NSO; NDS
VELCADE INJECTION RECON SOLN 3.5 MG	5	PA NSO; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	3	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS, DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (56 per 28 days)
<i>vinblastine intravenous solution 1 mg/ml</i>	2	PA BvD
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i>	2	PA BvD
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i> (Vincasar PFS)	2	PA BvD
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> (Navelbine)	2	
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	5	PA BvD; NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NDS; QL (60 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5)	5	PA NSO; NDS; QL (20 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (20 MG X 2)	5	PA NSO; NDS; QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
XPOVIO ORAL TABLET 40MG TWICE WEEK (80 MG/WEEK), 80 MG/WEEK (20 MG X 4)	5	PA NSO; NDS; QL (16 per 28 days)
XPOVIO ORAL TABLET 60 MG/WEEK (20 MG X 3)	5	PA NSO; NDS; QL (12 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NDS; QL (120 per 30 days)
ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML)	5	PA NSO; NDS
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NDS; QL (240 per 30 days)
ZEPZELCA INTRAVENOUS RECON SOLN 4 MG	5	PA NSO; NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	4	QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	4	QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	5	NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NDS; QL (84 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
ZYTIGA ORAL TABLET 250 MG, 500 MG	5	PA NSO; NDS; QL (120 per 30 days)
Agentes Anti-Adicción/De Tratamiento De Abuso De Sustancias		
Agentes Anti-Adicción/De Tratamiento De Abuso De Sustancias		
<i>acamprosate oral tablet, delayed release (drlec) 333 mg</i>	2	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg, 8-2 mg</i> (Suboxone)	2	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg</i> (Suboxone)	2	QL (30 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	2	
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG	3	QL (336 per 365 days)
CHANTIX ORAL TABLET 0.5 MG, 1 MG	3	QL (336 per 365 days)
CHANTIX STARTING MONTH BOX ORAL TABLETS, DOSE PACK 0.5 MG (11)- 1 MG (42)	3	
<i>disulfiram oral tablet 250 mg, 500 mg</i>	2	
LUCEMYRA ORAL TABLET 0.18 MG	5	NDS; QL (228 per 14 days)
<i>naloxone injection solution 0.4 mg/ml</i>	2	
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	2	
<i>naltrexone oral tablet 50 mg</i>	2	
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION	3	QL (4 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
NICOTROL INHALATION CARTRIDGE 10 MG	4	QL (1008 per 90 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML	5	NDS; QL (0.5 per 30 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML	5	NDS; QL (1.5 per 30 days)
Agentes Antiansiedad		
Benzodiacepinas		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	QL (150 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg</i> (Xanax XR)	2	QL (120 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 3 mg</i> (Xanax XR)	2	QL (90 per 30 days)
<i>bupirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	2	QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i>	2	QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i> (Tranxene T-Tab)	2	QL (180 per 30 days)
<i>diazepam 5 mg/ml oral conc 5 mg/ml</i>	2	QL (1200 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam oral concentrate 5 mg/ml</i> (Diazepam Intensol)	2	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	QL (1200 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	QL (120 per 30 days)
<i>estazolam oral tablet 1 mg</i>	2	QL (60 per 30 days)
<i>estazolam oral tablet 2 mg</i>	2	QL (30 per 30 days)
<i>flurazepam oral capsule 15 mg</i>	2	QL (60 per 30 days)
<i>flurazepam oral capsule 30 mg</i>	2	QL (30 per 30 days)
<i>lorazepam 2 mg/ml oral concent 2 mg/ml</i> (Lorazepam Intensol)	2	QL (150 per 30 days)
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i> (Ativan)	1	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	2	QL (2 per 30 days)
<i>lorazepam intensol oral concentrate 2 mg/ml</i>	2	QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	QL (150 per 30 days)
<i>midazolam oral syrup 2 mg/ml</i>	2	QL (10 per 30 days)
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	2	QL (120 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	QL (30 per 30 days)
<i>triazolam oral tablet 0.125 mg</i>	2	QL (120 per 30 days)
<i>triazolam oral tablet 0.25 mg</i> (Halcion)	2	QL (60 per 30 days)
Agentes Antidemencia		
Agentes Antidemencia		
<i>donepezil oral tablet 10 mg, 23 mg, 5 mg</i> (Aricept)	2	QL (30 per 30 days)
<i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER)	2	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	2	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	QL (60 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	2	PA; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	2	PA; QL (360 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	2	PA; QL (60 per 30 days)
NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	3	ST
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	3	ST; QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule</i> <i>1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	QL (60 per 30 days)
<i>rivastigmine transdermal patch 24</i> (Exelon) <i>hour 13.3 mg/24 hour, 4.6 mg/24 hr,</i> <i>9.5 mg/24 hr</i>	2	QL (30 per 30 days)
Agentes Antidiabetico		
Agentes Antidiabeticos, Varios		
<i>acarbose oral tablet 100 mg, 25 mg,</i> (Precose) <i>50 mg</i>	2	QL (90 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG	3	QL (30 per 30 days)
JANUMET ORAL TABLET 50- 1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100- 1,000 MG	3	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50- 1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5- 850 MG	4	ST; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	4	ST; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	4	ST; QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	5	PA; NDS; QL (112 per 28 days)
<i>metformin oral solution 500 mg/5 ml</i> (Riomet)	2	QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i> (Glucophage)	6	GC; QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i> (Glucophage)	6	GC; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i> (Glucophage)	6	GC; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i> (Glucophage XR)	6	GC; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i> (Glucophage XR)	6	GC; QL (60 per 30 days)
<i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i>	2	QL (90 per 30 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i> (Starlix)	2	QL (90 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML)	3	QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	6	GC; QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg</i>	6	GC; QL (120 per 30 days)
<i>repaglinide oral tablet 1 mg</i> (Prandin)	6	GC; QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i> (Prandin)	6	GC; QL (240 per 30 days)
<i>repaglinide-metformin oral tablet 1- 500 mg, 2-500 mg</i>	2	QL (150 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NDS; QL (10.8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	4	ST; QL (30 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	3	QL (9 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10- 1,000 MG, 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5- 1,000 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
Insulinas		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	QL (24 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70- 30)	3	QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U- 100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	QL (30 per 28 days)
NOVOLIN R REGULAR U-100 INSULIN INJECTION SOLUTION 100 UNIT/ML	3	QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70- 30)	2	QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
NOVOLOG MIX 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	2	QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	QL (15 per 28 days)
Sulfonilureas		
<i>glimepiride oral tablet 1 mg, 2 mg</i> (Amaryl)	6	GC; QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i> (Amaryl)	6	GC; QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i> (Glucotrol)	6	GC; QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i>	6	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL)	6	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i> (Glucotrol XL)	6	GC; QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	6	GC; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	6	GC; QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i> (Glynase)	6	PA-HRM; GC; AGE (Max 64 Years)
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	6	PA-HRM; GC; AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	6	PA-HRM; GC; AGE (Max 64 Years)
Agentes Antigota		
Agentes Antigota, Otros		
<i>allopurinol oral tablet 100 mg, 300 mg</i> (Zyloprim)	1	
<i>colchicine oral tablet 0.6 mg</i> (Colcrys)	4	PA; QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	2	ST; QL (30 per 30 days)
MITIGARE ORAL CAPSULE 0.6 MG	2	QL (60 per 30 days)
<i>probenecid oral tablet 500 mg</i>	2	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	
Agentes Antimigraña		
Agentes Antimigraña		
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML	3	PA; QL (1 per 30 days)
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution 1 mg/ml</i> (D.H.E.45)	5	NDS; QL (24 per 28 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	5	NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
ERGOMAR SUBLINGUAL TABLET 2 MG	5	NDS; QL (20 per 28 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i> (Amerge)	2	QL (9 per 30 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	3	PA; QL (16 per 30 days)
REYVOW ORAL TABLET 100 MG, 50 MG	3	PA; QL (8 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 10 mg</i> (Maxalt-MLT)	2	QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i>	2	QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/lactuation</i> (Imitrex)	2	QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 5 mg/lactuation</i> (Imitrex)	2	QL (18 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	2	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	2	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	2	QL (4 per 28 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
VYEPTI INTRAVENOUS SOLUTION 100 MG/ML	4	PA; QL (1 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
zolmitriptan oral tablet 2.5 mg, 5 mg (Zomig)	2	QL (6 per 30 days)
zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg (Zomig ZMT)	2	QL (6 per 30 days)
Agentes Antinausea		
Agentes Antinausea		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	4	
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	4	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	4	PA BvD
aprepitant oral capsule 125 mg	2	PA BvD; QL (2 per 28 days)
aprepitant oral capsule 40 mg (Emend)	2	PA BvD; QL (1 per 28 days)
aprepitant oral capsule 80 mg (Emend)	2	PA BvD; QL (4 per 28 days)
aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2) (Emend)	2	PA BvD; QL (6 per 28 days)
CINVANTI INTRAVENOUS EMULSION 7.2 MG/ML	4	QL (36 per 28 days)
compro rectal suppository 25 mg	2	
dimenhydrinate injection solution 50 mg/ml	2	
dronabinol oral capsule 10 mg, 2.5 mg, 5 mg (Marinol)	2	PA; QL (60 per 30 days)
droperidol injection solution 2.5 mg/ml	2	
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	4	PA BvD; QL (6 per 28 days)
fosaprepitant intravenous recon soln 150 mg (Emend (fosaprepitant))	2	QL (2 per 28 days)
granisetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>granisetron hcl intravenous solution 1 mg/ml</i>	2	
<i>granisetron hcl oral tablet 1 mg</i>	2	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	2	
<i>meclizine oral tablet 25 mg</i> (Dramamine Less Drowsy)	2	
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	2	
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	2	PA BvD
<i>ondansetron hcl oral tablet 24 mg, 8 mg</i>	2	PA BvD
<i>ondansetron hcl oral tablet 4 mg</i> (Zofran)	2	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	PA BvD
<i>phenadoz rectal suppository 12.5 mg, 25 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	2	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	2	
<i>prochlorperazine rectal suppository 25 mg</i> (Compro)	2	
<i>promethazine injection solution 25 mg/ml, 50 mg/ml</i> (Phenergan)	2	PA-HRM; AGE (Max 64 Years)
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>promethazine rectal suppository 12.5 mg, 50 mg</i> (Promethegan)	2	PA-HRM; AGE (Max 64 Years)
<i>promethazine rectal suppository 25 mg</i> (Phenadoz)	2	PA-HRM; AGE (Max 64 Years)
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>	2	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>scopolamine base transdermal patch</i> (Transderm-Scop) 3 day 1 mg over 3 days	2	PA-HRM; QL (10 per 30 days); AGE (Max 64 Years)
SYNDROS ORAL SOLUTION 5 MG/ML	5	PA; NDS; QL (120 per 30 days)
Agentes Antiparasitarios		
Agentes Antiparasitarios		
<i>albendazole oral tablet 200 mg</i> (Albenza)	5	NDS
ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML	5	NDS
ALINIA ORAL TABLET 500 MG	5	NDS
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	5	NDS
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	2	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)	2	
<i>chloroquine phosphate oral tablet 250 mg</i>	2	QL (50 per 30 days)
<i>chloroquine phosphate oral tablet 500 mg</i>	2	QL (25 per 30 days)
COARTEM ORAL TABLET 20-120 MG	4	
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	2	QL (90 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	2	
KRINTAFEL ORAL TABLET 150 MG	4	
<i>mefloquine oral tablet 250 mg</i>	2	
<i>nitazoxanide oral tablet 500 mg</i> (Alinia)	5	NDS
<i>paromomycin oral capsule 250 mg</i>	2	
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)	2	PA BvD
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
PRIMAQUINE ORAL TABLET 26.3 MG	2	
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	5	PA; NDS
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	2	PA; QL (42 per 7 days)
<i>tinidazole oral tablet 250 mg, 500 mg</i>	2	
Agentes Antiparkinson		
Agentes Antiparkinson		
<i>amantadine hcl oral capsule 100 mg</i>	2	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	2	
<i>amantadine hcl oral tablet 100 mg</i>	2	
APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML	5	PA; NDS; QL (60 per 30 days)
<i>benztropine injection solution 1 mg/ml</i> (Cogentin)	2	
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	2	
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	2	
<i>cabergoline oral tablet 0.5 mg</i>	2	
<i>carbidopa oral tablet 25 mg</i> (Lodosyn)	2	
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i> (Sinemet)	2	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	2	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)	4	
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)	4	
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100)	4	
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125)	4	
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>carbidopa-levodopa-entacapone oral</i> (Stalevo 200) <i>tablet 50-200-200 mg</i>	4	
<i>entacapone oral tablet 200 mg</i> (Comtan)	2	
GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 137 MG	5	PA; NDS; QL (60 per 30 days)
GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 68.5 MG	5	PA; NDS; QL (30 per 30 days)
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NDS
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	QL (30 per 30 days)
ONGENTYS ORAL CAPSULE 50 MG	4	PA; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	4	QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	4	QL (60 per 30 days)
<i>pramipexole oral tablet 0.125 mg,</i> (Mirapex) <i>0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	1	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	2	
<i>ropinirole oral tablet 0.25 mg, 3 mg,</i> (Requip) <i>5 mg</i>	2	
<i>ropinirole oral tablet 0.5 mg, 1 mg, 2 mg, 4 mg</i>	2	
<i>ropinirole oral tablet extended</i> (Requip XL) <i>release 24 hr 12 mg, 2 mg, 6 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>ropinirole oral tablet extended release 24 hr 4 mg, 8 mg</i>	2	
<i>selegiline hcl oral capsule 5 mg</i>	2	
<i>selegiline hcl oral tablet 5 mg</i>	2	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	
XADAGO ORAL TABLET 100 MG, 50 MG	5	PA; NDS; QL (30 per 30 days)
Agentes Antipsicóticos		
Agentes Antipsicóticos		
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NDS; QL (1 per 28 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NDS; QL (1 per 28 days)
<i>aripiprazole oral solution 1 mg/ml</i>	2	QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	2	QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i> (Abilify)	2	QL (60 per 30 days)
<i>aripiprazole oral tablet,disintegrating 10 mg</i>	5	ST; NDS; QL (90 per 30 days)
<i>aripiprazole oral tablet,disintegrating 15 mg</i>	5	ST; NDS; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NDS; QL (1.6 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NDS; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NDS; QL (3.2 per 28 days)
<i>asenapine maleate sublingual tablet</i> (Saphris) 10 mg, 2.5 mg, 5 mg	2	ST; QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 42 MG	5	ST; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution</i> 25 mg/ml	2	
<i>chlorpromazine oral tablet</i> 10 mg, 100 mg, 200 mg, 25 mg, 50 mg	2	
<i>clozapine oral tablet</i> 100 mg (Clozaril)	2	QL (270 per 30 days)
<i>clozapine oral tablet</i> 200 mg (Clozaril)	2	QL (135 per 30 days)
<i>clozapine oral tablet</i> 25 mg, 50 mg (Clozaril)	2	QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 100 mg, 12.5 mg, 25 mg	2	ST; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 150 mg	2	ST; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 200 mg	5	ST; NDS; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 2 MG	4	ST; QL (60 per 30 days)
FANAPT ORAL TABLET 10 MG, 12 MG, 4 MG, 6 MG, 8 MG	5	ST; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	4	ST
<i>fluphenazine decanoate injection solution</i> 25 mg/ml	2	
<i>fluphenazine hcl injection solution</i> 2.5 mg/ml	2	
<i>fluphenazine hcl oral concentrate</i> 5 mg/ml	2	
<i>fluphenazine hcl oral elixir</i> 2.5 mg/5 ml	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	2	
<i>haloperidol decanoate intramuscular (Haldol Decanoate) solution 100 mg/ml</i>	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml)</i>	2	
<i>haloperidol decanoate intramuscular (Haldol Decanoate) solution 50 mg/ml</i>	2	
<i>haloperidol decanoate intramuscular solution 50 mg/ml(1ml)</i>	2	
<i>haloperidol lactate injection solution (Haldol) 5 mg/ml</i>	2	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NDS; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NDS; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	4	QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML	5	NDS; QL (0.875 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	5	NDS; QL (1.315 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NDS; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML	5	NDS; QL (2.625 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	3	QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	3	QL (60 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>molindone oral tablet 10 mg</i>	2	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	2	QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa)	2	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)	2	QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis)	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg</i> (Invega)	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	2	QL (60 per 30 days)
<i>paliperidone oral tablet extended release 24hr 9 mg</i> (Invega)	5	NDS; QL (30 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION, EXTEND REL SYR KIT 120 MG, 90 MG	5	NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)	2	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 50 mg</i> (Seroquel XR)	2	QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg</i> (Seroquel XR)	2	QL (60 per 30 days)
REXULTI ORAL TABLET 0.25 MG	5	ST; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML	4	QL (4 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML	5	NDS; QL (4 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	2	QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg</i>	2	QL (60 per 30 days)
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)	2	QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	2	QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 3 mg, 4 mg</i>	2	QL (120 per 30 days)
SAPHRIS SUBLINGUAL TABLET 10 MG	5	ST; NDS; QL (60 per 30 days)
SAPHRIS SUBLINGUAL TABLET 2.5 MG, 5 MG	4	ST; QL (60 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	2	QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	2	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NDS; QL (1 per 28 days)
Agentes Calóricos		
Agentes Calóricos		
AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
AMINOSYN 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN II 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN II 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 %	4	PA BvD
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN-PF 7 % (SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	4	PA BvD
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 5%/D25W SULFITE- FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%-D25W SULF- FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 6%-D5W (SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINOLIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
<i>dextrose 10 % in water (d10w)</i> <i>intravenous parenteral solution 10 %</i>	2	PA BvD
<i>dextrose 5 % in water (d5w)</i> <i>intravenous parenteral solution</i>	2	
<i>dextrose 5%-water iv soln single use</i> <i>5 %</i>	2	
FREAMINE HBC 6.9 % INTRAVENOUS PARENTERAL SOLUTION 6.9 %	4	PA BvD
FREAMINE III 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	4	PA BvD
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD
KABIVEN INTRAVENOUS EMULSION 3.31-9.8-3.9 %	4	PA BvD
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	4	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PERIKABIVEN INTRAVENOUS EMULSION 2.36-6.8-3.5 %	4	PA BvD
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 6% INTRAVENOUS PARENTERAL SOLUTION 6 %	4	PA BvD
Agentes Cardiovasculares		
Agentes Alfa-Adrenérgicos		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i> (Catapres)	1	
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	2	QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	2	QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>clonidine transdermal patch weekly</i> (Catapres-TTS-3) 0.3 mg/24 hr	2	QL (8 per 28 days)
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	2	
<i>guanfacine oral tablet 1 mg, 2 mg</i>	2	
<i>methyldopa oral tablet 250 mg, 500 mg</i>	2	
<i>methyldopa-hydrochlorothiazide oral tablet 250-15 mg, 250-25 mg</i>	2	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
NORTHERA ORAL CAPSULE 100 MG, 200 MG, 300 MG	5	PA; NDS; QL (180 per 30 days)
<i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)	2	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)	2	
Agentes Antiarrítmicos		
<i>amiodarone oral tablet 100 mg, 400 mg</i> (Pacerone)	2	
<i>amiodarone oral tablet 200 mg</i> (Pacerone)	1	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	2	PA-HRM; AGE (Max 64 Years)
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	2	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)</i>	1	
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	
MULTAQ ORAL TABLET 400 MG	3	
<i>pacerone oral tablet 100 mg, 400 mg</i>	2	
<i>pacerone oral tablet 200 mg</i>	1	
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	2	
<i>procainamide intravenous syringe 100 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i> (Rythmol SR)	2	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	
<i>quinidine gluconate oral tablet extended release 324 mg</i>	2	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	2	
Agentes Bloqueadores Beta-Adrenérgicos		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	2	
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	2	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> (Ziac)	2	
BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG	3	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	
<i>labetalol intravenous solution 5 mg/ml</i>	2	
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	2	
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg</i> (Lopressor HCT)	2	
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i> (Lopressor)	2	
<i>metoprolol tartrate intravenous syringe 5 mg/5 ml</i>	2	
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	
<i>metoprolol tartrate oral tablet 25 mg</i>	1	
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i> (Corgard)	2	
<i>pindolol oral tablet 10 mg, 5 mg</i>	2	
<i>propranolol intravenous solution 1 mg/ml</i>	2	
<i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	2	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	2	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	2	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	2	
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (Sorine)	2	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	
Agentes Bloqueadores Da Canal De Calcio		
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	2	
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	2	
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>diltiazem hcl oral capsule,extended release 24 hr 360 mg</i> (Taztia XT)	2	
<i>diltiazem hcl oral capsule,extended release 24 hr 420 mg</i> (Tiadylt ER)	2	
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	2	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	2	
<i>diltiazem hcl oral tablet 90 mg</i>	2	
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i>	2	
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	2	
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	2	
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	2	
<i>verapamil intravenous syringe 2.5 mg/ml</i>	2	
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i> (Verelan)	2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i> (Verelan)	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> (Calan SR)	1	
Agentes Cardiovasculares, Varios		
CORLANOR ORAL SOLUTION 5 MG/5 ML	3	
CORLANOR ORAL TABLET 5 MG, 7.5 MG	3	
DEMSER ORAL CAPSULE 250 MG	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	2	
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	2	
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	2	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	2	QL (4 per 30 days)
<i>epinephrine injection solution 1 mg/ml</i> (Adrenalin)	1	
<i>hydralazine injection solution 20 mg/ml</i>	2	
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Firazyr)	5	PA; NDS; QL (18 per 30 days)
<i>metyrosine oral capsule 250 mg</i> (Demser)	5	NDS
<i>milrinone intravenous solution 1 mg/ml</i>	5	PA BvD; NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg, 500 mg</i> (Ranexa)	2	
SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML, 0.3 MG/0.3 ML	3	QL (4 per 30 days)
VYNDAMAX ORAL CAPSULE 61 MG	5	PA; NDS; QL (30 per 30 days)
VYNDAQEL ORAL CAPSULE 20 MG	5	PA; NDS; QL (120 per 30 days)
Antagonistas De Receptores De Angiotensina Ii		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)	2	
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	2	
EDARBI ORAL TABLET 40 MG, 80 MG	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	3	
ENTRESTO ORAL TABLET 24- 26 MG, 49-51 MG, 97-103 MG	3	
<i>eprosartan oral tablet 600 mg</i>	2	
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	6	GC
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	6	GC
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	6	GC
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	6	GC
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	6	GC
<i>olmesartan-amlodipin-hcthiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor)	2	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	6	GC
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	6	GC
<i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i> (Twynsta)	2	
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	2	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	6	GC
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	6	GC
Dihidropiridinas		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>amlodipine-benazepril oral capsule</i> (Lotrel) 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg, 5-40 mg	6	GC
<i>amlodipine-benazepril oral capsule</i> 2.5-10 mg	6	GC
<i>amlodipine-olmesartan oral tablet</i> (Azor) 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg	2	
<i>amlodipine-valsartan oral tablet</i> 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg (Exforge)	6	GC
<i>amlodipine-valsartan-hcthidiazid oral tablet</i> 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg (Exforge HCT)	2	
<i>felodipine oral tablet extended release</i> 24 hr 10 mg, 2.5 mg, 5 mg	2	
<i>isradipine oral capsule</i> 2.5 mg, 5 mg	2	
KATERZIA ORAL SUSPENSION 1 MG/ML	4	ST; QL (300 per 30 days)
<i>nicardipine oral capsule</i> 20 mg, 30 mg	2	
<i>nifedipine oral capsule</i> 10 mg (Procardia)	2	
<i>nifedipine oral capsule</i> 20 mg	2	
<i>nifedipine oral tablet extended release</i> 24hr 30 mg, 60 mg, 90 mg (Procardia XL)	2	
<i>nifedipine oral tablet extended release</i> 30 mg, 60 mg, 90 mg (Adalat CC)	2	
Dislipidémicos		
<i>amlodipine-atorvastatin oral tablet</i> 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg (Caduet)	2	
<i>amlodipine-atorvastatin oral tablet</i> 2.5-10 mg, 2.5-20 mg, 2.5-40 mg	2	
<i>atorvastatin oral tablet</i> 10 mg, 20 mg, 40 mg, 80 mg (Lipitor)	6	GC
<i>cholestyramine (with sugar) oral powder in packet</i> 4 gram (Questran)	2	
<i>cholestyramine light oral powder</i> 4 gram	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>cholestyramine light packet 4 gram</i>	2	
<i>colesevelam oral tablet 625 mg</i> (WelChol)	2	
<i>colestipol oral packet 5 gram</i> (Colestid)	2	
<i>colestipol oral tablet 1 gram</i> (Colestid)	2	
EZALLOR SPRINKLE ORAL CAPSULE, SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG	4	ST; QL (30 per 30 days)
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)	2	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>	2	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	2	
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	
<i>fenofibric acid (choline) oral capsule, delayed release (drlec) 135 mg, 45 mg</i> (Trilipix)	2	
<i>fluvastatin oral capsule 20 mg, 40 mg</i> (Lescol)	2	
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	
JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG	5	PA; NDS; QL (30 per 30 days)
JUXTAPID ORAL CAPSULE 20 MG	5	PA; NDS; QL (90 per 30 days)
JUXTAPID ORAL CAPSULE 5 MG	5	PA; NDS; QL (45 per 30 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	3	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
NEXLETOL ORAL TABLET 180 MG	3	QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	3	QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i> (Niacor)	2	
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> (Niaspan Extended-Release)	2	
<i>niacor oral tablet 500 mg</i>	2	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	2	QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	4	QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	6	GC
<i>pravastatin oral tablet 20 mg, 40 mg</i> (Pravachol)	6	GC
<i>prevalite oral powder in packet 4 gram</i>	2	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	4	QL (3.5 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	4	QL (3 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	4	QL (3 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	6	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Zocor)	6	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg</i>	6	GC; QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM	3	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM	3	QL (120 per 30 days)
WELCHOL ORAL POWDER IN PACKET 3.75 GRAM	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
Diuréticos		
<i>amiloride oral tablet 5 mg</i>	2	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	
<i>bumetanide injection solution 0.25 mg/ml</i>	2	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>chlorothiazide oral tablet 500 mg</i>	2	
<i>chlorothiazide sodium intravenous recon soln 500 mg</i> (Diuril IV)	2	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	
<i>furosemide injection solution 10 mg/ml</i>	1	
<i>furosemide injection syringe 10 mg/ml</i>	2	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	1	
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	
JYNARQUE ORAL TABLET 15 MG, 30 MG	5	PA; NDS; QL (120 per 30 days)
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	5	PA; NDS; QL (56 per 28 days)
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i> (Aldactazide)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	2	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i> (Dyazide)	1	
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg)	1	
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide)	1	
Inhibidores De Enzima Convertidoras De Angiotensina		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	6	GC
<i>benazepril oral tablet 5 mg</i>	6	GC
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	2	
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	2	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	
<i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>	2	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	6	GC
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	2	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	6	GC
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	6	GC
EPANED ORAL SOLUTION 1 MG/ML	4	ST
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	6	GC
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	2	
<i>lisinopril oral tablet 10 mg, 20 mg</i> (Prinivil)	6	GC
<i>lisinopril oral tablet 2.5 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	6	GC
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	2	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	6	GC
QBRELIS ORAL SOLUTION 1 MG/ML	5	ST; NDS
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	6	GC
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	2	
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	6	GC
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	6	GC
Inhibidores Del Sistema De Renina-Angiotensina-Aldosterona		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	2	
CAROSPIR ORAL SUSPENSION 25 MG/5 ML	4	ST
<i>epplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	2	
Vasodilatadores		
BIDIL ORAL TABLET 20-37.5 MG	3	
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose)	2	
<i>isosorbide dinitrate oral tablet extended release 40 mg</i> (ISOCHRON)	2	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	
<i>minitran transdermal patch 24 hour 0.1 mg/1hr, 0.2 mg/1hr, 0.4 mg/1hr, 0.6 mg/1hr</i>	2	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	2	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	2	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/1hr, 0.2 mg/1hr, 0.4 mg/1hr, 0.6 mg/1hr</i> (Minitran)	2	
Agentes De Enfermedad Intestinal Inflamatoria		
Agentes De Enfermedad Intestinal Inflamatoria		
<i>alosetron oral tablet 0.5 mg</i> (Lotronex)	2	
<i>alosetron oral tablet 1 mg</i> (Lotronex)	5	NDS
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	
<i>budesonide oral capsule, delayed, extend. release 3 mg</i> (Entocort EC)	2	
<i>colocort rectal enema 100 mg/60 ml</i>	2	
DIPENTUM ORAL CAPSULE 250 MG	5	NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	4	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol)	2	
<i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso)	2	
<i>mesalamine oral tablet, delayed release (drlec) 1.2 gram</i> (Lialda)	2	
<i>mesalamine oral tablet, delayed release (drlec) 800 mg</i> (Asacol HD)	2	
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	5	NDS
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	2	
<i>sulfasalazine oral tablet, delayed release (drlec) 500 mg</i> (Azulfidine EN-tabs)	2	
UCERIS RECTAL FOAM 2 MG/ACTUATION	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
Agentes De Enfermedad Osea Metabólica		
Agentes De Enfermedad Osea Metabólica		
<i>alendronate oral solution 70 mg/75 ml</i>	2	QL (300 per 28 days)
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/lactuation</i>	2	QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	2	
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	2	
<i>cinacalcet oral tablet 30 mg</i> (Sensipar)	2	QL (60 per 30 days)
<i>cinacalcet oral tablet 60 mg</i> (Sensipar)	5	NDS; QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	5	NDS; QL (120 per 30 days)
<i>doxercalciferol intravenous solution 4 mcg/2 ml</i> (Hectorol)	2	
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	2	
EVENITY SUBCUTANEOUS SYRINGE 105 MG/1.17 ML, 210MG/2.34ML (105MG/1.17MLX2)	5	PA; NDS; QL (2.34 per 30 days)
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (600MCG/2.4ML)	3	PA; QL (2.4 per 28 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	2	QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i> (Boniva)	2	QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i> (Boniva)	2	QL (1 per 28 days)
MIACALCIN INJECTION SOLUTION 200 UNIT/ML	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NDS; QL (2 per 28 days)
<i>pamidronate intravenous recon soln 30 mg, 90 mg</i>	2	
<i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i>	2	
<i>paricalcitol hemodialysis port injection solution 2 mcg/ml</i>	2	
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	2	
<i>paricalcitol oral capsule 4 mcg</i>	2	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	ST; QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	2	QL (1 per 28 days)
<i>risedronate oral tablet 30 mg</i>	2	QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	2	QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	2	QL (4 per 28 days)
<i>risedronate oral tablet 5 mg</i> (Actonel)	2	QL (30 per 30 days)
<i>risedronate oral tablet, delayed release (drlec) 35 mg</i> (Atelvia)	2	QL (4 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	PA; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NDS
<i>zoledronic acid intravenous recon soln 4 mg</i>	2	
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	2	
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	2	QL (100 per 300 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
Agentes De Trastorno De Sueño		
Agentes De Trastorno De Sueño		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	QL (30 per 30 days)
HETLIOZ ORAL CAPSULE 20 MG	5	PA; NDS; QL (30 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	4	PA; QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	5	PA; LA; NDS; QL (540 per 30 days)
XYWAV ORAL SOLUTION 0.5 GRAM/ML	5	PA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	QL (30 per 30 days)
<i>zolpidem oral tablet,ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR)	2	QL (30 per 30 days)
Agentes Del Sistema Nervioso Central		
Agentes Del Sistema Nervioso Central		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera)	2	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera)	2	QL (30 per 30 days)
AUBAGIO ORAL TABLET 14 MG, 7 MG	5	PA; NDS; QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NDS; QL (60 per 30 days)
AVONEX INTRAMUSCULAR PEN INJECTOR 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NDS; QL (15 per 30 days)
<i>caffeine citrate intravenous solution</i> (Cafcit) 60 mg/3 ml (20 mg/ml)	2	PA BvD
<i>caffeine citrate oral solution</i> 60 mg/3 ml (20 mg/ml)	2	
<i>clonidine hcl oral tablet extended</i> (Kapvay) <i>release 12 hr 0.1 mg</i>	2	
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML	5	PA; NDS; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML	5	PA; NDS; QL (12 per 28 days)
<i>dalfampridine oral tablet extended</i> (Ampyra) <i>release 12 hr 10 mg</i>	2	PA; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10</i> (Focalin) <i>mg, 2.5 mg, 5 mg</i>	2	QL (60 per 30 days)
<i>dextroamphetamine oral capsule,</i> (Dexedrine Spansule) <i>extended release 10 mg, 15 mg, 5 mg</i>	2	QL (120 per 30 days)
<i>dextroamphetamine oral tablet 10</i> (Zenzedi) <i>mg, 5 mg</i>	2	QL (180 per 30 days)
<i>dextroamphetamine-amphetamine</i> (Adderall XR) <i>oral capsule,extended release 24hr</i> <i>10 mg, 15 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine</i> (Adderall XR) <i>oral capsule,extended release 24hr</i> <i>20 mg, 25 mg, 30 mg</i>	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine</i> (Adderall) <i>oral tablet 10 mg, 12.5 mg, 15 mg,</i> <i>20 mg, 30 mg, 5 mg, 7.5 mg</i>	2	QL (60 per 30 days)
<i>dimethyl fumarate oral</i> (Tecfidera) <i>capsule, delayed release(drlec) 120</i> <i>mg</i>	5	PA; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral</i> (Tecfidera) <i>capsule, delayed release(drlec) 120</i> <i>mg (14)- 240 mg (46)</i>	5	PA; NDS
<i>dimethyl fumarate oral</i> (Tecfidera) <i>capsule, delayed release(drlec) 240</i> <i>mg</i>	5	PA; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
ENSPRYNG SUBCUTANEOUS SYRINGE 120 MG/ML	5	PA; NDS
EXTAVIA SUBCUTANEOUS KIT 0.3 MG	5	PA; NDS; QL (15 per 30 days)
<i>flumazenil intravenous solution 0.1 mg/ml</i>	2	
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG	5	PA; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Copaxone)	5	PA; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone)	5	PA; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>	5	PA; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>	5	PA; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	2	
INGREZZA INITIATION PACK ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21)	5	PA NSO; NDS
INGREZZA ORAL CAPSULE 40 MG, 80 MG	5	PA NSO; NDS; QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NDS; QL (1.2 per 28 days)
LEMTRADA INTRAVENOUS SOLUTION 12 MG/1.2 ML	5	PA; NDS; QL (6 per 365 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	
<i>lithium carbonate oral tablet 300 mg</i>	2	
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	2	
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 2 MG	5	PA; NDS; QL (30 per 30 days)
<i>metadate er oral tablet extended release 20 mg</i>	2	QL (90 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA)	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 30 mg</i> (Ritalin LA)	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 60 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	2	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg</i>	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 20 mg</i> (Metadate ER)	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 27 mg (bx rating), 54 mg (bx rating)</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i> (Concerta)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>methylphenidate hcl oral tablet</i> (Concerta) <i>extended release 24hr 36 mg</i>	2	QL (60 per 30 days)
<i>methylphenidate hcl oral tablet</i> <i>extended release 24hr 36 mg (bx rating)</i>	2	QL (60 per 30 days)
NUEDEXTA ORAL CAPSULE 20-10 MG	5	PA; NDS; QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NDS
RADICAVA INTRAVENOUS PIGGYBACK 30 MG/100 ML	5	PA; NDS; QL (2800 per 28 days)
REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML	5	PA; NDS; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML	5	PA; NDS; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; NDS
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; NDS
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	QL (60 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG	5	PA; NDS; QL (14 per 7 days)
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG (14)- 240 MG (46)	5	PA; NDS
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 240 MG	5	PA; NDS; QL (60 per 30 days)
tetrabenazine oral tablet 12.5 mg, (Xenazine) 25 mg	5	PA; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NDS; QL (120 per 30 days)
ZEPOSIA ORAL CAPSULE 0.92 MG	5	PA; NDS; QL (30 per 30 days)
ZEPOSIA STARTER KIT ORAL CAPSULE,DOSE PACK 0.23- 0.46-0.92 MG	5	PA; NDS
ZEPOSIA STARTER PACK ORAL CAPSULE,DOSE PACK 0.23 MG (4)- 0.46 MG (3)	5	PA; NDS
Agentes Del Tracto Respiratorio		
Agentes Del Tracto Respiratorio, Otros		
acetylcysteine intravenous solution (Acetadote) 200 mg/ml (20 %)	2	
acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)	2	PA BvD
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NDS
cromolyn inhalation solution for nebulization 20 mg/2 ml	2	PA BvD
DALIRESP ORAL TABLET 250 MCG	3	QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
DALIRESP ORAL TABLET 500 MCG	3	QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	5	PA; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	5	PA; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	5	PA; NDS; QL (90 per 30 days)
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	5	PA; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	5	PA; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NDS; QL (120 per 30 days)
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,L/F,SUV 1,000 MG (+/-)/20 ML	5	PA BvD; NDS
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA BvD; NDS
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N)	5	PA; NDS; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	5	PA; NDS
Antiinflamatorios, Corticoesteroides Inhalados		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	2	QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115- 21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	QL (12 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	3	QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i> (Pulmicort)	2	PA BvD
FLOVENT 100 MCG DISKUS 100 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	3	QL (12 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	3	QL (24 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	3	QL (21.2 per 28 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160- 4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	3	QL (10.2 per 30 days)
Antileucotrinós		
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)	1	
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	2	
Broncodilatadores		
<i>albuterol 5 mg/ml solution 5 mg/ml</i>	2	PA BvD; QL (120 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (ProAir HFA)	2	QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>	2	QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>	2	QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg/3 ml (0.083 %)</i>	2	PA BvD; QL (360 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml</i>	2	PA BvD; QL (120 per 30 days)
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	2	
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	2	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	3	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 28 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>elixophyllin oral elixir 80 mg/15 ml</i>	2	
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD; QL (312.5 per 30 days)
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	2	PA BvD; QL (540 per 30 days)
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	3	QL (2 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	3	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 28 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	
<i>terbutaline subcutaneous solution 1 mg/ml</i>	5	NDS
<i>theophylline oral solution 80 mg/15 ml</i>	2	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	2	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG	3	QL (60 per 30 days)
Agentes Dentales Y Orales		
Agentes Dentales Y Orales		
<i>cevimeline oral capsule 30 mg</i> (Evoxac)	2	
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> (Paroex Oral Rinse)	1	
<i>oralone dental paste 0.1 %</i>	2	
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	1	
<i>periogard mucous membrane mouthwash 0.12 %</i>	1	
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> (Salagen (pilocarpine))	2	
<i>triamcinolone acetonide dental paste 0.1 %</i> (Oralone)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
Agentes Dermatológicos		
Agentes Antiinflamatorios Dermatológicos		
<i>ala-cort topical cream 1 %</i>	1	
<i>ala-scalp topical lotion 2 %</i>	2	
<i>alclometasone topical cream 0.05 %</i>	2	
<i>alclometasone topical ointment 0.05 %</i>	2	
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	
<i>betamethasone valerate topical cream 0.1 %</i>	2	
<i>betamethasone valerate topical foam (Luxiq) 0.12 %</i>	2	
<i>betamethasone valerate topical lotion 0.1 %</i>	2	
<i>betamethasone valerate topical ointment 0.1 %</i>	2	
<i>betamethasone, augmented topical cream 0.05 %</i>	2	
<i>betamethasone, augmented topical gel 0.05 %</i>	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	2	
<i>clobetasol scalp solution 0.05 %</i>	2	
<i>clobetasol topical cream 0.05 %</i> (Temovate)	2	
<i>clobetasol topical foam 0.05 %</i> (Olux)	2	
<i>clobetasol topical gel 0.05 %</i>	2	
<i>clobetasol topical lotion 0.05 %</i> (Clobex)	2	
<i>clobetasol topical ointment 0.05 %</i> (Temovate)	2	
<i>clobetasol topical shampoo 0.05 %</i> (Clobex)	2	
<i>clobetasol-emollient topical cream 0.05 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>clobetasol-emollient topical foam</i> (Olux-E) 0.05 %	2	
<i>cormax scalp solution</i> 0.05 %	2	
<i>desonide topical cream</i> 0.05 % (DesOwen)	2	
<i>desonide topical lotion</i> 0.05 % (DesOwen)	2	
<i>desonide topical ointment</i> 0.05 %	2	
<i>desoximetasone topical cream</i> 0.05 % (Topicort) %, 0.25 %	2	QL (120 per 30 days)
<i>desoximetasone topical gel</i> 0.05 % (Topicort)	2	QL (120 per 30 days)
<i>desoximetasone topical ointment</i> (Topicort) 0.05 %, 0.25 %	2	QL (120 per 30 days)
<i>diflorasone topical ointment</i> 0.05 %	2	QL (60 per 30 days)
EUCRISA TOPICAL OINTMENT 2 %	3	
<i>fluocinolone topical cream</i> 0.01 %	2	
<i>fluocinolone topical cream</i> 0.025 % (Synalar)	2	
<i>fluocinolone topical ointment</i> 0.025 % (Synalar)	2	
<i>fluocinonide topical cream</i> 0.05 %	2	
<i>fluocinonide topical gel</i> 0.05 %	2	
<i>fluocinonide topical ointment</i> 0.05 %	2	
<i>fluocinonide topical solution</i> 0.05 %	2	
<i>fluocinonide-e topical cream</i> 0.05 %	2	
<i>fluticasone propionate topical cream</i> (Cutivate) 0.05 %	2	
<i>fluticasone propionate topical ointment</i> 0.005 %	2	
<i>halobetasol propionate topical cream</i> 0.05 %	2	
<i>halobetasol propionate topical ointment</i> 0.05 %	2	
<i>hydrocortisone butyrate topical cream</i> 0.1 %	2	QL (120 per 30 days)
<i>hydrocortisone butyrate topical lotion</i> 0.1 % (Locoid)	2	QL (118 per 30 days)
<i>hydrocortisone butyrate topical ointment</i> 0.1 %	2	QL (120 per 30 days)
<i>hydrocortisone butyrate topical solution</i> 0.1 %	2	QL (120 per 30 days)
<i>hydrocortisone topical cream</i> 1 % (Ala-Cort)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>hydrocortisone topical cream 2.5 %</i>	1	
<i>hydrocortisone topical lotion 2.5 %</i>	2	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	
<i>hydrocortisone topical ointment 2.5 %</i>	1	
<i>hydrocortisone valerate topical cream 0.2 %</i>	2	
<i>hydrocortisone valerate topical ointment 0.2 %</i>	2	
<i>mometasone topical cream 0.1 %</i>	2	
<i>mometasone topical ointment 0.1 %</i>	2	
<i>mometasone topical solution 0.1 %</i>	2	
<i>pimecrolimus topical cream 1 %</i> (Elidel)	2	QL (100 per 30 days)
<i>prednicarbate topical ointment 0.1 %</i>	2	
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	2	
<i>procto-pak topical cream with perineal applicator 1 %</i>	2	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	2	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>	2	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i> (Protopic)	2	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	1	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.05 %</i> (Trianex)	2	
Agentes Dermatológicos, Otros		
<i>acitretin oral capsule 10 mg, 25 mg</i> (Soriatane)	2	
<i>acitretin oral capsule 17.5 mg</i>	2	
<i>acyclovir topical cream 5 %</i> (Zovirax)	2	QL (5 per 4 days)
<i>acyclovir topical ointment 5 %</i> (Zovirax)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
ALCOHOL PADS TOPICAL PADS, MEDICATED	1	
<i>ammonium lactate topical cream 12 %</i> (Geri-Hydrolac)	2	
<i>ammonium lactate topical lotion 12 %</i> (Geri-Hydrolac)	2	
<i>calcipotriene scalp solution 0.005 %</i>	2	QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i> (Dovonex)	2	QL (120 per 30 days)
<i>calcipotriene topical ointment 0.005 %</i>	2	QL (120 per 30 days)
DENAVIR TOPICAL CREAM 1 %	5	NDS
<i>fluorouracil topical cream 0.5 %</i> (Carac)	5	NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)	2	
<i>fluorouracil topical solution 2 %, 5 %</i>	2	
<i>imiquimod topical cream in packet 5 %</i> (Aldara)	2	QL (24 per 30 days)
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i> (Oxsoralen Ultra)	5	NDS
PANRETIN TOPICAL GEL 0.1 %	5	NDS
PICATO TOPICAL GEL 0.015 %	3	QL (3 per 56 days)
PICATO TOPICAL GEL 0.05 %	3	QL (2 per 56 days)
<i>podofilox topical solution 0.5 %</i>	2	
REGRANEX TOPICAL GEL 0.01 %	5	PA; NDS; QL (30 per 30 days)
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
TOLAK TOPICAL CREAM 4 %	4	
VALCHLOR TOPICAL GEL 0.016 %	5	NDS
VEREGEN TOPICAL OINTMENT 15 %	5	NDS
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	2	
Antibacterianos Dermatológicos		
<i>clindamycin phosphate topical foam 1 %</i> (Evoclin)	2	QL (100 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>clindamycin phosphate topical solution 1 %</i> (Cleocin T)	2	QL (180 per 30 days)
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)	2	
<i>clindamycin-benzoyl peroxide topical gel 1.2 % (1 % base) -5 %</i> (Neuac)	2	
<i>clindamycin-benzoyl peroxide topical gel 1-5 %</i> (Benzacilin)	2	
<i>ery pads topical swab 2 %</i>	2	
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	2	QL (180 per 30 days)
<i>erythromycin with ethanol topical solution 2 %</i>	2	QL (180 per 30 days)
<i>erythromycin-benzoyl peroxide topical gel 3-5 %</i> (Benzamycin)	2	
<i>gentamicin topical cream 0.1 %</i>	2	QL (120 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	2	QL (120 per 30 days)
<i>metronidazole topical cream 0.75 %</i> (Rosadan)	2	
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	2	
<i>metronidazole topical gel 1 %</i> (Metrogel)	2	
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	2	
<i>mupirocin topical ointment 2 %</i> (Centany)	1	QL (220 per 30 days)
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	2	
<i>rosadan topical cream 0.75 %</i>	2	
<i>selenium sulfide topical lotion 2.5 %</i>	2	
<i>silver sulfadiazine topical cream 1 %</i> (SSD)	2	
<i>ssd topical cream 1 %</i>	4	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron)	2	
Escabicidas Y Pediculicidas		
<i>malathion topical lotion 0.5 %</i> (Ovide)	2	
<i>permethrin topical cream 5 %</i> (Elimite)	2	
Retinoides Dermatológicos		
<i>adapalene topical cream 0.1 %</i> (Differin)	2	
<i>adapalene topical gel 0.1 %</i> (Differin)	2	
ALTRENO TOPICAL LOTION 0.05 %	4	PA
<i>tazarotene topical cream 0.1 %</i> (Tazorac)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
TAZORAC TOPICAL CREAM 0.05 %	4	
<i>tretinoin topical cream 0.025 %</i> (Avita)	2	PA
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	2	PA
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	2	PA
<i>tretinoin topical gel 0.025 %</i> (Avita)	2	PA
<i>tretinoin topical gel 0.05 %</i> (Atralin)	2	PA
Agentes Gastrointestinales		
Agentes Antiúlceras Y Supresores De Ácidos		
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>	2	
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	
<i>cimetidine oral tablet 200 mg</i> (Acid Reducer (cimetidine))	2	
<i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>	2	
DEXILANT ORAL CAPSULE,BIPHASE DELAYED RELEAS 30 MG, 60 MG	3	ST; QL (30 per 30 days)
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	2	
<i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV)	2	
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	1	
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	2	
<i>famotidine intravenous solution 10 mg/ml</i>	2	
<i>famotidine oral suspension 40 mg/5 ml (8 mg/ml)</i>	2	
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	
<i>lansoprazole oral capsule, delayed release(drlec) 15 mg</i> (Prevacid)	2	QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release(drlec) 30 mg</i> (Prevacid)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	2	
<i>nizatidine oral capsule 150 mg, 300 mg</i>	2	
<i>nizatidine oral solution 150 mg/10 ml</i>	2	
<i>omeprazole oral capsule, delayed release (drlec) 10 mg, 20 mg, 40 mg</i>	1	
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i> (Zegerid)	2	ST; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i> (Protonix)	2	
<i>pantoprazole oral tablet, delayed release (drlec) 20 mg</i> (Protonix)	1	QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (drlec) 40 mg</i> (Protonix)	1	QL (60 per 30 days)
<i>rabeprazole oral tablet, delayed release (drlec) 20 mg</i> (AcipHex)	2	ST; QL (30 per 30 days)
<i>ranitidine hcl injection solution 25 mg/ml, 50 mg/2 ml (25 mg/ml)</i>	2	
<i>ranitidine hcl oral syrup 15 mg/ml</i>	2	
<i>ranitidine hcl oral tablet 150 mg, 300 mg</i>	1	
<i>sucralfate oral tablet 1 gram</i> (Carafate)	2	
Agentes Gastrointestinales, Otros		
AMITIZA ORAL CAPSULE 24 MCG, 8 MCG	3	QL (60 per 30 days)
CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG	5	NDS
<i>constulose oral solution 10 gram/15 ml</i>	2	
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	2	
<i>dicyclomine oral capsule 10 mg</i>	2	
<i>dicyclomine oral solution 10 mg/5 ml</i>	2	
<i>dicyclomine oral tablet 20 mg</i>	2	
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	2	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>diphenoxylate-atropine oral tablet</i> (Lomotil) 2.5-0.025 mg	2	PA-HRM; AGE (Max 64 Years)
<i>enulose oral solution</i> 10 gram/15 ml	2	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NDS
<i>generlac oral solution</i> 10 gram/15 ml	2	
<i>glycopyrrolate injection solution</i> 0.2 mg/ml	2	
<i>glycopyrrolate oral tablet</i> 1 mg, 2 mg	2	
<i>kionex (with sorbitol) oral suspension</i> 15-19.3 gram/60 ml	2	
<i>lactulose oral solution</i> 10 gram/15 ml (Constulose)	2	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM	3	QL (90 per 30 days)
<i>loperamide oral capsule</i> 2 mg (Anti-Diarrheal (loperamide))	2	
<i>methscopolamine oral tablet</i> 2.5 mg, 5 mg	2	
<i>metoclopramide hcl injection solution</i> 5 mg/ml	2	
<i>metoclopramide hcl injection syringe</i> 5 mg/ml	2	
<i>metoclopramide hcl oral solution</i> 5 mg/5 ml	2	
<i>metoclopramide hcl oral tablet</i> 10 mg, 5 mg (Reglan)	1	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NDS; QL (30 per 30 days)
<i>propantheline oral tablet</i> 15 mg	2	
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NDS
RELISTOR ORAL TABLET 150 MG	5	PA; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	5	PA; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	5	PA; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	5	PA; NDS; QL (11.2 per 28 days)
<i>sodium phenylbutyrate oral tablet</i> (Buphenyl) 500 mg	5	NDS
<i>sodium polystyrene (sorb free) oral suspension</i> 15 gram/60 ml	2	
<i>sodium polystyrene sulfonate oral powder</i>	2	
<i>sps (with sorbitol) oral suspension</i> 15-20 gram/60 ml	2	
TRULANCE ORAL TABLET 3 MG	4	QL (30 per 30 days)
<i>ursodiol oral capsule</i> 300 mg (Actigall)	2	
<i>ursodiol oral tablet</i> 250 mg (URSO 250)	2	
<i>ursodiol oral tablet</i> 500 mg (URSO Forte)	2	
VIBERZI ORAL TABLET 100 MG, 75 MG	5	ST; NDS; QL (60 per 30 days)
XERMELO ORAL TABLET 250 MG	5	PA; NDS; QL (90 per 30 days)
Enlaces De Fosfato		
<i>calcium acetate(phosphat bind) oral capsule</i> 667 mg	2	
<i>calcium acetate(phosphat bind) oral tablet</i> 667 mg	2	
<i>lanthanum oral tablet,chewable</i> (Fosrenol) 1,000 mg, 500 mg, 750 mg	5	NDS
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	
<i>sevelamer carbonate oral powder in packet</i> 0.8 gram, 2.4 gram (Renvela)	5	NDS
<i>sevelamer carbonate oral tablet</i> 800 mg (Renvela)	2	
<i>sevelamer hcl oral tablet</i> 400 mg	2	
<i>sevelamer hcl oral tablet</i> 800 mg (Renagel)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
VELPHORO ORAL TABLET,CHEWABLE 500 MG	3	
Laxantes		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	3	
<i>gavilyte-c oral recon soln 240-22.72- 6.72 -5.84 gram</i>	2	
<i>gavilyte-g oral recon soln 236-22.74- 6.74 -5.86 gram</i>	2	
<i>gavilyte-n oral recon soln 420 gram</i>	2	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13- 1.6 GRAM	3	
<i>trilyte with flavor packets oral recon soln 420 gram</i>	2	
Agentes Genitourinarios		
Agentes Genitourinarios, Varios		
<i>alfuzosin oral tablet extended (Uroxatral) release 24 hr 10 mg</i>	1	QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg (Avodart)</i>	2	
<i>dutasteride-tamsulosin oral capsule, (Jalyn) er multiphase 24 hr 0.5-0.4 mg</i>	2	
<i>finasteride oral tablet 5 mg (Proscar)</i>	1	
<i>tamsulosin oral capsule 0.4 mg (Flomax)</i>	1	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
THIOLA EC ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG, 300 MG	5	PA; NDS
THIOLA ORAL TABLET 100 MG	5	NDS
Antiespasmódicos, Urinario		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>flavoxate oral tablet 100 mg</i>	2	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	
<i>oxybutynin chloride oral tablet 5 mg</i>	2	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg</i> (Ditropan XL)	2	
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>	2	
<i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	2	
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	2	
TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG	3	
<i>trospium oral capsule, extended release 24hr 60 mg</i>	2	
<i>trospium oral tablet 20 mg</i>	2	
Agentes Hormonales, Estimulante/Reemplazo/Modificador		
Agentes Tiroideos Y Antitiroideos		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	2	
<i>methimazole oral tablet 10 mg, 5 mg</i> (Tapazole)	1	
<i>propylthiouracil oral tablet 50 mg</i>	2	
Andrógenos		
ANADROL-50 ORAL TABLET 50 MG	5	PA; NDS
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	
<i>oxandrolone oral tablet 10 mg</i> (Oxandrin)	5	NDS
<i>oxandrolone oral tablet 2.5 mg</i> (Oxandrin)	2	
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	2	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	2	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo)	2	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> (AndroGel)	2	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i> (AndroGel)	2	PA; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/lapp 30 mg/lactuation (1.5 ml)</i>	2	PA; QL (180 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	3	PA; QL (2 per 28 days)
Estrógenos Y Antiestrógenos		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
DUAVEE ORAL TABLET 0.45-20 MG	3	PA-HRM; AGE (Max 64 Years)
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	1	PA-HRM; AGE (Max 64 Years)
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Dotti)	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara)	2	PA-HRM; QL (4 per 28 days); AGE (Max 64 Years)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>estradiol vaginal tablet 10 mcg</i> (Yuvaferm)	2	QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> (Delestrogen)	2	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> (Amabelz)	2	PA-HRM; AGE (Max 64 Years)
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>jinteli oral tablet 1-5 mg-mcg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>mimvey oral tablet 1-0.5 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (Fyavolv)	2	PA-HRM; AGE (Max 64 Years)
PREMARIN INJECTION RECON SOLN 25 MG	3	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	3	PA-HRM; AGE (Max 64 Years)
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	PA-HRM; AGE (Max 64 Years)
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	PA-HRM; AGE (Max 64 Years)
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	
<i>yuvaferm vaginal tablet 10 mcg</i>	2	QL (18 per 28 days)
Glucocorticoides/Mineralocorticoides		
<i>a-hydrocort injection recon soln 100 mg</i>	2	
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan)	2	
<i>cortisone oral tablet 25 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>	2	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i> (Decadron)	2	
<i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i>	2	
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	5	PA; NDS; QL (91 per 28 days)
EMFLAZA ORAL TABLET 18 MG	5	PA; NDS; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	5	PA; NDS; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	2	
HEMADY ORAL TABLET 20 MG	4	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	2	
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol)	2	
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Medrol)	2	
<i>methylprednisolone oral tablets,dose pack 4 mg</i> (Medrol (Pak))	2	
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg, 500 mg</i> (Solu-Medrol)	2	
<i>prednisolone 15 mg/5 ml soln alf, dlf 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	2	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML	4	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	2	
Pituitario		
BYNFEZIA SUBCUTANEOUS PEN INJECTOR 2,500 MCG/ML	5	NDS
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin injection solution 4 mcg/ml</i> (DDAVP)	2	
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	2	
EGRIFTA SUBCUTANEOUS RECON SOLN 1 MG	5	PA; NDS; QL (60 per 30 days)
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NDS; QL (60 per 30 days)
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML, 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML)	5	PA; NDS
HUMATROPE INJECTION CARTRIDGE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT)	5	PA; NDS
HUMATROPE INJECTION RECON SOLN 5 (15 UNIT) MG	5	PA; NDS
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	5	NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	5	NDS
MYCAPSSA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 20 MG	5	PA; NDS; QL (120 per 30 days)
NOCDURNA (MEN) SUBLINGUAL TABLET,DISINTEGRATING 55.3 MCG	3	QL (30 per 30 days)
NOCDURNA (WOMEN) SUBLINGUAL TABLET,DISINTEGRATING 27.7 MCG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
NORDITROPIN FLEXP SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NDS
NUTROPIN AQ NUSPIN SUBCUTANEOUS PEN INJECTOR 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML)	5	PA; NDS
<i>octreotide acetate injection solution</i> <i>1,000 mcg/ml, 200 mcg/ml</i>	2	
<i>octreotide acetate injection solution</i> (Sandostatin) <i>100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	2	
<i>octreotide acetate injection syringe</i> <i>100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)</i>	2	
OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NDS
OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG	4	PA
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NDS; QL (56 per 28 days)
SAIZEN SAIZENPREP SUBCUTANEOUS CARTRIDGE 8.8 MG/1.51 ML (FINAL CONC.)	5	PA; NDS
SAIZEN SUBCUTANEOUS RECON SOLN 5 MG, 8.8 MG	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 10 MG, 20 MG, 30 MG	5	NDS
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	5	PA NSO; NDS; QL (1 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML, 90 MG/0.3 ML	5	PA; NDS; QL (1 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NDS
STIMATE NASAL SPRAY, NON-AEROSOL 150 MCG/SPRAY (0.1 ML)	3	
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	5	NDS; QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	5	NDS
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NDS; QL (1 per 168 days)
ZOMACTON SUBCUTANEOUS RECON SOLN 10 MG	5	PA; NDS
ZOMACTON SUBCUTANEOUS RECON SOLN 5 MG	4	PA
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
Progestinas		
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	4	QL (10 per 28 days)
<i>hydroxyprogesterone cap(ppres)</i> (Makena) <i>intramuscular oil 250 mg/ml</i>	5	NDS
<i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>suspension 150 mg/ml</i>	2	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>syringe 150 mg/ml</i>	2	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10</i> (Provera) <i>mg, 2.5 mg, 5 mg</i>	1	
<i>megestrol oral suspension 400 mg/10</i> <i>ml (40 mg/ml)</i>	2	PA-HRM; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5</i> (Aygestin) <i>mg</i>	2	
<i>progesterone intramuscular oil 50</i> <i>mg/ml</i>	2	
<i>progesterone micronized oral</i> (Prometrium) <i>capsule 100 mg, 200 mg</i>	2	
Agentes Inmunológicos		
Agentes Inmunológicos		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	NDS
AVSOLA INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD
<i>azathioprine sodium injection recon</i> <i>soln 100 mg</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NDS
<i>cyclosporine intravenous solution</i> (Sandimmune) 250 mg/5 ml	2	PA BvD
<i>cyclosporine modified oral capsule</i> (Gengraf) 100 mg, 25 mg	2	PA BvD
<i>cyclosporine modified oral capsule</i> 50 mg	2	PA BvD
<i>cyclosporine modified oral solution</i> (Gengraf) 100 mg/ml	2	PA BvD
<i>cyclosporine oral capsule</i> 100 mg, 25 mg (Sandimmune)	2	PA BvD
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	5	PA; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NDS
<i>everolimus (immunosuppressive)</i> (Zortress) <i>oral tablet 0.25 mg</i>	2	PA BvD
<i>everolimus (immunosuppressive)</i> (Zortress) <i>oral tablet 0.5 mg, 0.75 mg</i>	5	PA BvD; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NDS
GAMASTAN INTRAMUSCULAR SOLUTION 15-18 % RANGE	4	PA BvD
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NDS
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %)	5	PA BvD; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i>	2	PA BvD
<i>gengraf oral solution 100 mg/ml</i>	2	PA BvD
HUMIRA PEN CROHNS-UC- HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
HUMIRA PEN PSOR-UEVITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML	5	PA; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NDS
HYPERRAB (PF) INTRAMUSCULAR SOLUTION 300 UNIT/ML	4	
HYPERRAB S/D (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	5	PA BvD; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NDS
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NDS
IMOGAM RABIES-HT (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
KEDRAB (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NDS
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> (CellCept Intravenous)	2	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	2	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	5	PA BvD; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	2	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NDS
OLUMIANT ORAL TABLET 1 MG, 2 MG	5	PA; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
ORENCIA CLICKJECT SUBCUTANEOUS AUTO- INJECTOR 125 MG/ML	5	PA; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NDS
OTEZLA ORAL TABLET 30 MG	5	PA; NDS
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	5	PA; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD
RASUVO (PF) SUBCUTANEOUS AUTO- INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
REMICADE INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG	5	PA; NDS
SILIQ SUBCUTANEOUS SYRINGE 210 MG/1.5 ML	5	PA; NDS
SIMPONI ARIA INTRAVENOUS SOLUTION 12.5 MG/ML	5	PA; NDS
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 50 MG/0.5 ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML, 50 MG/0.5 ML	5	PA; NDS
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	5	PA BvD; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg</i> (Rapamune)	2	PA BvD
<i>sirolimus oral tablet 2 mg</i> (Rapamune)	5	PA BvD; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	5	PA; NDS
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	5	PA; NDS
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; LA; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NDS
ZORTRESS ORAL TABLET 1 MG	5	PA BvD; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
Vacunas		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG- LF/0.5ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	3	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	3	
ENGRIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD
ENGRIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML	3	
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF- MCG-LF/0.5ML	3	
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	3	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	3	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML	3	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3- 4.3-3- 3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	3	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	3	
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	3	QL (1 per 365 days)
Agentes Oftálmicos		
Agentes Antiglaucoma		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	2	
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	2	QL (2.5 per 25 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>brimonidine ophthalmic (eye) drops</i> (Alphagan P) 0.15 %	4	
<i>brimonidine ophthalmic (eye) drops</i> 0.2 %	1	
<i>carteolol ophthalmic (eye) drops</i> 1 %	1	
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	3	
<i>dorzolamide ophthalmic (eye) drops</i> (Trusopt) 2 %	2	
<i>dorzolamide-timolol ophthalmic (eye) drops</i> 22.3-6.8 mg/ml (Cosopt)	2	
<i>latanoprost ophthalmic (eye) drops</i> (Xalatan) 0.005 %	1	QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops</i> 0.5 %	1	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>methazolamide oral tablet</i> 25 mg, 50 mg	2	
<i>metipranolol ophthalmic (eye) drops</i> 0.3 %	2	
<i>pilocarpine hcl ophthalmic (eye) drops</i> 1 %, 2 %, 4 % (Isopto Carpine)	2	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>timolol maleate ophthalmic (eye) drops</i> 0.25 %, 0.5 % (Timoptic)	1	
<i>timolol maleate ophthalmic (eye) gel forming solution</i> 0.25 %, 0.5 % (Timoptic-XE)	4	
<i>travoprost (benzalkonium) ophthalmic (eye) drops</i> 0.004 %	2	QL (2.5 per 25 days)
<i>travoprost ophthalmic (eye) drops</i> (Travatan Z) 0.004 %	2	QL (2.5 per 25 days)
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	4	QL (5 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
XELPROS OPHTHALMIC (EYE) DROPS, EMULSION 0.005 %	4	ST; QL (2.5 per 25 days)
ZIOPTAN (PF) OPHTHALMIC (EYE) DROPPERETTE 0.0015 %	4	QL (30 per 30 days)
Agentes Para Los Ojos, Oídos, Nariz, Garganta		
Agentes Antiinfecciosos De Ojos, Oídos, Nariz Y Garganta		
<i>acetic acid otic (ear) solution 2 %</i>	2	
<i>acetic acid-aluminum acetate otic (ear) drops 2 %</i>	2	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i> (Baciguent)	2	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin)	2	
BESIVANCE OPHTHALMIC (EYE) DROPS,SUSPENSION 0.6 %	3	ST
<i>bleph-10 ophthalmic (eye) drops 10 %</i>	2	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i> (Ciloxan)	1	
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i> (Ciprodex)	2	
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	QL (3.5 per 4 days)
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i> (Zymaxid)	2	
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	2	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	2	
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	2	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	
neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400- 10,000 mg-unit/g-1% (Neo-Polycin HC)	2	
neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400- 10,000 mg-unit-unit/g (Neo-Polycin)	2	
neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 % (Maxitrol)	2	
neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 % (Maxitrol)	2	
neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg- 10,000 unit-0.025mg/ml	2	
neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000- 10 mg-unit-mg/ml	2	
neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%	2	
neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml- %	2	
neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g- 1%	2	
neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit- unit/g	2	
ofloxacin ophthalmic (eye) drops 0.3 % (Ocuflox)	2	
ofloxacin otic (ear) drops 0.3 %	2	
polycin ophthalmic (eye) ointment 500-10,000 unit/gram	2	
polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml (Polytrim)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i> (Bleph-10)	2	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	2	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	2	
<i>tobramycin ophthalmic (eye) drops 0.3 %</i> (Tobrex)	1	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i> (TobraDex)	2	
<i>trifluridine ophthalmic (eye) drops 1 %</i>	2	
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
Agentes Antiinflamatorios De Ojos, Oídos, Nariz Y Garganta		
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	3	ST
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>	2	
BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %	3	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	2	
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	
DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %	3	
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> (DermOtic Oil)	2	
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)	4	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief)	1	QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	2	QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) DROPS,GEL 0.5 %	3	
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	3	
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i> (Lotemax)	2	
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i> (Nasonex)	2	QL (34 per 28 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)	4	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	3	
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	3	QL (60 per 30 days)
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION	3	ST; QL (32 per 30 days)
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)
Agentes De Ojos, Oídos, Nariz Y Garganta, Varios		
<i>alcaïne ophthalmic (eye) drops 0.5 %</i>	2	
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	2	
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>azelastine nasal aerosol,spray 137 mcg (0.1 %)</i>	2	QL (30 per 25 days)
<i>azelastine nasal spray,non-aerosol 0.15 % (205.5 mcg)</i>	2	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	
BEPREVE OPHTHALMIC (EYE) DROPS 1.5 %	4	ST
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl)	2	
CYSTADROPS OPHTHALMIC (EYE) DROPS 0.37 %	5	NDS
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	NDS
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>ipratropium bromide nasal spray,non-aerosol 0.03 %</i>	2	QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	2	QL (15 per 10 days)
<i>olopatadine nasal spray,non-aerosol 0.6 %</i> (Patanase)	2	QL (30.5 per 30 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %, 0.2 %</i> (Pataday)	2	
<i>proparacaine ophthalmic (eye) drops 0.5 %</i> (Alcaine)	2	
TEPEZZA INTRAVENOUS RECON SOLN 500 MG	5	PA; NDS
Agentes Terapeuticos		
Misceláneos		
Agentes Terapeuticos Misceláneos		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NDS; QL (35 per 28 days)
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NDS
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NDS; QL (4 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NDS; QL (4 per 28 days)
CYSTADANE ORAL POWDER 1 GRAM/1.7 ML	5	NDS
<i>dexrazoxane hcl intravenous recon soln 250 mg, 500 mg</i>	5	NDS
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	2	
ELMIRON ORAL CAPSULE 100 MG	5	NDS; QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NDS; QL (180 per 30 days)
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NDS
EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML	5	PA; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	5	NDS
GVOKE HYPOPEN 1PK 0.5 MG/0.1 ML 0.5 MG/0.1 ML	3	
GVOKE HYPOPEN 1-PK 1 MG/0.2 ML 1 MG/0.2 ML	3	
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1PK 0.5 MG/0.1 ML SYR 0.5 MG/0.1 ML	3	
GVOKE PFS 1-PK 1 MG/0.2 ML SYR 1 MG/0.2 ML	3	
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	2	
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i> (Vistaril)	2	
KEVEYIS ORAL TABLET 50 MG	5	PA; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	2	
<i>leucovorin calcium injection solution 10 mg/ml</i>	2	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	2	
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	2	
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	2	
<i>levoleucovorin calcium intravenous recon soln 50 mg</i> (Fusilev)	5	NDS
<i>mesna intravenous solution 100 mg/ml</i> (Mesnex)	2	
MESNEX ORAL TABLET 400 MG	5	NDS
OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML	5	PA; NDS
<i>pyridostigmine bromide oral syrup 60 mg/5 ml</i> (Mestinon)	2	
<i>pyridostigmine bromide oral tablet 30 mg</i>	2	
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	2	
<i>pyridostigmine bromide oral tablet extended release 180 mg</i> (Mestinon Timespan)	2	
RECTIV RECTAL OINTMENT 0.4 % (W/W)	4	QL (30 per 30 days)
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (60 per 30 days)
TOTECT INTRAVENOUS RECON SOLN 500 MG	5	NDS
TYBOST ORAL TABLET 150 MG	3	QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	5	NDS; QL (24 per 14 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	5	PA; NDS; QL (120 per 30 days)
Agentes Vasodilatadores		
Agentes Vasodilatadores		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i>	5	PA; NDS; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	5	PA; NDS; QL (30 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg</i> (Flolan)	2	PA
<i>epoprostenol (glycine) intravenous recon soln 1.5 mg</i> (Flolan)	5	PA; NDS
OPSUMIT ORAL TABLET 10 MG	5	PA; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i> (Revatio)	5	PA; NDS; QL (37.5 per 1 day)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	2	PA; QL (90 per 30 days)
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> (Alyq)	5	PA; NDS; QL (60 per 30 days)
<i>tadalafil oral tablet 2.5 mg, 5 mg</i> (Cialis)	2	PA; QL (30 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG	5	PA; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NDS; QL (112 per 28 days)
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i> (Remodulin)	5	PA; NDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; NDS
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
UPTRAVI ORAL TABLET 200 MCG	5	PA; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NDS
Analgésicos		
Agentes Antiinflamatorios No Esteroideos		
CALDOLOR INTRAVENOUS RECON SOLN 800 MG/8 ML (100 MG/ML)	4	
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)	2	QL (60 per 30 days)
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)	4	PA; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i>	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i> (Voltaren-XR)	2	QL (60 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 25 mg</i>	2	QL (150 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 50 mg</i>	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 75 mg</i>	2	QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	2	QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Arthritis Pain (diclofenac))	2	
<i>diclofenac sodium topical gel 3 %</i> (Solaraze)	2	PA; QL (100 per 28 days)
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg</i> (Arthrotec 50)	2	
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 75-200 mg-mcg</i> (Arthrotec 75)	2	
<i>diflunisal oral tablet 500 mg</i>	2	
DUEXIS ORAL TABLET 800-26.6 MG	5	PA; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	
<i>etodolac oral tablet 500 mg</i>	2	
<i>fenopropfen oral tablet 600 mg</i> (Nalfon)	2	
<i>flurbiprofen oral tablet 100 mg</i>	2	
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>	1	
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	2	
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	
<i>indomethacin oral capsule 25 mg</i>	2	PA-HRM; QL (240 per 30 days); AGE (Max 64 Years)
<i>indomethacin oral capsule 50 mg</i>	2	PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)
<i>indomethacin oral capsule, extended release 75 mg</i>	2	PA-HRM; QL (60 per 30 days); AGE (Max 64 Years)
<i>ketoprofen oral capsule 25 mg, 50 mg, 75 mg</i>	2	
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>	2	
<i>ketorolac injection cartridge 15 mg/ml</i>	2	PA-HRM; QL (40 per 30 days); AGE (Max 64 Years)
<i>ketorolac injection cartridge 30 mg/ml</i>	2	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>ketorolac injection solution 15 mg/ml</i>	2	PA-HRM; QL (40 per 30 days); AGE (Max 64 Years)
<i>ketorolac injection solution 30 mg/ml (1 ml)</i>	2	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>ketorolac injection syringe 15 mg/ml</i>	2	PA-HRM; QL (40 per 30 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>ketorolac injection syringe 30 mg/ml</i>	2	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>ketorolac intramuscular cartridge 60 mg/2 ml</i>	2	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>ketorolac intramuscular solution 60 mg/2 ml</i>	2	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>ketorolac intramuscular syringe 60 mg/2 ml</i>	2	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>ketorolac oral tablet 10 mg</i>	2	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>mefenamic acid oral capsule 250 mg</i>	2	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i> (Mobic)	1	
<i>nabumetone oral tablet 500 mg, 750 mg</i> (Relafen)	2	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	
<i>naproxen oral tablet, delayed release (drlec) 375 mg, 500 mg</i> (EC-Naprosyn)	2	
<i>naproxen-esomeprazole oral tablet, ir, delayed rel, biphasic 375-20 mg, 500-20 mg</i> (Vimovo)	5	PA; NDS; QL (60 per 30 days)
PENNSAID TOPICAL SOLUTION IN METERED-DOSE PUMP 20 MG/GRAM /ACTUATION(2 %)	5	PA; NDS; QL (224 per 28 days)
<i>piroxicam oral capsule 10 mg, 20 mg</i> (Feldene)	2	
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	
<i>tolmetin oral capsule 400 mg</i>	2	
<i>tolmetin oral tablet 200 mg, 600 mg</i>	2	
Analgésicos, Varios		
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	1	QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>	2	QL (360 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>acetaminophen-codeine oral tablet</i> 300-60 mg	2	QL (180 per 30 days)
<i>ascomp with codeine oral capsule</i> 30-50-325-40 mg	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>buprenorphine hcl injection solution</i> (Buprenex) 0.3 mg/ml	2	
<i>buprenorphine hcl injection syringe</i> 0.3 mg/ml	2	
<i>buprenorphine transdermal patch</i> (Butrans) weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour	2	QL (4 per 28 days)
<i>butalbital compound w/codeine oral capsule</i> 30-50-325-40 mg	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminop-caf-cod oral capsule</i> 50-300-40-30 mg (Fioricet with Codeine)	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminop-caf-cod oral capsule</i> 50-325-40-30 mg	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen oral tablet</i> (Tencon) 50-325 mg	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral capsule</i> 50-325-40 mg (Zebutal)	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral tablet</i> 50-325-40 mg (Esgic)	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral capsule</i> 50-325-40 mg (Fiorinal)	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral tablet</i> 50-325-40 mg	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butorphanol nasal spray,non-aerosol</i> 10 mg/ml	2	QL (5 per 28 days)
<i>codeine sulfate oral tablet</i> 30 mg, 60 mg	2	QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>endocet oral tablet 10-325 mg</i>	2	QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>	2	QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i>	2	QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i> (Actiq)	5	PA; NDS; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/1hr, 12 mcg/1hr, 25 mcg/1hr, 50 mcg/1hr, 75 mcg/1hr</i> (Duragesic)	2	QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	2	QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-300 mg</i> (Vicodin HP)	2	QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg</i> (Norco)	2	QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-300 mg</i>	2	QL (240 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-325 mg</i> (Norco)	2	QL (240 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 7.5-300 mg</i>	2	QL (180 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg</i> (Ibudone)	2	QL (150 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 5-200 mg, 7.5-200 mg</i>	2	QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	2	
<i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid)	2	QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid)	2	QL (180 per 30 days)
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	5	PA; NDS; QL (30 per 30 days)
<i>lorcet (hydrocodone) oral tablet 5-325 mg</i>	2	QL (240 per 30 days)
<i>lorcet hd oral tablet 10-325 mg</i>	2	QL (180 per 30 days)
<i>lorcet plus oral tablet 7.5-325 mg</i>	2	QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>methadone injection solution 10 mg/ml</i>	2	
<i>methadone oral solution 10 mg/5 ml</i>	2	QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	2	QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i> (Dolophine)	2	QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i> (Dolophine)	2	QL (180 per 30 days)
<i>methadose oral tablet, soluble 40 mg</i>	2	QL (30 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	QL (180 per 30 days)
<i>morphine intravenous solution 10 mg/ml, 4 mg/ml, 8 mg/ml</i>	2	
<i>morphine oral solution 10 mg/5 ml</i>	2	QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	2	QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	2	QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i> (MS Contin)	2	QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	2	QL (90 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	2	QL (180 per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>	2	QL (120 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	2	QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg</i>	2	QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	2	QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	QL (120 per 30 days)
<i>oxycodone oral tablet 5 mg</i> (Roxicodone)	2	QL (180 per 30 days)
<i>oxycodone oral tablet, oral only, ext. rel. 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i> (OxyContin)	3	QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	2	QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	2	QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	2	QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>oxycodone-aspirin oral tablet</i> 4.8355-325 mg	2	QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	3	QL (60 per 30 days)
<i>oxymorphone oral tablet 10 mg</i>	2	QL (120 per 30 days)
<i>oxymorphone oral tablet 5 mg</i>	2	QL (180 per 30 days)
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i>	2	QL (60 per 30 days)
<i>tencon oral tablet 50-325 mg</i>	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>tramadol oral tablet 50 mg</i> (Ultram)	1	QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet</i> (Ultracet) 37.5-325 mg	2	QL (300 per 30 days)
<i>vicodin hp oral tablet 10-300 mg</i>	2	QL (180 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG	3	QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG	3	QL (120 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG	3	QL (240 per 30 days)
<i>zebutal oral capsule 50-325-40 mg</i>	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
Anestésicos		
Anestesia Local		
<i>glydo mucous membrane jelly in applicator 2 %</i>	2	QL (30 per 30 days)
<i>lidocaine (pf) injection solution 10</i> (Xylocaine-MPF) <i>mg/ml (1 %), 15 mg/ml (1.5 %), 20</i> <i>mg/ml (2 %), 5 mg/ml (0.5 %)</i>	1	
<i>lidocaine (pf) injection solution 40</i> <i>mg/ml (4 %)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>lidocaine (pf) intravenous solution 20 mg/ml (2 %)</i> (Xylocaine (Cardiac) (PF))	1	
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine)	1	
<i>lidocaine hcl mucous membrane jelly 2 %</i>	2	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	PA
<i>lidocaine topical adhesive patch,medicated 5 %</i> (Lidoderm)	2	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	PA; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	2	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	2	PA; QL (30 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %	3	PA; QL (90 per 30 days)
Antagonistas De Metales Pesados		
Antagonistas De Metales Pesados		
<i>clovique oral capsule 250 mg</i>	5	PA; NDS; QL (240 per 30 days)
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	5	PA; NDS
<i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i> (Jadenu)	5	PA; NDS
<i>deferasirox oral tablet, dispersible 125 mg</i> (Exjade)	2	PA
<i>deferasirox oral tablet, dispersible 250 mg, 500 mg</i> (Exjade)	5	PA; NDS
<i>deferiprone oral tablet 500 mg</i> (Ferriprox)	5	PA; NDS
<i>deferoxamine injection recon soln 2 gram, 500 mg</i> (Desferal)	2	PA
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NDS
FERRIPROX ORAL TABLET 1,000 MG, 500 MG	5	PA; NDS
<i>penicillamine oral capsule 250 mg</i> (Cuprimine)	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	5	PA; NDS
<i>trientine oral capsule 250 mg</i> (Clovique)	5	PA; NDS; QL (240 per 30 days)
Anti Infecciosos (Membrana Cutánea Y Mucosa)		
Anti Infecciosos (Membrana Cutánea Y Mucosa)		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	2	
<i>metronidazole vaginal gel 0.75 %</i> (Metrogel Vaginal)	2	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	
<i>terconazole vaginal suppository 80 mg</i>	2	
Antibacterianos		
Aminoglicósidos		
BETHKIS INHALATION SOLUTION FOR NEBULIZATION 300 MG/4 ML	5	PA BvD; NDS
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	2	
<i>neomycin oral tablet 500 mg</i>	1	
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NDS
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	5	PA BvD; NDS
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis)	5	PA BvD; NDS
<i>tobramycin sulfate injection solution 40 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
Antibacteriales, Misceláneos		
<i>bacitracin intramuscular recon soln 50,000 unit</i>	2	
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	2	
CLINDAMYCIN 600 MG/50 ML-NS OUTER,SINGLE-USE,L/F 600 MG/50 ML	2	
CLINDAMYCIN 900 MG/50 ML-NS OUTER,SINGLE-USE,L/F 900 MG/50 ML	2	
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	1	
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml</i>	2	
CLINDAMYCIN IN 5 % DEXTROSE INTRAVENOUS PIGGYBACK 600 MG/50 ML, 900 MG/50 ML	2	
<i>clindamycin pediatric oral recon soln 75 mg/5 ml</i>	2	
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	2	
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	2	
<i>clindamycin phosphate intravenous solution 300 mg/2 ml</i>	2	
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	5	PA BvD; NDS
<i>daptomycin intravenous recon soln 500 mg</i> (Cubicin)	5	NDS
FIRVANQ ORAL RECON SOLN 25 MG/ML	4	
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	5	NDS
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	5	NDS
<i>linezolid oral tablet 600 mg</i> (Zyvox)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>methenamine hippurate oral tablet 1 gram</i> (Hiprex)	2	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	2	
<i>metronidazole oral tablet 250 mg</i>	1	
<i>metronidazole oral tablet 500 mg</i> (Flagyl)	1	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> (Macrochantin)	2	QL (120 per 30 days)
<i>nitrofurantoin monohydrate-cryst oral capsule 100 mg</i> (Macrobid)	2	QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	
SYNERCID INTRAVENOUS RECON SOLN 500 MG	5	NDS
<i>trimethoprim oral tablet 100 mg</i>	1	
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	2	QL (40 per 30 days)
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	2	QL (80 per 30 days)
XIFAXAN ORAL TABLET 200 MG	5	PA; NDS; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NDS; QL (90 per 30 days)
Antibióticos B-Lactam Misceláneos		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	2	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; LA; NDS
<i>ertapenem injection recon soln 1 gram</i> (Invanz)	2	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	2	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	2	
<i>meropenem intravenous recon soln 1 gram</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>meropenem intravenous recon soln</i> (Merrem) 500 mg	2	
Cefalosporinas		
<i>cefactor oral capsule</i> 250 mg, 500 mg	2	
<i>cefactor oral suspension for reconstitution</i> 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml	2	
<i>cefactor oral tablet extended release</i> 12 hr 500 mg	2	
<i>cefadroxil oral capsule</i> 500 mg	2	
<i>cefadroxil oral suspension for reconstitution</i> 250 mg/5 ml, 500 mg/5 ml	2	
<i>cefadroxil oral tablet</i> 1 gram	2	
<i>cefazolin injection recon soln</i> 1 gram, 10 gram, 500 mg	2	
<i>cefdinir oral capsule</i> 300 mg	2	
<i>cefdinir oral suspension for reconstitution</i> 125 mg/5 ml, 250 mg/5 ml	2	
<i>cefepime injection recon soln</i> 1 gram, 2 gram	2	
<i>cefixime oral capsule</i> 400 mg (Suprax)	2	
<i>cefixime oral suspension for reconstitution</i> 100 mg/5 ml, 200 mg/5 ml (Suprax)	2	
<i>cefotaxime injection recon soln</i> 1 gram	2	
<i>cefoxitin intravenous recon soln</i> 1 gram, 10 gram, 2 gram	2	
<i>cefpodoxime oral suspension for reconstitution</i> 100 mg/5 ml, 50 mg/5 ml	2	
<i>cefpodoxime oral tablet</i> 100 mg, 200 mg	2	
<i>cefprozil oral suspension for reconstitution</i> 125 mg/5 ml, 250 mg/5 ml	2	
<i>cefprozil oral tablet</i> 250 mg, 500 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>ceftazidime injection recon soln 1 gram, 2 gram</i> (Fortaz)	2	
<i>ceftazidime injection recon soln 6 gram</i> (Tazicef)	2	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	
<i>cephalexin oral capsule 250 mg, 500 mg</i> (Keflex)	1	
<i>cephalexin oral capsule 750 mg</i> (Keflex)	2	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cephalexin oral tablet 250 mg, 500 mg</i>	2	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NDS
Macrólidos		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	2	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	2	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	5	NDS; QL (100 per 10 days)
DIFICID ORAL TABLET 200 MG	5	NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	2	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	2	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	
Penicilinas		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	2	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i>	2	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i> (Augmentin)	1	
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i> (Augmentin XR)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	
<i>ampicillin oral capsule 250 mg, 500 mg</i>	2	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	2	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	2	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	
<i>nafcillin 1 gml 50 ml inj 1 gram/50 ml</i>	2	
<i>nafcillin injection recon soln 1 gram</i>	2	
<i>nafcillin injection recon soln 10 gram</i>	5	NDS
<i>nafcillin injection recon soln 2 gram</i>	2	
<i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G)	2	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	
<i>penicillin gk 5 million unit plf, latex-free 5 million unit</i> (Pfizerpen-G)	2	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	
<i>pfizerpen-g injection recon soln 20 million unit</i>	2	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	
Quinolonas		
BAXDELA ORAL TABLET 450 MG	5	PA; NDS; QL (28 per 14 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>ciprofloxacin hcl oral tablet 100 mg</i>	2	
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro)	2	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	
<i>levofloxacin intravenous solution 25 mg/ml</i>	2	
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	
<i>moxifloxacin oral tablet 400 mg</i>	2	
Sulfonamidas		
<i>sulfadiazine oral tablet 500 mg</i>	2	
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	2	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	2	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	
Tetraciclinas		
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	2	
<i>doxy-100 intravenous recon soln 100 mg</i>	2	
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	2	
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	2	
<i>doxycycline hyclate oral tablet, delayed release (drlec) 100 mg, 150 mg, 75 mg</i>	2	
<i>doxycycline hyclate oral tablet, delayed release (drlec) 200 mg, 50 mg</i> (Doryx)	2	
<i>doxycycline monohydrate oral capsule 100 mg, 75 mg</i> (Mondoxine NL)	2	
<i>doxycycline monohydrate oral capsule 150 mg</i>	2	
<i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox)	2	
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> (Vibramycin)	2	
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	2	
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>	2	
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	2	
<i>mondoxine nl oral capsule 100 mg, 75 mg</i>	2	
<i>okebo oral capsule 75 mg</i>	2	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	5	NDS
Anticonceptivos		
Anticonceptivos		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i>	2	
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	2	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>amethia lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i>	2	
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	2	
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>aubra eq oral tablet 0.1-20 mg-mcg</i>	2	
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	2	
<i>ayuna oral tablet 0.15-0.03 mg</i>	2	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>	2	
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>camila oral tablet 0.35 mg</i>	1	
<i>caziant (28) oral tablet 0.1/1.125/1.15-25 mg-mcg</i>	2	
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	2	
<i>cryselle (28) oral tablet 0.3-30 mg- mcg</i>	2	
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>cyred eq oral tablet 0.15-0.03 mg</i>	2	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	1	
<i>desog-e.estradiolle.estradiol oral (Azurette (28)) tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>desogestrel-ethinyl estradiol oral (Apri) tablet 0.15-0.03 mg</i>	2	
<i>drospirenone-ethinyl estradiol oral (Jasmiel (28)) tablet 3-0.02 mg</i>	2	
<i>drospirenone-ethinyl estradiol oral (Syeda) tablet 3-0.03 mg</i>	2	
<i>elinest oral tablet 0.3-30 mg-mcg</i>	2	
ELLA ORAL TABLET 30 MG	4	QL (6 per 365 days)
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	2	QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	2	
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>enskyce oral tablet 0.15-0.03 mg</i>	2	
<i>errin oral tablet 0.35 mg</i>	1	
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	2	
<i>ethynodiol diac-eth estradiol oral (Kelnor 1/35 (28)) tablet 1-35 mg-mcg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i> (Kelnor 1-50 (28))	2	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i> (EluRyng)	2	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	2	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	2	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>hailey oral tablet 1.5-30 mg-mcg</i>	2	
<i>heather oral tablet 0.35 mg</i>	1	
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	1	
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>	2	
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	2	
<i>jencycla oral tablet 0.35 mg</i>	1	
<i>juleber oral tablet 0.15-0.03 mg</i>	2	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>kalliga oral tablet 0.15-0.03 mg</i>	2	
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>kelnor 1-50 (28) oral tablet 1-50 mg-mcg</i>	2	
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	2	
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i> (Amethia Lo)	2	QL (91 per 84 days)
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (Amethia)	2	QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>larissia oral tablet 0.1-20 mg-mcg</i>	2	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	2	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>levonorgestrel-ethinyl estradiol oral tablet 0.1-20 mg-mcg</i> (Afirmelle)	2	
<i>levonorgestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i> (Altavera (28))	2	
<i>levonorgestrel-ethinyl estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (Iclevia)	2	QL (91 per 84 days)
<i>levonorg-eth estradiol triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (Enpresse)	2	
<i>levora-28 oral tablet 0.15-0.03 mg</i>	2	
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	2	
<i>lojaimiess oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>loryna (28) oral tablet 3-0.02 mg</i>	2	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	2	
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	2	
<i>luteria (28) oral tablet 0.1-20 mg-mcg</i>	2	
<i>lyza oral tablet 0.35 mg</i>	1	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	2	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>mili oral tablet 0.25-35 mg-mcg</i>	2	
<i>mono-lynyah oral tablet 0.25-35 mg-mcg</i>	2	
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>nikki (28) oral tablet 3-0.02 mg</i>	2	
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i> (Camila)	1	
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i> (Aurovela 1.5/30 (21))	2	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i> (Aurovela 1/20 (21))	2	
<i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i> (Gemily)	2	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (Aurovela Fe 1-20 (28))	1	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (Aurovela 24 Fe)	2	
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (Aurovela Fe 1.5/30 (28))	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i> (Tri-Lo-Estarylla)	1	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (Tri Femynor)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i> (Estarylla)	2	
<i>norlyda oral tablet 0.35 mg</i>	1	
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	2	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>nymyo oral tablet 0.25-35 mg-mcg</i>	2	
<i>ogestrel (28) oral tablet 0.5-50 mg-mcg</i>	2	
<i>orsythia oral tablet 0.1-20 mg-mcg</i>	2	
<i>philith oral tablet 0.4-35 mg-mcg</i>	2	
<i>pimtreea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg, 1-35 mg-mcg</i>	2	
<i>portia 28 oral tablet 0.15-0.03 mg</i>	2	
<i>previfem oral tablet 0.25-35 mg-mcg</i>	2	
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	2	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	1	
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
SLYND ORAL TABLET 4 MG (28)	4	
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	2	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	2	
<i>syeda oral tablet 3-0.03 mg</i>	2	
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) 11mg-35mcg (9)</i>	2	
<i>tri-lynyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tulana oral tablet 0.35 mg</i>	1	
<i>tyblume oral tablet 0.1-20 mg-mcg</i>	2	
<i>velivet triphasic regimen (28) oral tablet 0.1/1.125/1.15-25 mg-mcg</i>	2	
<i>vienva oral tablet 0.1-20 mg-mcg</i>	2	
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>	2	
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	2	
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	2	QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	2	
<i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>	2	
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	2	
Anticonvulsivos		
Anticonvulsivos		
APTOM ORAL TABLET 200 MG, 400 MG	5	NDS; QL (30 per 30 days)
APTOM ORAL TABLET 600 MG, 800 MG	5	NDS; QL (60 per 30 days)
BANZEL ORAL SUSPENSION 40 MG/ML	5	NDS
BANZEL ORAL TABLET 200 MG, 400 MG	5	NDS
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	4	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	5	NDS; QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	5	NDS; QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	2	
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	2	
<i>carbamazepine oral tablet 200 mg</i> (Epitol)	2	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	2	
<i>carbamazepine oral tablet, chewable 100 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
CELONTIN ORAL CAPSULE 300 MG	4	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	2	PA NSO; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	2	PA NSO; QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i> (Diasat AcuDial)	4	
<i>diazepam rectal kit 2.5 mg</i> (Diasat)	4	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)	2	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	2	
<i>divalproex oral tablet, delayed release (drlec) 125 mg, 250 mg, 500 mg</i> (Depakote)	2	
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NDS
<i>epitol oral tablet 200 mg</i>	2	
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	2	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	2	
<i>felbamate oral suspension 600 mg/5 ml</i> (Felbatol)	2	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	2	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NDS
<i>fosphenytoin injection solution 100 mg per 2 ml, 500 mg per 10 ml</i> (Cerebyx)	2	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	NDS; QL (720 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	NDS; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	1	QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	2	QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	2	QL (120 per 30 days)
GRALISE 30-DAY STARTER PACK ORAL TABLET EXTENDED RELEASE 24 HR 300 MG (9)- 600 MG (69)	4	ST
GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 300 MG, 600 MG	4	ST; QL (90 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) - 50 mg (7)</i> (Lamictal ODT Starter (Blue))	2	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)- 50 mg (14)-100 mg (7)</i> (Lamictal ODT Starter (Orange))	2	
<i>lamotrigine oral tablet disintegrating, dose pk 50 mg (42) - 100 mg (14)</i> (Lamictal ODT Starter (Green))	2	
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i> (Lamictal XR)	2	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	2	
<i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT)	2	
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	2	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	2	
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	2	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	2	
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG	4	
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 600 MG	5	NDS
PEGANONE ORAL TABLET 250 MG	4	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	2	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	2	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	2	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	2	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg</i> (Lyrica)	2	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	2	QL (900 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	2	
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	5	NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	4	QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	4	QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA NSO; NDS; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG	4	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Gabitril)	2	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	2	
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	
<i>valproic acid oral capsule 250 mg</i>	2	
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	4	
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg</i> (Sabril)	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigadrone oral powder in packet 500 mg</i>	5	PA NSO; NDS; QL (180 per 30 days)
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML	3	QL (200 per 5 days)
VIMPAT ORAL SOLUTION 10 MG/ML	3	QL (1200 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	3	QL (60 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 350 MG/DAY (200 MG X1-150MG X1)	4	QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	4	QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	2	
<i>zonisamide oral capsule 50 mg</i>	2	
Antidepresivos		
Antidepresivos		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>	2	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	2	
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2	
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	2	
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	2	
<i>citalopram oral solution 10 mg/5 ml</i>	2	QL (600 per 30 days)
<i>citalopram oral tablet 10 mg, 20 mg, 40 mg</i> (Celexa)	1	QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	2	
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	2	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	2	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>doxepin oral concentrate 10 mg/ml</i>	1	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release(drlec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	2	QL (60 per 30 days)
<i>duloxetine oral capsule, delayed release(drlec) 40 mg</i>	2	QL (30 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	2	
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	2	
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	2	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	2	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i> (Paxil CR)	2	PA NSO-HRM; AGE (Max 64 Years)
PAXIL ORAL SUSPENSION 10 MG/5 ML	4	PA NSO-HRM; AGE (Max 64 Years)
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	
<i>phenelzine oral tablet 15 mg</i> (Nardil)	2	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	2	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NDS
<i>tranlycypromine oral tablet 10 mg</i> (Parnate)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>	1	
<i>trazodone oral tablet 300 mg</i>	2	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	2	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>venlafaxine oral capsule,extended release 24hr 150 mg</i> (Effexor XR)	2	QL (30 per 30 days)
<i>venlafaxine oral capsule,extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	2	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	
<i>venlafaxine oral tablet extended release 24hr 150 mg, 37.5 mg</i>	2	QL (30 per 30 days)
<i>venlafaxine oral tablet extended release 24hr 75 mg</i>	2	QL (90 per 30 days)
VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG	3	QL (30 per 30 days)
VIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)- 20 MG (23)	3	
ZULRESSO INTRAVENOUS SOLUTION 5 MG/ML	5	NDS
Antifúngicos		
Antifúngicos		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG	5	PA BvD; NDS
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD
<i>caspofungin intravenous recon soln 50 mg, 70 mg</i> (Cancidas)	5	NDS
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	2	QL (180 per 30 days)
<i>ciclopirox topical gel 0.77 %</i>	2	QL (300 per 30 days)
<i>ciclopirox topical shampoo 1 %</i> (Loprox)	2	
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	2	QL (19.8 per 30 days)
<i>ciclopirox topical suspension 0.77 %</i> (Loprox (as olamine))	2	QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>clotrimazole mucous membrane troche 10 mg</i>	2	
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	1	
<i>clotrimazole topical solution 1 %</i>	2	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	2	QL (90 per 30 days)
<i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>	2	QL (90 per 30 days)
<i>econazole topical cream 1 %</i>	2	QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>	2	PA BvD
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i> (Diflucan)	2	
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Diflucan)	2	
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	5	NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	2	
<i>griseofulvin microsize oral tablet 500 mg</i>	2	
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>	2	
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	2	
<i>itraconazole oral solution 10 mg/ml</i> (Sporanox)	5	NDS
<i>ketoconazole oral tablet 200 mg</i>	2	
<i>ketoconazole topical cream 2 %</i>	2	QL (180 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>	2	QL (360 per 30 days)
<i>miconazole-3 vaginal suppository 200 mg</i>	2	
NOXAFIL INTRAVENOUS SOLUTION 300 MG/16.7 ML	5	NDS
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)	5	NDS
<i>nyamyc topical powder 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>	2	QL (900 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>nystatin oral tablet 500,000 unit</i>	2	
<i>nystatin topical cream 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	2	QL (60 per 30 days)
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	2	
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>	2	
<i>nystop topical powder 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>posaconazole oral tablet, delayed release (drlec) 100 mg</i> (Noxafil)	5	NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	5	PA BvD; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	5	NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend)	2	
Antihistamínicos		
Antihistamínicos		
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i>	2	PA-HRM; AGE (Max 64 Years)
<i>carbinoxamine maleate oral tablet 4 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>clemastine oral tablet 2.68 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	2	PA-HRM; AGE (Max 64 Years)
<i>cyproheptadine oral tablet 4 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i> (Diphen)	2	PA-HRM; AGE (Max 64 Years)
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	2	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
<i>levocetirizine oral solution 2.5 mg/5 ml</i> (Xyzal)	2	
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	
<i>promethazine oral syrup 6.25 mg/5 ml</i>	1	PA-HRM; AGE (Max 64 Years)
Antimicobacteriales		
Antimicobacteriales		
CAPASTAT INJECTION RECON SOLN 1 GRAM	4	
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	
<i>ethambutol oral tablet 100 mg</i>	2	
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	2	
<i>isoniazid oral solution 50 mg/5 ml</i>	2	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	
PRETOMANID ORAL TABLET 200 MG	4	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	2	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	2	
<i>rifampin oral capsule 150 mg, 300 mg</i> (Rifadin)	2	
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NDS
TRECTOR ORAL TABLET 250 MG	4	
Antivirales (Sitémico)		
Antirretrovirales		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	2	
<i>abacavir oral tablet 300 mg</i> (Ziagen)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>abacavir-lamivudine oral tablet 600-300 mg</i> (Epzicom)	2	
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir)	5	NDS
APTIVUS (WITH VITAMIN E) ORAL SOLUTION 100 MG/ML	5	NDS
APTIVUS ORAL CAPSULE 250 MG	5	NDS
<i>atazanavir oral capsule 150 mg, 200 mg, 300 mg</i> (Reyataz)	2	
ATRIPLA ORAL TABLET 600-200-300 MG	5	NDS
BIKTARVY ORAL TABLET 50-200-25 MG	5	NDS
CIMDUO ORAL TABLET 300-300 MG	5	NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NDS
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG	4	
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NDS
DESCOVY ORAL TABLET 200-25 MG	5	NDS
<i>didanosine oral capsule, delayed release (drlec) 125 mg, 200 mg, 250 mg, 400 mg</i>	2	
DOVATO ORAL TABLET 50-300 MG	5	NDS
EDURANT ORAL TABLET 25 MG	5	NDS
<i>efavirenz oral capsule 200 mg</i> (Sustiva)	5	NDS
<i>efavirenz oral capsule 50 mg</i> (Sustiva)	2	
<i>efavirenz oral tablet 600 mg</i> (Sustiva)	2	
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> (Atripla)	5	NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg</i> (Symfi Lo)	5	NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 600-300-300 mg</i> (Symfi)	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	2	
<i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> (Truvada)	5	NDS
EMTRIVA ORAL CAPSULE 200 MG	4	
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
EVOTAZ ORAL TABLET 300-150 MG	5	NDS
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	5	NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NDS
INTELENCE ORAL TABLET 100 MG, 200 MG	5	NDS
INTELENCE ORAL TABLET 25 MG	4	
INVIRASE ORAL TABLET 500 MG	5	NDS
ISENTRESS HD ORAL TABLET 600 MG	5	NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	4	
ISENTRESS ORAL TABLET 400 MG	5	NDS
ISENTRESS ORAL TABLET, CHEWABLE 100 MG, 25 MG	4	
JULUCA ORAL TABLET 50-25 MG	5	NDS
KALETRA ORAL TABLET 100-25 MG	4	QL (300 per 30 days)
KALETRA ORAL TABLET 200-50 MG	5	NDS; QL (120 per 30 days)
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	2	
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	QL (480 per 30 days)
<i>nevirapine oral suspension 50 mg/5 ml</i> (Viramune)	2	
<i>nevirapine oral tablet 200 mg</i>	2	
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	2	
<i>nevirapine oral tablet extended release 24 hr 400 mg</i> (Viramune XR)	2	
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NDS
PIFELTRO ORAL TABLET 100 MG	5	NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NDS
PREZISTA ORAL TABLET 150 MG, 600 MG, 800 MG	5	NDS
PREZISTA ORAL TABLET 75 MG	4	
RESCRIPTOR ORAL TABLET 200 MG	4	
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	4	
SELZENTRY ORAL TABLET 150 MG, 300 MG, 75 MG	5	NDS
SELZENTRY ORAL TABLET 25 MG	4	
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	
STRIBILD ORAL TABLET 150- 150-200-300 MG	5	NDS
SYMFI LO ORAL TABLET 400- 300-300 MG	5	NDS
SYMFI ORAL TABLET 600-300- 300 MG	5	NDS
SYMTUZA ORAL TABLET 800- 150-200-10 MG	5	NDS
TEMIXYS ORAL TABLET 300- 300 MG	5	NDS
<i>tenofovir disoproxil fumarate oral</i> (Viread) <i>tablet 300 mg</i>	2	
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	4	
TRIUMEQ ORAL TABLET 600- 50-300 MG	5	NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NDS
TRUVADA ORAL TABLET 100- 150 MG, 133-200 MG, 167-250 MG, 200-300 MG	5	NDS
VEMLIDY ORAL TABLET 25 MG	5	NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
VIDEX 2 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL)	4	
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NDS
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	
<i>zidovudine oral tablet 300 mg</i>	2	
Antivirales Hcv		
EPCLUSA ORAL TABLET 200-50 MG, 400-100 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG, 90-400 MG	5	PA; NDS; QL (28 per 28 days)
<i>ledipasvir-sofosbuvir oral tablet 90-400 mg</i> (Harvoni)	5	PA; NDS; QL (28 per 28 days)
MAVYRET ORAL TABLET 100-40 MG	5	PA; NDS; QL (84 per 28 days)
<i>sofosbuvir-velpatasvir oral tablet 400-100 mg</i> (Epcclusa)	5	PA; NDS; QL (28 per 28 days)
SOVALDI ORAL PELLETS IN PACKET 150 MG	5	PA; NDS; QL (28 per 28 days)
SOVALDI ORAL PELLETS IN PACKET 200 MG	5	PA; NDS; QL (56 per 28 days)
SOVALDI ORAL TABLET 200 MG, 400 MG	5	PA; NDS; QL (28 per 28 days)
VIEKIRA PAK ORAL TABLETS,DOSE PACK 12.5 MG-75 MG -50 MG/250 MG	5	PA; NDS
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NDS; QL (28 per 28 days)
ZEPATIER ORAL TABLET 50-100 MG	5	PA; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
Antivirales, Varios		
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	2	PA BvD
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	QL (540 per 180 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	5	PA; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	5	PA; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	2	
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	5	PA; NDS
XOFLUZA ORAL TABLET 20 MG, 40 MG	4	QL (4 per 180 days)
Interferones		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	PA NSO; NDS
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	5	PA NSO; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	NDS
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
Nucleósidos Y Nucleótidos		
<i>acyclovir oral capsule 200 mg</i>	2	
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	2	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	
<i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i>	2	PA BvD
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	5	NDS
<i>cidofovir intravenous solution 75 mg/ml</i>	5	NDS
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	2	
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	
<i>ganciclovir sodium intravenous recon soln 500 mg</i> (Cytovene)	5	PA BvD; NDS
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	5	PA BvD; NDS
<i>ribasphere oral capsule 200 mg</i>	2	
<i>ribasphere oral tablet 600 mg</i>	5	NDS
<i>ribasphere ribapak oral tablets, dose pack 600 mg (7)- 400 mg (7), 600 mg (7)- 600 mg (7)</i>	5	NDS
<i>ribavirin inhalation recon soln 6 gram</i> (Virazole)	5	PA BvD; NDS
<i>ribavirin oral capsule 200 mg</i>	2	
<i>ribavirin oral tablet 200 mg</i>	2	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	2	
<i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)	5	NDS
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	2	
VEKLURY INTRAVENOUS RECON SOLN 100 MG	5	PA BvD; NDS
Dispositivos		
Dispositivos		
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	2	
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	2	
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	1	
INSULIN SYRINGE-NEEDLE (Ultilet Insulin Syringe) U-100 SYRINGE 0.3 ML 29 GAUGE	2	
INSULIN SYRINGE-NEEDLE (Advocate Syringes) U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	2	
INSULIN SYRINGE-NEEDLE (Lite Touch Insulin U-100 SYRINGE 1/2 ML 28 Syringe) GAUGE	2	
OMNIPOD / VGO	2	
PEN NEEDLE, DIABETIC (1st Tier Unifine NEEDLE 29 GAUGE X 1/2" Pentips)	2	
SM STERILE PADS 2" X 2" 2"X2", STERILE 2 X 2 "	1	
Preparaciones De Reemplazo		
Preparaciones De Reemplazo		
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	2	
IONOSOL-B IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
IONOSOL-MB IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	2	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	2	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	2	
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	2	
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>	2	PA BvD
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>	2	PA BvD
<i>magnesium sulfate injection solution 4 meq/ml (50 %)</i>	2	PA BvD
<i>magnesium sulfate injection syringe 4 meq/ml</i>	2	PA BvD
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	
NORMOSOL-R PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	4	
<i>potassium chloride intravenous solution 2 meq/ml, 2 meq/ml (20 ml)</i>	2	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	
<i>potassium chloride oral tablet (K-Tab) extended release 10 meq, 8 meq</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i> (Klor-Con M10)	2	
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i> (Klor-Con M20)	2	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	2	
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	2	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5)	2	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2	
Productos Sanguíneos/Modificadores/Expansores De Volumen		
Agentes Hematológicos, Varios		
ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NDS
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	
<i>anagrelide oral capsule 1 mg</i>	2	
CABLIVI INJECTION KIT 11 MG	5	PA; NDS; QL (30 per 30 days)
GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML	5	PA; NDS
<i>protamine intravenous solution 10 mg/ml</i>	2	
SIKLOS ORAL TABLET 1,000 MG, 100 MG	4	PA
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i> (Cyklokapron)	2	
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	2	QL (30 per 30 days)
Anticoagulantes		
BEVYXXA ORAL CAPSULE 40 MG, 80 MG	4	QL (43 per 42 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG, 5 MG	3	QL (60 per 30 days)
<i>enoxaparin subcutaneous solution</i> (Lovenox) 300 mg/3 ml	2	QL (30 per 30 days)
<i>enoxaparin subcutaneous syringe</i> (Lovenox) 100 mg/ml, 150 mg/ml	2	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe</i> (Lovenox) 120 mg/0.8 ml, 80 mg/0.8 ml	2	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30</i> (Lovenox) mg/0.3 ml	2	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40</i> (Lovenox) mg/0.4 ml	2	QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe 60</i> (Lovenox) mg/0.6 ml	2	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml	5	NDS
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 2.5 mg/0.5 ml	2	
<i>heparin (porcine) injection cartridge</i> 5,000 unit/ml (1 ml)	2	
<i>heparin (porcine) injection solution</i> 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml	2	
<i>heparin (porcine) injection syringe</i> 5,000 unit/ml	2	
<i>heparin, porcine (pf) injection</i> solution 1,000 unit/ml	2	
<i>heparin, porcine (pf) injection</i> syringe 5,000 unit/0.5 ml	2	
<i>jantoven oral tablet 1 mg, 10 mg, 2</i> <i>mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg,</i> <i>7.5 mg</i>	1	
PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG	4	ST; QL (60 per 30 days)
<i>warfarin oral tablet 1 mg, 10 mg, 2</i> (Jantoven) <i>mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg,</i> <i>7.5 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)
Inhibidores De Agregación De Plaquetas		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	2	QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	2	QL (30 per 30 days)
Modificadores De Formación De Sangre		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NDS; QL (20 per 30 days)
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	5	NDS
MULPLETA ORAL TABLET 3 MG	5	PA; NDS; QL (7 per 7 days)
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
NPLATE SUBCUTANEOUS RECON SOLN 125 MCG, 250 MCG, 500 MCG	5	PA; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
ORLADEYO ORAL CAPSULE 110 MG, 150 MG	5	PA; NDS; QL (30 per 30 days)
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (6 per 28 days)
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	NDS
ZIEXTENZO SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
Reemplazo/Modificadores De Enzima		
Reemplazo/Modificadores De Enzima		
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	5	NDS
CERDELGA ORAL CAPSULE 84 MG	5	PA; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	5	NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	5	NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	5	PA; NDS
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NDS; QL (14 per 28 days)
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	5	PA BvD; NDS
KUVAN ORAL TABLET,SOLUBLE 100 MG	5	NDS
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NDS
<i>miglustat oral capsule 100 mg</i> (Zavesca)	5	PA; NDS; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	5	NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i> (Orfadin)	5	PA; NDS
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	5	PA; NDS
ORFADIN ORAL CAPSULE 20 MG	5	PA; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NDS
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; NDS
<i>sapropterin oral tablet,soluble 100 mg</i> (Kuvan)	5	NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	5	PA; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	5	NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Nombre del Medicamento	Tipo de Medicamento	Requerimientos/ Límites
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT	3	
Relajantes Musculares Esqueléticos		
Relajantes Musculares Esqueléticos		
<i>baclofen oral tablet 10 mg, 20 mg</i>	2	
<i>chlorzoxazone oral tablet 250 mg</i>	5	PA-HRM; NDS; AGE (Max 64 Years)
<i>chlorzoxazone oral tablet 500 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>dantrolene oral capsule 100 mg</i>	2	
<i>dantrolene oral capsule 25 mg, 50 mg</i> (Dantrium)	2	
<i>methocarbamol oral tablet 500 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>methocarbamol oral tablet 750 mg</i> (Robaxin-750)	2	PA-HRM; AGE (Max 64 Years)
<i>revonto intravenous recon soln 20 mg</i>	2	
<i>tizanidine oral tablet 2 mg</i>	2	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	2	
Soluciones Irrigantes		
Soluciones Irrigantes		
LACTATED RINGERS IRRIGATION SOLUTION	4	
Vitaminas Y Minerales		
Vitaminas Y Minerales		
SE-NATAL-19 ORAL TABLET 29 MG IRON- 1 MG	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

ÍNDICE

<i>abacavir</i>	144	<i>a-hydrocort</i>	82	<i>ambrisentan</i>	108
<i>abacavir-lamivudine</i>	145	AIMOVIG		<i>amethia</i>	126
<i>abacavir-lamivudine-</i>		AUTOINJECTOR.....	27	<i>amethia lo</i>	126
<i>zidovudine</i>	145	AJOVY AUTOINJECTOR....	27	<i>amiloride</i>	53
ABELCET.....	141	AJOVY SYRINGE.....	27	<i>amiloride-hydrochlorothiazide</i> ..	53
ABILIFY MAINTENA.....	34	AKYNZEO		AMINOSYN 10 %.....	39
ABRAXANE.....	3	(FOSNETUPITANT).....	29	AMINOSYN 7 % WITH	
<i>acamprosate</i>	19	AKYNZEO		ELECTROLYTES.....	39
<i>acarbose</i>	22	(NETUPITANT).....	29	AMINOSYN 8.5 %.....	39
<i>acebutolol</i>	45	<i>ala-cort</i>	70	AMINOSYN 8.5 %-	
<i>acetaminophen-codeine</i> ... 111, 112		<i>ala-scalp</i>	70	ELECTROLYTES.....	40
<i>acetazolamide</i>	99	<i>albendazole</i>	31	AMINOSYN II 10 %.....	40
<i>acetazolamide sodium</i>	99	<i>albuterol sulfate</i>	67, 68	AMINOSYN II 15 %.....	40
<i>acetic acid</i>	101	<i>alcaine</i>	104	AMINOSYN II 7 %.....	40
<i>acetic acid-aluminum acetate</i> ..	101	<i>alclometasone</i>	70	AMINOSYN II 8.5 %.....	40
<i>acetylcysteine</i>	64	ALCOHOL PADS.....	73	AMINOSYN II 8.5 %-	
<i>acitretin</i>	72	ALDURAZYME.....	158	ELECTROLYTES.....	40
ACTEMRA.....	88	ALECENSA.....	3	AMINOSYN M 3.5 %.....	40
ACTEMRA ACTPEN.....	88	<i>alendronate</i>	57	AMINOSYN-HBC 7%.....	40
ACTHAR.....	105	<i>alfuzosin</i>	79	AMINOSYN-PF 10 %.....	40
ACTHIB (PF).....	95	ALIMTA.....	3	AMINOSYN-PF 7 %	
ACTIMMUNE.....	105	ALINIA.....	31	(SULFITE-FREE).....	40
<i>acyclovir</i>	72, 151	ALIQOPA.....	3	AMINOSYN-RF 5.2 %.....	41
<i>acyclovir sodium</i>	151	<i>aliskiren</i>	55	<i>amiodarone</i>	44
ADACEL(TDAP		<i>allopurinol</i>	27	AMITIZA.....	76
ADOLESN/ADULT)(PF).....	95	<i>alosetron</i>	56	<i>amitriptyline</i>	138
ADAKVEO.....	154	ALPHAGAN P.....	99	<i>amitriptyline-chlordiazepoxide</i>	138
<i>adapalene</i>	74	<i>alprazolam</i>	20	<i>amlodipine</i>	49
ADCETRIS.....	3	ALREX.....	103	<i>amlodipine-atorvastatin</i>	50
<i>adefovir</i>	151	<i>altavera (28)</i>	125	<i>amlodipine-benazepril</i>	50
ADEMPAS.....	108	ALTRENO.....	74	<i>amlodipine-olmesartan</i>	50
<i>adriamycin</i>	3	ALUNBRIG.....	3	<i>amlodipine-valsartan</i>	50
<i>adrucil</i>	3	<i>alyacen 1/35 (28)</i>	125	<i>amlodipine-valsartan-hcthiazid</i>	50
ADVAIR DISKUS.....	66	<i>alyacen 7/7/7 (28)</i>	126	<i>ammonium lactate</i>	73
ADVAIR HFA.....	66	<i>alyq</i>	108	<i>amoxapine</i>	138
AFINITOR.....	3	<i>amabelz</i>	81	<i>amoxicil-clarithromy-</i>	
AFINITOR DISPERZ.....	3	<i>amantadine hcl</i>	32	<i>lansopraz</i>	75
<i>afirmelle</i>	125	AMBISOME.....	141	<i>amoxicillin</i>	122

<i>amoxicillin-pot clavulanate</i>	122, 123	ATRIPLA	145	BD VEO INSULIN	
<i>amphotericin b</i>	141	<i>atropine</i>	104	SYRINGE UF	152
<i>ampicillin</i>	123	ATROVENT HFA	68	<i>bekyree (28)</i>	126
<i>ampicillin sodium</i>	123	AUBAGIO	59	BELEODAQ	4
<i>ampicillin-sulbactam</i>	123	<i>aubra eq</i>	126	BELSOMRA	59
ANADROL-50	80	<i>aurovela 1.5/30 (21)</i>	126	<i>benazepril</i>	54
<i>anagrelide</i>	154	<i>aurovela 1/20 (21)</i>	126	<i>benazepril-hydrochlorothiazide</i>	54
<i>anastrozole</i>	3	<i>aurovela 24 fe</i>	126	BENDEKA	4
ANORO ELLIPTA	68	<i>aurovela fe 1.5/30 (28)</i>	126	BENLYSTA	105, 106
APOKYN	32	<i>aurovela fe 1-20 (28)</i>	126	<i>benztropine</i>	32
<i>apraclonidine</i>	104	AUSTEDO	59	BEPREVE	105
<i>aprepitant</i>	29	AVASTIN	4	BESIVANCE	101
<i>apri</i>	126	<i>aviane</i>	126	BESPONSA	4
APTIOM	133	AVONEX	59, 60	<i>betamethasone acet,sod phos</i>	82
APTIVUS	145	AVSOLA	88	<i>betamethasone dipropionate</i>	70
APTIVUS (WITH VITAMIN		<i>ayuna</i>	126	<i>betamethasone valerate</i>	70
E)	145	AYVAKIT	4	<i>betamethasone, augmented</i>	70
<i>aranelle (28)</i>	126	<i>azacitidine</i>	4	BETASERON	60
ARCALYST	88	<i>azathioprine</i>	88	<i>betaxolol</i>	45, 99
<i>aripiprazole</i>	34	<i>azathioprine sodium</i>	88	<i>bethanechol chloride</i>	79
ARISTADA	34, 35	<i>azelastine</i>	105	BETHKIS	117
ARISTADA INITIO	34	<i>azithromycin</i>	121	BEVYXXA	154
<i>armodafinil</i>	59	AZOPT	99	<i>bexarotene</i>	4
ARNUITY ELLIPTA	66	<i>aztreonam</i>	119	BEXSERO	95
<i>arsenic trioxide</i>	3	<i>azurette (28)</i>	126	<i>bicalutamide</i>	4
<i>ascomp with codeine</i>	112	<i>bacitracin</i>	101, 118	BICILLIN L-A	123
<i>asenapine maleate</i>	35	<i>bacitracin-polymyxin b</i>	101	BIDIL	55
<i>ashlyna</i>	126	<i>baclofen</i>	160	BIKTARVY	145
ASPARLAS	3	<i>balsalazide</i>	56	<i>bimatoprost</i>	99
<i>aspirin-dipyridamole</i>	156	BALVERSA	4	<i>bisoprolol fumarate</i>	45
ASSURE ID INSULIN		<i>balziva (28)</i>	126	<i>bisoprolol-hydrochlorothiazide</i>	45
SAFETY	151	BANZEL	133	BLENREP	4
<i>atazanavir</i>	145	BAVENCIO	4	<i>bleomycin</i>	4
<i>atenolol</i>	45	BAXDELA	123	<i>bleph-10</i>	101
<i>atenolol-chlorthalidone</i>	45	BCG VACCINE, LIVE (PF) ..	95	BLINCYTO	4
<i>atomoxetine</i>	59	BD ULTRA-FINE NANO		<i>blisovi 24 fe</i>	126
<i>atorvastatin</i>	50	PEN NEEDLE	152	<i>blisovi fe 1.5/30 (28)</i>	126
<i>atovaquone</i>	31	BD VEO INSULIN SYR		<i>blisovi fe 1/20 (28)</i>	126
<i>atovaquone-proguanil</i>	31	HALF UNIT	152	BOOSTRIX TDAP	95
				BORTEZOMIB	4

BOSULIF.....	4	<i>camila</i>	127	<i>cephalexin</i>	121
BRAFTOVI.....	4	<i>candesartan</i>	48	CERDELGA.....	158
BREO ELLIPTA.....	66	<i>candesartan-</i>		CEREZYME.....	158
BREZTRI AEROSPHERE....	68	<i>hydrochlorothiazid</i>	48	<i>cevimeline</i>	69
<i>brillyn</i>	126	CAPASTAT.....	144	CHANTIX.....	19
BRILINTA.....	156	CAPLYTA.....	35	CHANTIX CONTINUING	
<i>brimonidine</i>	100	CAPRELSA.....	5	MONTH BOX.....	19
BRIVIACT.....	133	<i>captopril</i>	54	CHANTIX STARTING	
<i>bromfenac</i>	103	<i>captopril-hydrochlorothiazide</i> ...	54	MONTH BOX.....	19
<i>bromocriptine</i>	32	CARBAGLU.....	76	<i>chateal eq (28)</i>	127
BROMSITE.....	103	<i>carbamazepine</i>	133	<i>chloramphenicol sod succinate</i>	118
BRUKINSA.....	4	<i>carbidopa</i>	32	<i>chlordiazepoxide hcl</i>	20
<i>budesonide</i>	56, 66	<i>carbidopa-levodopa</i>	32	<i>chlorhexidine gluconate</i>	69
<i>bumetanide</i>	53	<i>carbidopa-levodopa-</i>		<i>chloroquine phosphate</i>	31
<i>buprenorphine</i>	112	<i>entacapone</i>	32, 33	<i>chlorothiazide</i>	53
<i>buprenorphine hcl</i>	19, 112	<i>carbinoxamine maleate</i>	143	<i>chlorothiazide sodium</i>	53
<i>buprenorphine-naloxone</i>	19	<i>carboplatin</i>	5	<i>chlorpromazine</i>	35
<i>bupropion hcl</i>	138	CAROSPIR.....	55	<i>chlorthalidone</i>	53
<i>bupropion hcl (smoking deter)</i> .	19	<i>carteolol</i>	100	<i>chlorzoxazone</i>	160
<i>buspirone</i>	20	<i>cartia xt</i>	46	<i>cholestyramine (with sugar)</i>	50
<i>butalbital compound w/codeine</i>	112	<i>carvedilol</i>	45	<i>cholestyramine light</i>	50, 51
<i>butalbital-acetaminop-caf-cod</i>	112	<i>caspofungin</i>	141	<i>ciclopirox</i>	141
<i>butalbital-acetaminophen</i>	112	CAYSTON.....	119	<i>cidofovir</i>	151
<i>butalbital-acetaminophen-caff</i>	112	<i>caziant (28)</i>	127	<i>cilostazol</i>	156
<i>butalbital-aspirin-caffeine</i>	112	<i>cefaclor</i>	120	CIMDUO.....	145
<i>butorphanol</i>	112	<i>cefadroxil</i>	120	<i>cimetidine</i>	75
BYNFEZIA.....	84	<i>cefazolin</i>	120	<i>cimetidine hcl</i>	75
BYSTOLIC.....	45	<i>cefdinir</i>	120	CIMZIA.....	89
<i>cabergoline</i>	32	<i>cefepime</i>	120	CIMZIA POWDER FOR	
CABLIVI.....	154	<i>cefixime</i>	120	RECONST.....	89
CABOMETYX.....	5	<i>cefotaxime</i>	120	<i>cinacalcet</i>	57
<i>caffeine citrate</i>	60	<i>cefoxitin</i>	120	CINQAIR.....	64
<i>calcipotriene</i>	73	<i>cefpodoxime</i>	120	CINRYZE.....	156
<i>calcitonin (salmon)</i>	57	<i>cefprozil</i>	120	CINVANTI.....	29
<i>calcitriol</i>	57	<i>ceftazidime</i>	121	<i>ciprofloxacin</i>	124
<i>calcium acetate(phosphat</i>		<i>ceftriaxone</i>	121	<i>ciprofloxacin hcl</i>	101, 124
<i>bind)</i>	78	<i>cefuroxime axetil</i>	121	<i>ciprofloxacin in 5 % dextrose</i> ..	124
<i>calcium chloride</i>	152	<i>cefuroxime sodium</i>	121	<i>ciprofloxacin-dexamethasone</i> .	101
CALDOLOR.....	109	<i>celecoxib</i>	109	<i>citalopram</i>	138
CALQUENCE.....	5	CELONTIN.....	134	<i>cladribine</i>	5

<i>clarithromycin</i>	121	CLINIMIX E 5%/D20W	COSENTYX PEN (2 PENS)..	89
<i>clemastine</i>	143	SULFIT FREE.....	COTELLIC.....	5
CLENPIQ.....	79	CLINIMIX E 8%-D10W	CREON.....	158
<i>clindamycin hcl</i>	118	SULFITEFREE.....	CRIXIVAN.....	145
CLINDAMYCIN IN 0.9 %		CLINIMIX E 8%-D14W	<i>cromolyn</i>	64, 76, 105
SOD CHLOR.....	118	SULFITEFREE.....	<i>cryselle (28)</i>	127
<i>clindamycin in 5 % dextrose</i> ...	118	CLINOLIPID.....	<i>cyclafem 1/35 (28)</i>	127
CLINDAMYCIN IN 5 %		<i>clobazam</i>	<i>cyclafem 7/7/7 (28)</i>	127
DEXTROSE.....	118	<i>clobetasol</i>	<i>cyclobenzaprine</i>	160
<i>clindamycin pediatric</i>	118	<i>clobetasol-emollient</i>	<i>cyclopentolate</i>	105
<i>clindamycin phosphate</i>		<i>clofarabine</i>	<i>cyclophosphamide</i>	5
.....	73, 74, 117, 118	<i>clomipramine</i>	CYCLOPHOSPHAMIDE.....	5
<i>clindamycin-benzoyl peroxide</i> ...	74	<i>clonazepam</i>	<i>cyclosporine</i>	89
CLINIMIX 5%/D15W		<i>clonidine</i>	<i>cyclosporine modified</i>	89
SULFITE FREE.....	41	<i>clonidine hcl</i>	<i>cyproheptadine</i>	143
CLINIMIX 5%/D25W		<i>clopidogrel</i>	CYRAMZA.....	5
SULFITE-FREE.....	41	<i>clorazepate dipotassium</i>	<i>cyred eq</i>	127
CLINIMIX 4.25%/D10W		<i>clotrimazole</i>	CYSTADANE.....	106
SULF FREE.....	41	<i>clotrimazole-betamethasone</i> ...	CYSTADROPS.....	105
CLINIMIX 4.25%/D5W		<i>clovique</i>	CYSTARAN.....	105
SULFIT FREE.....	41	<i>clozapine</i>	<i>dalfampridine</i>	60
CLINIMIX 4.25%-D25W		COARTEM.....	DALIRESP.....	64, 65
SULF-FREE.....	41	<i>codeine sulfate</i>	<i>danazol</i>	80
CLINIMIX 5%-		<i>colchicine</i>	<i>dantrolene</i>	160
D20W(SULFITE-FREE).....	41	<i>colesevelam</i>	DANYELZA.....	5
CLINIMIX 6%-D5W		<i>colestipol</i>	<i>dapsone</i>	144
(SULFITE-FREE).....	41	<i>colistin (colistimethate na)</i>	DAPTACEL (DTAP	
CLINIMIX 8%-		<i>colocort</i>	PEDIATRIC) (PF).....	95
D10W(SULFITE-FREE).....	41	COMBIGAN.....	<i>daptomycin</i>	118
CLINIMIX 8%-		COMBIVENT RESPIMAT...	DARZALEX.....	5
D14W(SULFITE-FREE).....	41	COMETRIQ.....	DARZALEX FASPRO.....	5
CLINIMIX E 2.75%/D5W		COMPLERA.....	<i>dasetta 1/35 (28)</i>	127
SULF FREE.....	41	<i>compro</i>	<i>dasetta 7/7/7 (28)</i>	127
CLINIMIX E 4.25%/D10W		<i>constulose</i>	DAURISMO.....	6
SUL FREE.....	42	COPAXONE.....	<i>daysee</i>	127
CLINIMIX E 4.25%/D5W		COPIKTRA.....	<i>deblitane</i>	127
SULF FREE.....	42	CORLANOR.....	<i>decitabine</i>	6
CLINIMIX E 5%/D15W		<i>cormax</i>	<i>deferasirox</i>	116
SULFIT FREE.....	42	<i>cortisone</i>	<i>deferiprone</i>	116
		COSENTYX (2 SYRINGES).	<i>deferoxamine</i>	116

DELSTRIGO.....	145	<i>digitek</i>	48	DROXIA.....	6
<i>demeclocycline</i>	124	<i>digox</i>	48	DUAVEE.....	81
DEMSEER.....	47	<i>digoxin</i>	48	DUEXIS.....	109
DENAVIR.....	73	<i>dihydroergotamine</i>	27	<i>duloxetine</i>	139
DEPO-PROVERA.....	88	<i>diltiazem hcl</i>	46, 47	DUPIXENT PEN.....	89
DESCOVY.....	145	<i>dilt-xr</i>	47	DUPIXENT SYRINGE.....	89
<i>desipramine</i>	138, 139	<i>dimenhydrinate</i>	29	DUREZOL.....	103
<i>desmopressin</i>	84	<i>dimethyl fumarate</i>	60	<i>dutasteride</i>	79
<i>desog-e.estradiol</i> <i>e.estradiol</i>	127	DIPENTUM.....	56	<i>dutasteride-tamsulosin</i>	79
<i>desogestrel-ethinyl estradiol</i>	127	<i>diphenhydramine hcl</i>	143, 144	<i>econazole</i>	142
<i>desonide</i>	71	<i>diphenoxylate-atropine</i>	76, 77	EDARBI.....	48
<i>desoximetasone</i>	71	<i>dipyridamole</i>	156	EDARBYCLOR.....	49
<i>desvenlafaxine succinate</i>	139	<i>disopyramide phosphate</i>	44	EDURANT.....	145
<i>dexamethasone</i>	83	<i>disulfiram</i>	19	<i>efavirenz</i>	145
<i>dexamethasone sodium phos</i> (<i>pf</i>).....	83	<i>divalproex</i>	134	<i>efavirenz-emtricitabin-tenofo</i> <i>disop</i>	145
<i>dexamethasone sodium</i> <i>phosphate</i>	83, 103	<i>docetaxel</i>	6	<i>efavirenz-lamivu-tenofo</i> <i>disop</i>	145
DEXILANT.....	75	<i>dofetilide</i>	44	EGRIFTA.....	84
<i>dexmethylphenidate</i>	60	<i>donepezil</i>	21	EGRIFTA SV.....	84
<i>dextrazoxane hcl</i>	106	DOPTELET (10 TAB PACK)	156	ELAPRASE.....	158
<i>dextroamphetamine</i>	60	DOPTELET (15 TAB PACK)	156	ELIGARD.....	6
<i>dextroamphetamine-</i> <i>amphetamine</i>	60	DOPTELET (30 TAB PACK)	156	ELIGARD (3 MONTH).....	6
<i>dextrose 10 % in water (d10w)</i> .	42	<i>dorzolamide</i>	100	ELIGARD (4 MONTH).....	6
<i>dextrose 5 % in water (d5w)</i>	42	<i>dorzolamide-timolol</i>	100	ELIGARD (6 MONTH).....	6
DIACOMIT.....	134	<i>dotti</i>	81	<i>elimest</i>	127
<i>diazepam</i>	20, 21, 134	DOVATO.....	145	ELIQUIS.....	155
<i>diazepam intensol</i>	20	<i>doxazosin</i>	44	ELIQUIS DVT-PE TREAT 30D START.....	155
<i>diazoxide</i>	106	<i>doxepin</i>	139	ELITEK.....	158
<i>diclofenac epolamine</i>	109	<i>doxercalciferol</i>	57	<i>elixophyllin</i>	68
<i>diclofenac potassium</i>	109	<i>doxorubicin</i>	6	ELLA.....	127
<i>diclofenac sodium</i>	103, 109	<i>doxorubicin, peg-liposomal</i>	6	ELMIRON.....	106
<i>diclofenac-misoprostol</i>	109	<i>doxy-100</i>	124	<i>eluryng</i>	127
<i>dicloxacillin</i>	123	<i>doxycycline hyclate</i>	124, 125	EMCYT.....	6
<i>dicyclomine</i>	76	<i>doxycycline monohydrate</i>	125	EMEND.....	29
<i>didanosine</i>	145	DRIZALMA SPRINKLE....	139	EMFLAZA.....	83
DIFICID.....	122	<i>dronabinol</i>	29	EMGALITY PEN.....	27
<i>diflorasone</i>	71	<i>droperidol</i>	29	EMGALITY SYRINGE.....	28
<i>diflunisal</i>	109	<i>drospirenone-ethinyl estradiol</i> .	127	<i>emoquette</i>	127
				EMPLICITI.....	6
				EMSAM.....	139

<i>emtricitabine</i>	146	<i>ery pads</i>	74	FANAPT.....	35
<i>emtricitabine-tenofovir (tdf)</i> ..	146	<i>erythromycin</i>	101, 122	FARXIGA.....	22
EMTRIVA.....	146	<i>erythromycin ethylsuccinate</i> ...	122	FARYDAK.....	7
<i>enalapril maleate</i>	54	<i>erythromycin with ethanol</i>	74	FASENRA.....	65
<i>enalaprilat</i>	54	<i>erythromycin-benzoyl peroxide</i> ..	74	FASENRA PEN.....	65
<i>enalapril-hydrochlorothiazide</i> ..	54	ESBRIET.....	65	<i>febuxostat</i>	27
ENBREL.....	89	<i>escitalopram oxalate</i>	139	<i>felbamate</i>	134
ENBREL MINI.....	89	<i>esomeprazole sodium</i>	75	<i>felodipine</i>	50
ENBREL SURECLICK.....	90	<i>estarylla</i>	127	FEMRING.....	82
ENDARI.....	106	<i>estazolam</i>	21	<i>femynor</i>	128
<i>endocet</i>	113	<i>estradiol</i>	81, 82	<i>fenofibrate</i>	51
ENERGIX-B (PF).....	95	<i>estradiol valerate</i>	82	<i>fenofibrate micronized</i>	51
ENERGIX-B PEDIATRIC		<i>estradiol-norethindrone acet</i>	82	<i>fenofibrate nanocrystallized</i>	51
(PF).....	96	<i>eszopiclone</i>	59	<i>fenofibric acid (choline)</i>	51
ENHERTU.....	6	<i>ethambutol</i>	144	<i>fenoprofen</i>	110
<i>enoxaparin</i>	155	<i>ethosuximide</i>	134	<i>fentanyl</i>	113
<i>enpresse</i>	127	<i>ethynodiol diac-eth estradiol</i>		<i>fentanyl citrate</i>	113
<i>enskyce</i>	127		127, 128	FERRIPROX.....	116
ENSPRYNG.....	61	<i>etodolac</i>	110	FETZIMA.....	139
<i>entacapone</i>	33	<i>etonogestrel-ethinyl estradiol</i> ..	128	FIASP FLEXTOUCH U-100	
<i>entecavir</i>	151	ETOPOPHOS.....	7	INSULIN.....	24
ENTRESTO.....	49	<i>etoposide</i>	7	FIASP PENFILL U-100	
<i>enulose</i>	77	EUCRISA.....	71	INSULIN.....	24
EPANED.....	54	EVENITY.....	57	FIASP U-100 INSULIN.....	24
EPCLUSA.....	149	<i>everolimus</i>		<i>finasteride</i>	79
EPIDIOLEX.....	134	(<i>immunosuppressive</i>)	90	FINTEPLA.....	134
<i>epinastine</i>	105	EVOTAZ.....	146	FIRVANQ.....	118
<i>epinephrine</i>	48	EVRYSDI.....	106	<i>flavoxate</i>	79
<i>epitol</i>	134	<i>exemestane</i>	7	FLEBOGAMMA DIF.....	90
EPIVIR HBV.....	146	EXONDYS-51.....	106	<i>flecainide</i>	44
<i>eplerenone</i>	55	EXTAVIA.....	61	FLOVENT DISKUS.....	66, 67
<i>epoprostenol (glycine)</i>	108	EZALLOR SPRINKLE.....	51	FLOVENT HFA.....	67
<i>eprosartan</i>	49	<i>ezetimibe</i>	51	<i>floxuridine</i>	7
<i>ergoloid</i>	21	<i>ezetimibe-simvastatin</i>	51	<i>fluconazole</i>	142
ERGOMAR.....	28	FABRAZYME.....	158	<i>fluconazole in nacl (iso-osm)</i> ..	142
ERIVEDGE.....	6	<i>falmina (28)</i>	128	<i>flucytosine</i>	142
ERLEADA.....	6	<i>famciclovir</i>	151	<i>fludrocortisone</i>	83
<i>erlotinib</i>	7	<i>famotidine</i>	75	<i>flumazenil</i>	61
<i>errin</i>	127	<i>famotidine (pf)</i>	75	<i>flunisolide</i>	103
<i>ertapenem</i>	119	<i>famotidine (pf)-nacl (iso-os)</i> ..	75	<i>fluocinolone</i>	71

<i>fluocinolone acetonide oil</i>	103	GAMMAPLEX (WITH	GRALISE 30-DAY
<i>fluocinonide</i>	71	SORBITOL).....	STARTER PACK.....
<i>fluocinonide-e</i>	71	GAMUNEX-C.....	<i>granisetron (pf)</i>
<i>fluorometholone</i>	103	<i>ganciclovir sodium</i>	<i>granisetron hcl</i>
<i>fluorouracil</i>	7, 73	GARDASIL 9 (PF).....	GRANIX.....
<i>fluoxetine</i>	139	<i>gatifloxacin</i>	<i>griseofulvin microsize</i>
<i>fluphenazine decanoate</i>	35	GATTEX 30-VIAL.....	<i>griseofulvin ultramicrosize</i>
<i>fluphenazine hcl</i>	35, 36	GAUZE PAD.....	<i>guanfacine</i>
<i>flurazepam</i>	21	<i>gavilyte-c</i>	GVOKE HYPOPEN 1-
<i>flurbiprofen</i>	110	<i>gavilyte-g</i>	PACK.....
<i>flurbiprofen sodium</i>	103	<i>gavilyte-n</i>	GVOKE HYPOPEN 2-
<i>flutamide</i>	7	GAVRETO.....	PACK.....
<i>fluticasone propionate</i>	71, 104	GAZYVA.....	GVOKE PFS 1-PACK
<i>fluvastatin</i>	51	<i>gemcitabine</i>	SYRINGE.....
<i>fluvoxamine</i>	139	<i>gemfibrozil</i>	GVOKE PFS 2-PACK
<i>fomepizole</i>	106	<i>generlac</i>	SYRINGE.....
<i>fondaparinux</i>	155	<i>gengraf</i>	HAEGARDA.....
FORTEO.....	57	GENOTROPIN.....	<i>hailey</i>
<i>fosamprenavir</i>	146	GENOTROPIN	<i>hailey 24 fe</i>
<i>fosaprepitant</i>	29	MINIQUICK.....	<i>hailey fe 1.5/30 (28)</i>
<i>foscarnet</i>	150	<i>gentak</i>	<i>hailey fe 1/20 (28)</i>
<i>fosinopril</i>	54	<i>gentamicin</i>	<i>halobetasol propionate</i>
<i>fosinopril-hydrochlorothiazide</i> ..	54	<i>gentamicin sulfate (ped) (pf)</i> ..	<i>haloperidol</i>
<i>fosphenytoin</i>	134	<i>gentamicin sulfate (pf)</i>	<i>haloperidol decanoate</i>
FREAMINE HBC 6.9 %.....	42	GENVOYA.....	<i>haloperidol lactate</i>
FREAMINE III 10 %.....	42	GILENYA.....	HARVONI.....
FULPHILA.....	156	GILOTRIF.....	HAVRIX (PF).....
<i>fulvestrant</i>	7	GIVLAARI.....	<i>heather</i>
<i>furosemide</i>	53	<i>glatiramer</i>	HEMADY.....
FUZEON.....	146	<i>glatopa</i>	<i>heparin (porcine)</i>
<i>fyavolv</i>	82	<i>glimepiride</i>	<i>heparin, porcine (pf)</i>
FYCOMPA.....	134, 135	<i>glipizide</i>	HEPATAMINE 8%.....
<i>gabapentin</i>	135	<i>glipizide-metformin</i>	HERCEPTIN.....
GALAFOLD.....	158	<i>glyburide</i>	HERCEPTIN HYLECTA.....
<i>galantamine</i>	21	<i>glyburide micronized</i>	HERZUMA.....
GAMASTAN.....	90	<i>glyburide-metformin</i>	HETLIOZ.....
GAMMAGARD LIQUID.....	90	<i>glycopyrrolate</i>	HIBERIX (PF).....
GAMMAGARD S-D (IGA <		<i>glydo</i>	HUMATROPE.....
1 MCG/ML).....	90	GOCOVRI.....	HUMIRA.....
GAMMAPLEX.....	90	GRALISE.....	HUMIRA PEN.....

HUMIRA PEN CROHNS-UC-HS START.....	90	<i>iclevia</i>	128	INVEGA TRINZA.....	36, 37
HUMIRA PEN PSOR-UVEITS-ADOL HS.....	91	ICLUSIG.....	8	INVELTYS.....	104
HUMIRA(CF).....	91	IDHIFA.....	8	INVIRASE.....	146
HUMIRA(CF) PEDI CROHNS STARTER.....	91	<i>ifosfamide</i>	8	IONOSOL-B IN D5W.....	152
HUMIRA(CF) PEN.....	91	ILARIS (PF).....	92	IONOSOL-MB IN D5W.....	152
HUMIRA(CF) PEN CROHNS-UC-HS.....	91	ILEVRO.....	104	IPOL.....	96
HUMIRA(CF) PEN PSOR-UV-ADOL HS.....	91	ILUMYA.....	92	<i>ipratropium bromide</i>	68, 105
HUMULIN R U-500 (CONC) INSULIN.....	25	<i>imatinib</i>	8	<i>ipratropium-albuterol</i>	68
HUMULIN R U-500 (CONC) KWIKPEN.....	25	IMBRUVICA.....	8	<i>irbesartan</i>	49
<i>hydralazine</i>	48	IMFINZI.....	8	<i>irbesartan-hydrochlorothiazide</i>	49
<i>hydrochlorothiazide</i>	53	<i>imipenem-cilastatin</i>	119	IRESSA.....	9
<i>hydrocodone-acetaminophen</i> ...	113	<i>imipramine hcl</i>	140	<i>irinotecan</i>	9
<i>hydrocodone-ibuprofen</i>	113	<i>imipramine pamoate</i>	140	ISENTRESS.....	146
<i>hydrocortisone</i>	56, 71, 72, 83	<i>imiquimod</i>	73	ISENTRESS HD.....	146
<i>hydrocortisone butyrate</i>	71	IMLYGIC.....	8	<i>isibloom</i>	128
<i>hydrocortisone valerate</i>	72	IMOGAM RABIES-HT (PF).....	92	ISOLYTE-P IN 5 % DEXTROSE.....	152
<i>hydrocortisone-acetic acid</i>	101	IMOVAX RABIES VACCINE (PF).....	96	ISOLYTE-S.....	152
<i>hydromorphone</i>	113	IMPAVIDO.....	31	<i>isoniazid</i>	144
<i>hydromorphone (pf)</i>	113	INBRIJA.....	33	<i>isosorbide dinitrate</i>	55
<i>hydroxychloroquine</i>	31	<i>incassia</i>	128	<i>isosorbide mononitrate</i>	55
<i>hydroxyprogesterone cap (ppres)</i>	88	INCRELEX.....	85	<i>isradipine</i>	50
<i>hydroxyurea</i>	7	<i>indapamide</i>	53	<i>itraconazole</i>	142
<i>hydroxyzine hcl</i>	144	<i>indomethacin</i>	110	<i>ivermectin</i>	31
<i>hydroxyzine pamoate</i>	106	INFANRIX (DTAP) (PF).....	96	IXEMPRA.....	9
HYPERRAB (PF).....	91	INFLECTRA.....	92	IXIARO (PF).....	96
HYPERRAB S/D (PF).....	91	INFUGEM.....	9	<i>jaimiess</i>	128
HYQVIA.....	91	INGREZZA.....	61	JAKAFI.....	9
<i>ibandronate</i>	57	INGREZZA INITIATION PACK.....	61	<i>jantoven</i>	155
IBRANCE.....	8	INLYTA.....	9	JANUMET.....	22
<i>ibu</i>	110	INQOVI.....	9	JANUMET XR.....	22
<i>ibuprofen</i>	110	INREBIC.....	9	JANUVIA.....	22
<i>icatibant</i>	48	INSULIN SYRINGE-NEEDLE U-100.....	152	JARDIANCE.....	22
		INTELENCE.....	146	<i>jasmiel (28)</i>	128
		INTRALIPID.....	43	<i>jencycla</i>	128
		INTRON A.....	150	JENTADUETO.....	22
		<i>introvale</i>	128	JENTADUETO XR.....	22, 23
		INVEGA SUSTENNA.....	36	<i>jinteli</i>	82
				<i>juleber</i>	128
				JULUCA.....	146

<i>junel 1.5/30 (21)</i>	128	KYNMOBI	33	<i>levofloxacin in d5w</i>	124
<i>junel 1/20 (21)</i>	128	KYPROLIS	10	<i>levoleucovorin calcium</i>	107
<i>junel fe 1.5/30 (28)</i>	128	<i>l norgestle.estradiol-e.estrad...</i>	129	<i>levonest (28)</i>	129
<i>junel fe 1/20 (28)</i>	128	<i>labetalol</i>	45	<i>levonorgestrel-ethinyl estrad...</i>	129
<i>junel fe 24</i>	128	LACTATED RINGERS	160	<i>levonorg-eth estrad triphasic...</i>	129
JUXTAPID	51	<i>lactulose</i>	77	<i>levora-28</i>	129
JYNARQUE	53	<i>lamivudine</i>	146, 147	<i>levothyroxine</i>	80
KABIVEN	43	<i>lamivudine-zidovudine</i>	147	LEXIVA	147
KALETRA	146	<i>lamotrigine</i>	135	LIBTAYO	10
<i>kalliga</i>	128	<i>lansoprazole</i>	75	<i>lidocaine</i>	116
KALYDECO	65	<i>lanthanum</i>	78	<i>lidocaine (pf)</i>	44, 115, 116
KANJINTI	9	LANTUS SOLOSTAR U-100		<i>lidocaine hcl</i>	116
KANUMA	158	INSULIN	25	<i>lidocaine viscous</i>	116
<i>kariva (28)</i>	128	LANTUS U-100 INSULIN ...	25	<i>lidocaine-prilocaine</i>	116
KATERZIA	50	<i>lapatinib</i>	10	<i>lillow (28)</i>	129
KEDRAB (PF)	92	<i>larin 1.5/30 (21)</i>	129	<i>linezolid</i>	118
<i>kelnor 1/35 (28)</i>	129	<i>larin 1/20 (21)</i>	129	<i>linezolid in dextrose 5%</i>	118
<i>kelnor 1-50 (28)</i>	129	<i>larin 24 fe</i>	129	LINZESS	77
KESIMPTA PEN	61	<i>larin fe 1.5/30 (28)</i>	129	<i>liothyronine</i>	80
<i>ketoconazole</i>	142	<i>larin fe 1/20 (28)</i>	129	<i>lisinopril</i>	54
<i>ketoprofen</i>	110	<i>larissia</i>	129	<i>lisinopril-hydrochlorothiazide</i> ...	55
<i>ketorolac</i>	104, 110, 111	<i>latanoprost</i>	100	<i>lithium carbonate</i>	61
KEVEYIS	106	LATUDA	37	LIVALO	51
KEVZARA	92	LAZANDA	113	<i>lojaimiess</i>	129
KEYTRUDA	9	<i>ledipasvir-sofosbuvir</i>	149	LOKELMA	77
KINERET	92	<i>leflunomide</i>	92	LONSURF	10
KINRIX (PF)	96, 97	LEMTRADA	61	<i>loperamide</i>	77
<i>kionex (with sorbitol)</i>	77	LENVIMA	10	<i>lopinavir-ritonavir</i>	147
KISQALI	10	<i>lessina</i>	129	<i>lorazepam</i>	21
KISQALI FEMARA CO-		<i>letrozole</i>	10	<i>lorazepam intensol</i>	21
PACK	9, 10	<i>leucovorin calcium</i>	107	LORBRENA	10
<i>klor-con m10</i>	153	LEUKERAN	10	<i>lorcet (hydrocodone)</i>	113
<i>klor-con m15</i>	153	LEUKINE	157	<i>lorcet hd</i>	113
<i>klor-con m20</i>	153	<i>leuprolide</i>	10	<i>lorcet plus</i>	113
KORLYM	23	<i>levetiracetam</i>	135, 136	<i>loryna (28)</i>	130
KOSELUGO	10	<i>levobunolol</i>	100	<i>losartan</i>	49
KRINTAFEL	31	<i>levocarnitine</i>	107	<i>losartan-hydrochlorothiazide</i> ...	49
KRYSTEXXA	159	<i>levocarnitine (with sugar)</i>	107	LOTEMAX	104
<i>kurvelo (28)</i>	129	<i>levocetirizine</i>	144	LOTEMAX SM	104
KUVAN	159	<i>levofloxacin</i>	101, 124	<i>loteprednol etabonate</i>	104

<i>lovastatin</i>	51	MAVENCLAD (7 TABLET	<i>methscopolamine</i>	77
<i>low-ogestrel (28)</i>	130	PACK).....	<i>methyl dopa</i>	44
<i>loxapine succinate</i>	37	MAVENCLAD (8 TABLET	<i>methyl dopa-</i>	
<i>lo-zumandimine (28)</i>	130	PACK).....	<i>hydrochlorothiazide</i>	44
LUCEMYRA.....	19	MAVENCLAD (9 TABLET	<i>methylphenidate hcl</i>	62, 63
LUMIGAN.....	100	PACK).....	<i>methylprednisolone</i>	83
LUMOXITI.....	11	MAVYRET.....	<i>methylprednisolone acetate</i>	83
LUPRON DEPOT.....	11, 85	MAYZENT.....	<i>methylprednisolone sodium</i>	
LUPRON DEPOT (3		<i>meclizine</i>	<i>succ</i>	83
MONTH).....	11, 85	<i>medroxyprogesterone</i>	<i>metipranolol</i>	100
LUPRON DEPOT (4		<i>mefenamic acid</i>	<i>metoclopramide hcl</i>	77
MONTH).....	11	<i>mefloquine</i>	<i>metolazone</i>	53
LUPRON DEPOT (6		<i>megestrol</i>	<i>metoprolol succinate</i>	45
MONTH).....	11	MEKINIST.....	<i>metoprolol ta-hydrochlorothiaz</i>	
LUPRON DEPOT-PED.....	85	MEKTOVI.....		45, 46
LUPRON DEPOT-PED (3		<i>meloxicam</i>	<i>metoprolol tartrate</i>	46
MONTH).....	85	<i>melphalan hcl</i>	<i>metronidazole</i>	74, 117, 119
<i>lutera (28)</i>	130	<i>memantine</i>	<i>metronidazole in nacl (iso-os)</i>	119
<i>lyllana</i>	82	MENACTRA (PF).....	<i>metyrosine</i>	48
LYNPARZA.....	11	MENQUADFI (PF).....	<i>mexiletine</i>	44
LYSODREN.....	11	MENVEO A-C-Y-W-135-	MIACALCIN.....	57
<i>lyza</i>	130	DIP (PF).....	<i>miconazole-3</i>	142
<i>magnesium sulfate</i>	153	MEPSEVII.....	<i>microgestin fe 1/20 (28)</i>	130
<i>magnesium sulfate in d5w</i>	153	<i>mercaptopurine</i>	<i>midazolam</i>	21
<i>magnesium sulfate in water</i>	153	<i>meropenem</i>	<i>midodrine</i>	44
<i>malathion</i>	74	<i>mesalamine</i>	<i>miglitol</i>	23
<i>maprotiline</i>	140	<i>mesna</i>	<i>miglustat</i>	159
<i>marlissa (28)</i>	130	MESNEX.....	<i>mili</i>	130
MARPLAN.....	140	<i>metadate er</i>	<i>milrinone</i>	48
MARQIBO.....	11	<i>metaproterenol</i>	<i>mimvey</i>	82
MATULANE.....	11	<i>metformin</i>	<i>minitran</i>	55
<i>matzim la</i>	47	<i>methadone</i>	<i>minocycline</i>	125
MAVENCLAD (10 TABLET		<i>methadose</i>	<i>minoxidil</i>	55
PACK).....	61	<i>methazolamide</i>	<i>mirtazapine</i>	140
MAVENCLAD (4 TABLET		<i>methenamine hippurate</i>	<i>misoprostol</i>	76
PACK).....	61	<i>methimazole</i>	MITIGARE.....	27
MAVENCLAD (5 TABLET		<i>methocarbamol</i>	<i>mitoxantrone</i>	12
PACK).....	61	<i>methotrexate sodium</i>	M-M-R II (PF).....	97
MAVENCLAD (6 TABLET		<i>methotrexate sodium (pf)</i>	<i>moexipril</i>	55
PACK).....	62	<i>methoxsalen</i>	<i>molindone</i>	37

<i>mometasone</i>	72, 104	<i>neomycin-bacitracin-</i>		<i>norethindrone acetate</i>	88
<i>mondoxylene nl</i>	125	<i>polymyxin</i>	102	<i>norethindrone ac-eth estradiol</i>	
MONJUVI.....	12	<i>neomycin-polymyxin b gu</i>	74		82, 130
<i>mono-lynyah</i>	130	<i>neomycin-polymyxin b-</i>		<i>norethindrone-e.estradiol-iron</i>	130
<i>montelukast</i>	67	<i>dexameth</i>	102	<i>norgestimate-ethinyl estradiol</i>	
<i>morphine</i>	114	<i>neomycin-polymyxin-</i>			130, 131
MORPHINE.....	114	<i>gramicidin</i>	102	<i>norlyda</i>	131
<i>morphine concentrate</i>	114	<i>neomycin-polymyxin-hc</i>	102	NORMOSOL-M IN 5 %	
MOVANTIK.....	77	<i>neo-polycin</i>	102	DEXTROSE.....	153
<i>moxifloxacin</i>	101, 124	<i>neo-polycin hc</i>	102	NORMOSOL-R PH 7.4.....	153
MOZOBIL.....	157	NEPHRAMINE 5.4 %.....	43	NORTHERA.....	44
MULPLETA.....	157	NERLYNX.....	12	<i>nortrel 0.5/35 (28)</i>	131
MULTAQ.....	44	NEULASTA.....	157	<i>nortrel 1/35 (21)</i>	131
<i>mupirocin</i>	74	NEUPOGEN.....	157	<i>nortrel 1/35 (28)</i>	131
MVASI.....	12	NEUPRO.....	33	<i>nortrel 7/7/7 (28)</i>	131
MYCAPSSA.....	85	<i>nevirapine</i>	147	<i>nortriptyline</i>	140
<i>mycophenolate mofetil</i>	92	NEXAVAR.....	12	NORVIR.....	147
<i>mycophenolate mofetil (hcl)</i> ...	92	NEXLETOL.....	52	NOVOLIN 70/30 U-100	
MYLOTARG.....	12	NEXLIZET.....	52	INSULIN.....	25
MYRBETRIQ.....	79	<i>niacin</i>	52	NOVOLIN 70-30 FLEXPEN	
<i>nabumetone</i>	111	<i>niacor</i>	52	U-100.....	25
<i>nadolol</i>	46	<i>nicardipine</i>	50	NOVOLIN N FLEXPEN.....	25
<i>nafcillin</i>	123	NICOTROL.....	20	NOVOLIN N NPH U-100	
<i>nafcillin in dextrose iso-osm</i>	123	<i>nifedipine</i>	50	INSULIN.....	25
NAGLAZYME.....	159	<i>nikki (28)</i>	130	NOVOLIN R FLEXPEN.....	25
<i>naloxone</i>	19	<i>nilutamide</i>	12	NOVOLIN R REGULAR U-	
<i>naltrexone</i>	19	NINLARO.....	12	100 INSULN.....	25
NAMZARIC.....	22	<i>nitazoxanide</i>	31	NOVOLOG FLEXPEN U-	
<i>naproxen</i>	111	<i>nitisinone</i>	159	100 INSULIN.....	25
<i>naproxen-esomeprazole</i>	111	<i>nitrofurantoin macrocrystal</i>	119	NOVOLOG MIX 70-30 U-	
<i>naratriptan</i>	28	<i>nitrofurantoin monohydlm-</i>		100 INSULN.....	25
NARCAN.....	19	<i>cryst</i>	119	NOVOLOG MIX 70-	
NATACYN.....	102	<i>nitroglycerin</i>	56	30FLEXPEN U-100.....	26
<i>nateglinide</i>	23	NITYR.....	159	NOVOLOG PENFILL U-100	
NATPARA.....	58	NIVESTYM.....	157	INSULIN.....	26
NAYZILAM.....	136	<i>nizatidine</i>	76	NOVOLOG U-100 INSULIN	
<i>necon 0.5/35 (28)</i>	130	NOC DURNA (MEN).....	85	ASPART.....	26
<i>nefazodone</i>	140	NOC DURNA (WOMEN).....	85	NOXAFIL.....	142
<i>neomycin</i>	117	NORDITROPIN FLEXPRO.....	86	NPLATE.....	157
<i>neomycin-bacitracin-poly-hc</i> ...	102	<i>norethindrone (contraceptive)</i> 130		NUBEQA.....	12

NUCALA.....	65	<i>ondansetron hcl</i>	30	PALYNZIQ.....	159
NUEDEXTA.....	63	<i>ondansetron hcl (pf)</i>	30	<i>pamidronate</i>	58
NULOJIX.....	92	ONGENTYS.....	33	PANRETIN.....	73
NUPLAZID.....	37	ONIVYDE.....	12	<i>pantoprazole</i>	76
NURTEC ODT.....	28	ONTRUZANT.....	12	<i>paricalcitol</i>	58
NUTRILIPID.....	43	ONUREG.....	12	<i>paroex oral rinse</i>	69
NUTROPIN AQ NUSPIN.....	86	OPDIVO.....	12	<i>paromomycin</i>	31
<i>nyamyc</i>	142	OPSUMIT.....	108	<i>paroxetine hcl</i>	140
<i>nymyo</i>	131	<i>oralone</i>	69	PAXIL.....	140
<i>nystatin</i>	142, 143	ORENCIA.....	93	PEDIARIX (PF).....	97
<i>nystatin-triamcinolone</i>	143	ORENCIA (WITH		PEDVAX HIB (PF).....	97
<i>nystop</i>	143	MALTOSE).....	92	PEGANONE.....	136
NYVEPRIA.....	157	ORENCIA CLICKJECT.....	93	PEGASYS.....	150
OALIVA.....	77	ORFADIN.....	159	PEGINTRON.....	150
OCREVUS.....	63	ORGOVYX.....	86	PEMAZYRE.....	13
OCTAGAM.....	92	ORILISSA.....	86	PEN NEEDLE, DIABETIC.....	152
<i>octreotide acetate</i>	86	ORKAMBI.....	65	<i>penicillamine</i>	116, 117
ODEFSEY.....	147	ORLADEYO.....	157	<i>penicillin g potassium</i>	123
ODOMZO.....	12	<i>orsythia</i>	131	<i>penicillin g procaine</i>	123
OFEV.....	65	<i>oseltamivir</i>	150	<i>penicillin v potassium</i>	123
<i>ofloxacin</i>	102	OSMOLEX ER.....	33	PENNSAID.....	111
<i>ogestrel (28)</i>	131	OTEZLA.....	93	PENTACEL (PF).....	97
OGIVRI.....	12	OTEZLA STARTER.....	93	<i>pentamidine</i>	31
<i>okebo</i>	125	<i>oxaliplatin</i>	12	<i>pentoxifylline</i>	156
<i>olanzapine</i>	37	<i>oxandrolone</i>	80	PERIKABIVEN.....	43
<i>olmesartan</i>	49	<i>oxazepam</i>	21	<i>perindopril erbumine</i>	55
<i>olmesartan-amlodipin-</i>		<i>oxcarbazepine</i>	136	<i>periogard</i>	69
<i>hcthiacid</i>	49	OXLUMO.....	107	PERJETA.....	13
<i>olmesartan-</i>		OXTELLAR XR.....	136	<i>permethrin</i>	74
<i>hydrochlorothiazide</i>	49	<i>oxybutynin chloride</i>	80	<i>perphenazine</i>	37
<i>olopatadine</i>	105	<i>oxycodone</i>	114	<i>perphenazine-amitriptyline</i>	140
OLUMIANT.....	92	<i>oxycodone-acetaminophen</i>	114	PERSERIS.....	37
<i>omega-3 acid ethyl esters</i>	52	<i>oxycodone-aspirin</i>	115	<i>pfizerpen-g</i>	123
<i>omeprazole</i>	76	OXYCONTIN.....	115	<i>phenadoz</i>	30
<i>omeprazole-sodium</i>		<i>oxymorphone</i>	115	<i>phenelzine</i>	140
<i>bicarbonate</i>	76	OZEMPIC.....	23	<i>phenobarbital</i>	136
OMNIPOD / VGO.....	152	<i>pacerone</i>	44	<i>phenylephrine hcl</i>	44
OMNITROPE.....	86	<i>paclitaxel</i>	13	<i>phenytoin</i>	136
ONCASPAR.....	12	PADCEV.....	13	<i>phenytoin sodium</i>	136
<i>ondansetron</i>	30	<i>paliperidone</i>	37	<i>phenytoin sodium extended</i>	136

PHESGO.....	13	<i>prednisolone sodium phosphate</i>	77
<i>philit</i>	131		83, 84, 104
PHOSLYRA.....	78	<i>prednisone</i>	84
PICATO.....	73	<i>pregabalin</i>	136, 137
PIFELTRO.....	147	PREMARIN.....	82
<i>pilocarpine hcl</i>	69, 100	PREMPHASE.....	82
<i>pimecrolimus</i>	72	PREMPRO.....	82
<i>pimozide</i>	37	PRETOMANID.....	144
<i>pimtree (28)</i>	131	<i>prevalite</i>	52
<i>pindolol</i>	46	<i>previfem</i>	131
<i>pioglitazone</i>	23	PREVYMIS.....	150
<i>piperacillin-tazobactam</i>	123	PREZCOBIX.....	147
PIQRAY.....	13	PREZISTA.....	147
<i>pirmella</i>	131	PRIFTIN.....	144
<i>piroxicam</i>	111	PRIMAQUINE.....	32
PLASMA-LYTE 148.....	153	<i>primidone</i>	137
PLASMA-LYTE A.....	153	PRIVIGEN.....	93
PLEGRIDY.....	63	PROAIR RESPICLICK.....	68
<i>podofilox</i>	73	<i>probenecid</i>	27
POLIVY.....	13	<i>probenecid-colchicine</i>	27
<i>polycin</i>	102	<i>procainamide</i>	44
<i>polymyxin b sulfate</i>	119	PROCALAMINE 3%.....	43
<i>polymyxin b sulf-trimethoprim</i>	102	<i>prochlorperazine</i>	30
POMALYST.....	13	<i>prochlorperazine edisylate</i>	30
<i>portia 28</i>	131	<i>prochlorperazine maleate</i>	30
PORTRAZZA.....	13	<i>procto-med hc</i>	72
<i>posaconazole</i>	143	<i>procto-pak</i>	72
<i>potassium chloride</i>	153, 154	<i>proctosol hc</i>	72
<i>potassium chloride-0.45 % nacl</i>	154	<i>proctozone-hc</i>	72
<i>potassium citrate</i>	154	<i>progesterone</i>	88
PRADAXA.....	155	<i>progesterone micronized</i>	88
PRALUENT PEN.....	52	PROGRAF.....	93
<i>pramipexole</i>	33	PROLASTIN-C.....	65
<i>prasugrel</i>	156	PROLENSA.....	104
<i>pravastatin</i>	52	PROLEUKIN.....	13
<i>prazosin</i>	44	PROLIA.....	58
<i>prednicarbate</i>	72	PROMACTA.....	157
<i>prednisolone</i>	83	<i>promethazine</i>	30, 144
<i>prednisolone acetate</i>	104	<i>promethegan</i>	30
		<i>propafenone</i>	45
		<i>propantheline</i>	77
		<i>proparacaine</i>	105
		<i>propranolol</i>	46
		<i>propranolol-hydrochlorothiazid</i>	46
		<i>propylthiouracil</i>	80
		PROQUAD (PF).....	97
		PROSOL 20 %.....	43
		<i>protamine</i>	154
		<i>protriptyline</i>	140
		PULMOZYME.....	159
		PURIXAN.....	13
		<i>pyrazinamide</i>	144
		<i>pyridostigmine bromide</i>	107
		<i>pyrimethamine</i>	32
		QBRELIS.....	55
		QINLOCK.....	13
		QUADRACEL (PF).....	97
		<i>quetiapine</i>	37, 38
		<i>quinapril</i>	55
		<i>quinapril-hydrochlorothiazide</i>	55
		<i>quinidine gluconate</i>	45
		<i>quinidine sulfate</i>	45
		<i>quinine sulfate</i>	32
		RABAVERT (PF).....	97
		<i>rabeprazole</i>	76
		RADICAVA.....	63
		<i>raloxifene</i>	82
		<i>ramipril</i>	55
		<i>ranitidine hcl</i>	76
		<i>ranolazine</i>	48
		<i>rasagiline</i>	33
		RASUVO (PF).....	93
		RAVICTI.....	77
		RAYALDEE.....	58
		REBIF (WITH ALBUMIN).....	63
		REBIF REBIDOSE.....	63
		REBIF TITRATION PACK.....	63
		<i>reclipsen (28)</i>	131
		RECOMBIVAX HB (PF).....	98
		RECTIV.....	107

REGRANEX.....	73	<i>rizatriptan</i>	28	SILIQ.....	93
RELENZA DISKHALER... 150		ROCKLATAN.....	100	<i>silver sulfadiazine</i>	74
RELISTOR.....	77, 78	<i>ropinirole</i>	33, 34	SIMBRINZA.....	100
REMICADE.....	93	<i>rosadan</i>	74	<i>simliya (28)</i>	131
RENFLEXIS.....	93	<i>rosuvastatin</i>	52	<i>simpesse</i>	131
<i>repaglinide</i>	23	ROTARIX.....	98	SIMPONI.....	93, 94
<i>repaglinide-metformin</i>	23	ROTATEQ VACCINE.....	98	SIMPONI ARIA.....	93
REPATHA PUSHTRONEX..	52	ROZLYTREK.....	14	<i>simvastatin</i>	52
REPATHA SURECLICK.....	52	RUBRACA.....	14	<i>sirolimus</i>	94
REPATHA SYRINGE.....	52	<i>rufinamide</i>	137	SIRTURO.....	144
RESCRIPTOR.....	147	RUKOBIA.....	148	SKYRIZI.....	94
RESTASIS.....	104	RUXIENCE.....	14	SLYND.....	131
RETACRIT.....	158	RYBELSUS.....	23	<i>sodium chloride 0.9 %</i>	154
RETEVMO.....	13	RYDAPT.....	14	<i>sodium phenylbutyrate</i>	78
RETROVIR.....	147	SAIZEN.....	86	<i>sodium polystyrene (sorb free)</i> ..	78
REVCIVI.....	159	SAIZEN SAIZENPREP.....	86	<i>sodium polystyrene sulfonate</i>	78
REVLIMID.....	13	SANDOSTATIN LAR		<i>sofosbuvir-velpatasvir</i>	149
<i>revonto</i>	160	DEPOT.....	87	SOLIQUEA 100/33.....	26
REXULTI.....	38	SANTYL.....	73	SOLTAMOX.....	14
REYATAZ.....	147	SAPHRIS.....	38	SOLU-CORTEF ACT-O-	
REYVOW.....	28	<i>sapropterin</i>	159	VIAL (PF).....	84
RHOPRESSA.....	100	SARCLISA.....	14	SOMATULINE DEPOT.....	87
RIABNI.....	14	SAVELLA.....	63, 64	SOMAVERT.....	87
<i>ribasphere</i>	151	<i>scopolamine base</i>	31	<i>sorine</i>	46
<i>ribasphere ribapak</i>	151	SECUADO.....	38	<i>sotalol</i>	46
<i>ribavirin</i>	151	<i>selegiline hcl</i>	34	<i>sotalol af</i>	46
RIDAURA.....	93	<i>selenium sulfide</i>	74	SOVALDI.....	149
<i>rifabutin</i>	144	SELZENTRY.....	148	SPIRIVA RESPIMAT.....	68
<i>rifampin</i>	144	SE-NATAL-19.....	160	SPIRIVA WITH	
<i>riluzole</i>	63	SEREVENT DISKUS.....	68	HANDIHALER.....	69
<i>rimantadine</i>	150	SEROSTIM.....	87	<i>spironolactone</i>	53
RINVOQ.....	93	<i>sertraline</i>	140	<i>spironolacton-hydrochlorothiaz</i>	53
<i>risedronate</i>	58	<i>setlakin</i>	131	SPRAVATO.....	140
RISPERDAL CONSTA.....	38	<i>sevelamer carbonate</i>	78	<i>sprintec (28)</i>	131
<i>risperidone</i>	38	<i>sevelamer hcl</i>	78	SPRITAM.....	137
<i>ritonavir</i>	147	<i>sharobel</i>	131	SPRYCEL.....	14
RITUXAN.....	14	SHINGRIX (PF).....	98	<i>sps (with sorbitol)</i>	78
RITUXAN HYCELA.....	14	SIGNIFOR.....	87	<i>sronyx</i>	131
<i>rivastigmine</i>	22	SIKLOS.....	154	<i>ssd</i>	74
<i>rivastigmine tartrate</i>	22	<i>sildenafil (pulm.hypertension)</i>	108	<i>stavudine</i>	148

STELARA.....	94	SYNAREL.....	87	TENIVAC (PF).....	98
STERILE PADS.....	152	SYNDROS.....	31	<i>tenofovir disoproxil fumarate</i> ..	148
STIMATE.....	87	SYNERCID.....	119	TEPEZZA.....	105
STIOLTO RESPIMAT.....	69	SYNJARDY.....	24	<i>terazosin</i>	79
STIVARGA.....	14	SYNJARDY XR.....	24	<i>terbinafine hcl</i>	143
STRENSIQ.....	159	SYNRIBO.....	14	<i>terbutaline</i>	69
<i>streptomycin</i>	117	TABLOID.....	14	<i>terconazole</i>	117
STRIBILD.....	148	TABRECTA.....	14	<i>testosterone</i>	81
STRIVERDI RESPIMAT.....	69	<i>tacrolimus</i>	72, 94	<i>testosterone cypionate</i>	80, 81
SUBLOCADE.....	20	<i>tadalafil</i>	108	<i>testosterone enanthate</i>	81
<i>subvenite</i>	137	<i>tadalafil (pulm. hypertension)</i>	108	TETANUS,DIPHTHERIA	
<i>sucralfate</i>	76	TAFINLAR.....	15	TOX PED(PF).....	98
<i>sulfacetamide sodium</i>	103	TAGRISSO.....	15	<i>tetrabenazine</i>	64
<i>sulfacetamide sodium (acne)</i>	74	TAKHZYRO.....	107	<i>tetracycline</i>	125
<i>sulfacetamide-prednisolone</i>	103	TALTZ AUTOINJECTOR....	94	THALOMID.....	107
<i>sulfadiazine</i>	124	TALTZ SYRINGE.....	94	<i>theophylline</i>	69
<i>sulfamethoxazole-</i>		TALZENNA.....	15	THIOLA.....	79
<i>trimethoprim</i>	124	<i>tamoxifen</i>	15	THIOLA EC.....	79
<i>sulfasalazine</i>	56	<i>tamsulosin</i>	79	<i>thioridazine</i>	38
<i>sulindac</i>	111	TARGRETIN.....	15	<i>thiotepa</i>	15
<i>sumatriptan</i>	28	<i>tarina 24 fe</i>	131	<i>thiothixene</i>	38
<i>sumatriptan succinate</i>	28	<i>tarina fe 1-20 eq (28)</i>	132	<i>tiadylt er</i>	47
SUNOSI.....	59	TASIGNA.....	15	<i>tiagabine</i>	137
SUPPRELIN LA.....	87	TAVALISSE.....	154	TIBSOVO.....	15
SUPREP BOWEL PREP		<i>tazarotene</i>	74	TICE BCG.....	15
KIT.....	79	TAZORAC.....	75	<i>tigecycline</i>	125
SUTENT.....	14	<i>taztia xt</i>	47	<i>timolol maleate</i>	46, 100
<i>syeda</i>	131	TAZVERIK.....	15	<i>tinidazole</i>	32
SYLATRON.....	14	TDVAX.....	98	TIVICAY.....	148
SYLVANT.....	14	TECENTRIQ.....	15	TIVICAY PD.....	148
SYMBICORT.....	67	TECFIDERA.....	64	<i>tizanidine</i>	160
SYMDEKO.....	65	TEFLARO.....	121	TOBI PODHALER.....	117
SYMFI.....	148	<i>telmisartan</i>	49	<i>tobramycin</i>	103, 117
SYMFI LO.....	148	<i>telmisartan-amlodipine</i>	49	<i>tobramycin in 0.225 % nacl</i>	117
SYMJEPI.....	48	<i>telmisartan-hydrochlorothiazid</i>	49	<i>tobramycin sulfate</i>	117
SYMLINPEN 120.....	23	<i>temazepam</i>	21	<i>tobramycin-dexamethasone</i>	103
SYMLINPEN 60.....	24	TEMIXYS.....	148	TOLAK.....	73
SYMPAZAN.....	137	TEMODAR.....	15	<i>tolmetin</i>	111
SYMTUZA.....	148	<i>temsirolimus</i>	15	<i>tolterodine</i>	80
SYNAGIS.....	150	<i>tencon</i>	115	<i>topiramate</i>	137

<i>toposar</i>	15	<i>tri-legest fe</i>	132	UCERIS.....	56
<i>topotecan</i>	15	<i>tri-linyah</i>	132	UDENYCA.....	158
<i>toremifene</i>	15	<i>tri-lo-estarylla</i>	132	UNITUXIN.....	16
<i>torseamide</i>	54	<i>tri-lo-marzia</i>	132	UPTRAVI.....	108, 109
TOTECT.....	107	<i>tri-lo-mili</i>	132	<i>ursodiol</i>	78
TOUJEO MAX U-300		<i>tri-lo-sprintec</i>	132	<i>valacyclovir</i>	151
SOLOSTAR.....	26	<i>trilyte with flavor packets</i>	79	VALCHLOR.....	73
TOUJEO SOLOSTAR U-300		<i>trimethoprim</i>	119	<i>valganciclovir</i>	151
INSULIN.....	26	<i>tri-mili</i>	132	<i>valproate sodium</i>	137
TOVIAZ.....	80	<i>trimipramine</i>	141	<i>valproic acid</i>	137
TRACLEER.....	108	TRINTELLIX.....	141	<i>valproic acid (as sodium salt)</i>	137
TRADJENTA.....	24	<i>tri-previfem (28)</i>	132	<i>valrubicin</i>	16
<i>tramadol</i>	115	TRIPTODUR.....	87	<i>valsartan</i>	49
<i>tramadol-acetaminophen</i>	115	<i>tri-sprintec (28)</i>	132	<i>valsartan-hydrochlorothiazide</i> ..	49
<i>trandolapril</i>	55	TRIUMEQ.....	148	VALTOCO.....	137
<i>tranexamic acid</i>	154	<i>trivora (28)</i>	132	<i>vancomycin</i>	119
<i>tranylcypromine</i>	140	<i>tri-vylibra</i>	132	VAQTA (PF).....	99
TRAVASOL 10 %.....	43	<i>tri-vylibra lo</i>	132	VARIVAX (PF).....	99
<i>travoprost</i>	100	TRODELVY.....	16	VASCEPA.....	52
<i>travoprost (benzalkonium)</i>	100	TROGARZO.....	148	VECTIBIX.....	16
TRAZIMERA.....	15	TROPHAMINE 10 %.....	43	VEKLURY.....	151
<i>trazodone</i>	141	TROPHAMINE 6%.....	43	VELCADE.....	16
TREANDA.....	16	<i>trosipium</i>	80	<i>velivet triphasic regimen (28)</i>	132
TRECTOR.....	144	TRULANCE.....	78	VELPHORO.....	79
TRELEGY ELLIPTA.....	69	TRULICITY.....	24	VEMLIDY.....	148
TRELSTAR.....	16	TRUMENBA.....	98	VENCLEXTA.....	16, 17
TREMFYA.....	94	TRUVADA.....	148	VENCLEXTA STARTING	
<i>treprostinil sodium</i>	108	TRUXIMA.....	16	PACK.....	17
<i>tretinoin</i>	75	TUKYSA.....	16	<i>venlafaxine</i>	141
<i>tretinoin (antineoplastic)</i>	16	<i>tulana</i>	132	<i>verapamil</i>	47
<i>tri femynor</i>	132	TURALIO.....	16	VEREGEN.....	73
<i>triamcinolone acetonide</i> 69, 72, 84		TWINRIX (PF).....	98	VERSACLOZ.....	39
<i>triamterene-hydrochlorothiazid</i> 54		<i>tyblume</i>	132	VERZENIO.....	17
<i>triazolam</i>	21	TYBOST.....	107	VIBERZI.....	78
<i>trientine</i>	117	TYKERB.....	16	<i>vicodin hp</i>	115
<i>tri-estarylla</i>	132	TYMLOS.....	58	VICTOZA.....	24
<i>trifluoperazine</i>	39	TYPHIM VI.....	98, 99	VIDEX 2 GRAM	
<i>trifluridine</i>	103	TYSABRI.....	94	PEDIATRIC.....	149
<i>trihexyphenidyl</i>	34	TYVASO.....	108	VIEKIRA PAK.....	149
TRIKAFTA.....	66	UBRELVY.....	28	<i>vienna</i>	132

<i>vigabatrin</i>	137	XCOPRI MAINTENANCE	ZEPATIER.....	149
<i>vigadrone</i>	137	PACK.....	ZEPOSIA.....	64
VIIBRYD.....	141	XCOPRI TITRATION	ZEPOSIA STARTER KIT.....	64
VIMIZIM.....	159	PACK.....	ZEPOSIA STARTER PACK.....	64
VIMPAT.....	137, 138	XELJANZ.....	ZEPZELCA.....	18
<i>vinblastine</i>	17	XELJANZ XR.....	<i>zidovudine</i>	149
<i>vincasar pfs</i>	17	XELPROS.....	ZIEXTENZO.....	158
<i>vincristine</i>	17	XERMELO.....	ZIOPTAN (PF).....	101
<i>vinorelbine</i>	17	XGEVA.....	<i>ziprasidone hcl</i>	39
<i>violele (28)</i>	132	XHANCE.....	<i>ziprasidone mesylate</i>	39
VIRACEPT.....	149	XIFAXAN.....	ZIRABEV.....	18
VIREAD.....	149	XIGDUO XR.....	ZIRGAN.....	103
VISTOGARD.....	107	XIIDRA.....	ZOLADEx.....	18
VITRAKVI.....	17	XOFLUZA.....	<i>zoledronic acid</i>	58
VIZIMPRO.....	17	XOLAIR.....	<i>zoledronic acid-mannitol-water</i>	58
<i>volnea (28)</i>	132	XOSPATA.....	ZOLINZA.....	18
<i>voriconazole</i>	143	XPOVIO.....	<i>zolmitriptan</i>	29
VOSEVI.....	149	XTAMPZA ER.....	<i>zolpidem</i>	59
VOTRIENT.....	17	XTANDI.....	ZOMACTON.....	87
VPRIV.....	159	<i>xulane</i>	<i>zonisamide</i>	138
VRAYLAR.....	39	XULTOPHY 100/3.6.....	ZORBTIVE.....	87
VUMERITY.....	64	XURIDEN.....	ZORTRESS.....	94
VYEPTI.....	28	XYOSTED.....	ZOSTAVAX (PF).....	99
<i>vyfemla (28)</i>	133	XYREM.....	<i>zovia 1/35e (28)</i>	133
<i>vylibra</i>	133	XYWAV.....	ZTLIDO.....	116
VYNDAMAX.....	48	YERVOY.....	ZULRESSO.....	141
VYNDAQEL.....	48	YF-VAX (PF).....	<i>zumandimine (28)</i>	133
VYXEOS.....	17	YONDELIS.....	ZYDELIG.....	18
VYZULTA.....	100	YONSA.....	ZYKADIA.....	18
<i>warfarin</i>	155	<i>yuvafem</i>	ZYLET.....	103
WELCHOL.....	52	<i>zafirlukast</i>	ZYPREXA RELPREVV.....	39
<i>wera (28)</i>	133	<i>zaleplon</i>	ZYTIGA.....	19
XADAGO.....	34	ZALTRAP.....		
XALKORI.....	17	<i>zarah</i>		
XARELTO.....	156	ZARXIO.....		
XARELTO DVT-PE TREAT		<i>zebutal</i>		
30D START.....	156	ZEJULA.....		
XATMEP.....	17	ZELBORAF.....		
XCOPRI.....	138	<i>zenatane</i>		
		ZENPEP.....		

Banner Prime

si tiene preguntas, llame sin costo alguno a

(844) 549-1857, TTY 711

de 8 a.m. to 8 p.m., 7 días de la semana

www.BannerMA.com

This formulary was updated on 02/01/2021. For more recent information or other questions, please contact Banner Medicare Advantage Prime HMO at (844) 549-1857 or, for TTY users, 711, 8 a.m. to 8 p.m., 7 days a week, or visit www.BannerMA.com.

Este formulario fue actualizado el 02/01/2021. Para la información más reciente u otras preguntas, favor de comunicarse con Banner Medicare Advantage Prime HMO al (844) 549-1857 o, para usuarios de TTY 711, de 8 a.m. to 8 p.m., 7 días de la semana, o visite www.BannerMA.com.